Humana. **Claims Payment Policy**

Subject: Laboratory – Evaluation of Dry Eyes

Application: Medicare Advantage Products **Published date:** 10/2026

Policy number: LAB2026003

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Testing for matrix metalloproteinase-9 (MMP-9) protein (CPT code 83516, CPT code 83520), lactoferrin (CPT code 83520) or immunoglobulin E (IgE) (CPT code 82785) **IS NOT REIMBURSABLE** for any of the following:
  - Blepharitis
  - Discoid lupus erythematosus
  - Dry eye syndrome
  - Epiphora
  - Keratoconjunctivitis
  - Meibomian gland dysfunction
  - Sicca syndrome
  - Visual discomfort

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
82785	Gammaglobulin (immunoglobulin); IgE
83516	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method
83520	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified

References

Akpek, E. K., Amescua, G., Farid, M., Garcia-Ferrer, F. J., Lin, A., Rhee, M. K., Varu, D. M., Musch, D. C., Dunn, S. P., & Mah, F. S. (2018a). Dry Eye Syndrome Preferred Practice Pattern. *Ophthalmology*. https://doi.org/10.1016/j.ophtha.2018.10.023

Akpek, E. K., Amescua, G., Farid, M., Garcia-Ferrer, F. J., Lin, A., Rhee, M. K., Varu, D. M., Musch, D. C., Dunn, S. P., & Mah, F. S. (2018b). Dry Eye Syndrome Preferred Practice Pattern&#xae. *Ophthalmology*. https://doi.org/10.1016/j.ophtha.2018.10.023

AOA. (2010). *Care of the Patient with Ocular Surface Disorders*. https://www.aoa.org/documents/optometrists/CPG-10.pdf

ATD. (2016a). https://advancedteardiagnostics.com/wp/wp-content/uploads/2016/04/Lf-Data-Sheet-TearScan-04262016.pdf

ATD. (2016b). *TearScanTM 270 MicroAssay System*. https://www.advancedteardiagnostics.com/wp/order/

Baenninger, P. B., Voegeli, S., Bachmann, L. M., Faes, L., Iselin, K., Kaufmann, C., & Thiel, M. A. (2018). Variability of Tear Osmolarity Measurements With a Point-of-Care System in Healthy Subjects-Systematic Review. *Cornea*, *37*(7), 938-945. https://doi.org/10.1097/ico.0000000000001562

Brissette, A. R., Drinkwater, O. J., Bohm, K. J., & Starr, C. E. (2019). The utility of a normal tear osmolarity test in patients presenting with dry eye disease like symptoms: A prospective analysis. *Cont Lens Anterior Eye*, *42*(2), 185-189. https://doi.org/10.1016/j.clae.2018.09.002

Chan, T. C., Ye, C., Chan, K. P., Chu, K. O., & Jhanji, V. (2016). Evaluation of point-of-care test for elevated tear matrix metalloproteinase 9 in post-LASIK dry eyes. *Br J Ophthalmol*, *100*(9), 1188-1191. https://doi.org/10.1136/bjophthalmol-2015-307607

Chotikavanich, S., de Paiva, C. S., Li de, Q., Chen, J. J., Bian, F., Farley, W. J., & Pflugfelder, S. C. (2009). Production and activity of matrix metalloproteinase-9 on the ocular surface increase in dysfunctional tear syndrome. *Invest Ophthalmol Vis Sci*, *50*(7), 3203-3209. https://doi.org/10.1167/iovs.08-2476

Craig, J. P., Nelson, J. D., Azar, D. T., Belmonte, C., Bron, A. J., Chauhan, S. K., de Paiva, C. S., Gomes, J. A. P., Hammitt, K. M., Jones, L., Nichols, J. J., Nichols, K. K., Novack, G. D., Stapleton, F. J., Willcox, M. D. P., Wolffsohn, J. S., & Sullivan, D. A. (2017). TFOS DEWS II Report Executive Summary. *Ocul Surf*, *15*(4), 802-812. https://doi.org/10.1016/j.jtos.2017.08.003

Craig, J. P., Nichols, K. K., Alpek, M. D., Caffery, B., Dua, H. S., Joo, C. K., Liu, Z., Nelson, J. D., Nichols, J. J., Tsubota, K., & Stapleton, F. J. (2017). TFOS DEWS II Definition and Classification Report. *Ocul Surf*, *15*(4), 276-283. https://doi.org/10.1016/j.jtos.2017.08.003

Dana, R., Meunier, J., Markowitz, J. T., Joseph, C., & Siffel, C. (2020). Patient-Reported Burden of Dry Eye Disease in the United States: Results of an Online Cross-Sectional Survey. *Am J Ophthalmol*, *216*, 7-17. https://doi.org/10.1016/j.ajo.2020.03.044

Ezuddin, N. S., Alawa, K. A., & Galor, A. (2015). Therapeutic Strategies to Treat Dry Eye in an Aging Population. *Drugs Aging*, *32*(7), 505-513. https://doi.org/10.1007/s40266-015-0277-6

Farrand, K. F., Fridman, M., Stillman, I. O., & Schaumberg, D. A. (2017). Prevalence of Diagnosed Dry Eye Disease in the United States Among Adults Aged 18 Years and Older. *Am J Ophthalmol*, *182*, 90-98. https://doi.org/10.1016/j.ajo.2017.06.033

FDA. (1993, 11/19/2018). *K934473*. Retrieved 11/20/2018 from https://www.accessdata.fda.gov/scripts/cdrh/devicesatfda/index.cfm?db=pmn&id=K934473

FDA. (2013). https://www.accessdata.fda.gov/cdrh_docs/pdf13/K132066.pdf

Foulks, G. N., Forstot, S. L., Donshik, P. C., Forstot, J. Z., Goldstein, M. H., Lemp, M. A., Nelson, J. D., Nichols, K. K., Pflugfelder, S. C., Tanzer, J. M., Asbell, P., Hammitt, K., & Jacobs, D. S. (2015). Clinical guidelines for management of dry eye associated with Sjögren disease. *Ocul Surf*, *13*(2), 118-132. https://doi.org/10.1016/j.jtos.2014.12.001

Holland, E. J., Darvish, M., Nichols, K. K., Jones, L., & Karpecki, P. M. (2019). Efficacy of topical ophthalmic drugs in the treatment of dry eye disease: A systematic literature review. *Ocul Surf*, *17*(3), 412-423. https://doi.org/10.1016/j.jtos.2019.02.012

Honda, N., Miyai, T., Nejima, R., Miyata, K., Mimura, T., Usui, T., Aihara, M., Araie, M., & Amano, S. (2010). Effect of latanoprost on the expression of matrix metalloproteinases and tissue inhibitor of metalloproteinase 1 on the ocular surface. *Arch Ophthalmol*, *128*(4), 466-471. https://doi.org/10.1001/archophthalmol.2010.40

Jie, Y., Sella, R., Feng, J., Gomez, M. L., & Afshari, N. A. (2019). Evaluation of incomplete blinking as a measurement of dry eye disease. *Ocul Surf*, *17*(3), 440-446. https://doi.org/10.1016/j.jtos.2019.05.007

Jun JH, L. Y., Son MJ, Kim H (2020). Importance of tear volume for positivity of tear matrix metalloproteinase-9 immunoassay. *PLoS ONE*, *15*(7). https://doi.org/10.1371/journal.pone.0235408

Kanellopoulos, A. J., & Asimellis, G. (2016). In pursuit of objective dry eye screening clinical techniques. *Eye Vis (Lond)*, *3*, 1. https://doi.org/10.1186/s40662-015-0032-4

Kawashima, M., Kawakita, T., Inaba, T., Okada, N., Ito, M., Shimmura, S., Watanabe, M., Shinmura, K., & Tsubota, K. (2012). Dietary lactoferrin alleviates age-related lacrimal gland dysfunction in mice. *PLoS ONE*, *7*(3), e33148. https://doi.org/10.1371/journal.pone.0033148

Lee, Y. H., Bang, S.-P., Shim, K.-Y., Son, M.-J., Kim, H., & Jun, J. H. (2021). Association of tear matrix metalloproteinase 9 immunoassay with signs and symptoms of dry eye disease: A cross-sectional study using qualitative, semiquantitative, and quantitative strategies. *PLoS ONE*, *16*(10), e0258203-e0258203. https://doi.org/10.1371/journal.pone.0258203

Messmer, E. M. (2015). The pathophysiology, diagnosis, and treatment of dry eye disease. *Dtsch Arztebl Int*, *112*(5), 71-81; quiz 82. https://doi.org/10.3238/arztebl.2015.0071

Messmer, E. M., von Lindenfels, V., Garbe, A., & Kampik, A. (2016). Matrix Metalloproteinase 9 Testing in Dry Eye Disease Using a Commercially Available Point-of-Care Immunoassay. *Ophthalmology*, *123*(11), 2300-2308. https://doi.org/10.1016/j.ophtha.2016.07.028

Milner, M. S., Beckman, K. A., Luchs, J. I., Allen, Q. B., Awdeh, R. M., Berdahl, J., Boland, T. S., Buznego, C., Gira, J. P., Goldberg, D. F., Goldman, D., Goyal, R. K., Jackson, M. A., Katz, J., Kim, T., Majmudar, P. A., Malhotra, R. P., McDonald, M. B., Rajpal, R. K., . .

. Yeu, E. (2017). Dysfunctional tear syndrome: dry eye disease and associated tear film disorders - new strategies for diagnosis and treatment. *Curr Opin Ophthalmol*, *27 Suppl 1*(Suppl 1), 3-47. https://doi.org/10.1097/01.icu.0000512373.81749.b7

Periman. (2020). The Immunological Basis of Dry Eye Disease and Current Topical Treatment Options. *Journal of Ocular Pharmacology and Therapeutics*, *36*(3), 137-146. https://doi.org/10.1089/jop.2019.0060

Ponzini, E., Scotti, L., Grandori, R., Tavazzi, S., & Zambon, A. (2020). Lactoferrin Concentration in Human Tears and Ocular Diseases: A Meta-Analysis. *Invest Ophthalmol Vis Sci*, *61*(12), 9. https://doi.org/10.1167/iovs.61.12.9

Sambursky, R., Davitt, W. F., 3rd, Latkany, R., Tauber, S., Starr, C., Friedberg, M., Dirks, M. S., & McDonald, M. (2013). Sensitivity and specificity of a point-of-care matrix metalloproteinase 9 immunoassay for diagnosing inflammation related to dry eye. *JAMA Ophthalmol*, *131*(1), 24-28. https://doi.org/10.1001/jamaophthalmol.2013.561

Shtein, R. (2021, November 4). *Dry eye disease*. Wolters Kluwer. Retrieved 11/16 from https://www.uptodate.com/contents/dry-eye-disease

Starr, C. E., Gupta, P. K., Farid, M., Beckman, K. A., Chan, C. C., Yeu, E., Gomes, J. A. P., Ayers, B. D., Berdahl, J. P., Holland, E. J., Kim, T., & Mah, F. S. (2019). An algorithm for the preoperative diagnosis and treatment of ocular surface disorders. *J Cataract Refract Surg*, *45*(5), 669-684. https://doi.org/10.1016/j.jcrs.2019.03.023

Szczotka-Flynn, L. B., Maguire, M. G., Ying, G. S., Lin, M. C., Bunya, V. Y., Dana, R., & Asbell, P. A. (2019). Impact of Dry Eye on Visual Acuity and Contrast Sensitivity: Dry Eye Assessment and Management Study. *Optom Vis Sci*, *96*(6), 387-396. https://doi.org/10.1097/opx.0000000000001387

Tashbayev, B., Utheim, T. P., Utheim, Ø. A., Ræder, S., Jensen, J. L., Yazdani, M., Lagali, N., Vitelli, V., Dartt, D. A., & Chen, X. (2020). Utility of Tear Osmolarity Measurement in Diagnosis of Dry Eye Disease. *Scientific Reports*, *10*(1), 5542. https://doi.org/10.1038/s41598-020-62583-x

TearLab. (2009). *TearLab*. https://www.tearlab.com/

Tomlinson, A., Khanal, S., Ramaesh, K., Diaper, C., & McFadyen, A. (2006). Tear film osmolarity: determination of a referent for dry eye diagnosis. *Invest Ophthalmol Vis Sci*, *47*(10), 4309-4315. https://doi.org/10.1167/iovs.05-1504

Versura, P., Bavelloni, A., Grillini, M., Fresina, M., & Campos, E. C. (2013). Diagnostic performance of a tear protein panel in early dry eye. *Mol Vis*, *19*, 1247-1257

Willcox, M. D. P., Argüeso, P., Georgiev, G. A., Holopainen, J. M., Laurie, G. W., Millar, T. J., Papas, E. B., Rolland, J. P., Schmidt, T. A., Stahl, U., Suarez, T., Subbaraman, L. N., Uçakhan, O., & Jones, L. (2017). TFOS DEWS II Tear Film Report. *Ocul Surf*, *15*(3), 366-403. https://doi.org/10.1016/j.jtos.2017.03.006