Humana. Claims Payment Policy

Subject: Laboratory – HIV Genotyping and Phenotyping

Application: Medicare Advantage Products
Policy number: LAB2023044
Published date: 07/2023
Revision date: 04/2026

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Human immunodeficiency virus (HIV) genotyping or phenotyping (CPT code 87901, CPT code 87903, CPT code 87904, CPT code 87906) **IS REIMBURSABLE** for patients with HIV.

- Drug susceptibility phenotype prediction using genotypic comparison to known genotypic or phenotypic database (CPT code 87900, CPT code 0219U) **IS NOT REIMBURSABLE**.

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
87900	Infectious agent drug susceptibility phenotype prediction using regularly updated genotypic bioinformatics
87901	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase, and protease regions
87903	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; first through 10 drugs tested
87904	Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; each additional drug tested (List separately in addition to code for primary procedure)
87906	Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, other region (e.g., integrase, fusion)
0219U	Infectious agent (human immunodeficiency virus), targeted viral next-generation sequence analysis (i.e., protease [PR], reverse transcriptase [RT], integrase [INT]), algorithm reported as prediction of antiviral drug susceptibility Proprietary test: Sentosa® SQ HIV-1 Genotyping Assay Lab/Manufacturer: Vela Diagnostics USA, Inc

References

Abbott. (2018). *VIROSEQ HIV-1 GENOTYPING SYSTEM*. https://www.molecular.abbott/us/en/products/infectious-disease/viroseq-hiv-1-genotyping-system

ASHM. (2018). *Antiretroviral Guidelines*. https://arv.ashm.org.au/drug-resistance-testing/

ATCC. (2014). *ATCC Teams with CDC and Thermo Fisher Scientific on Public Health RT-PCR Assay*. https://www.labbulletin.com/articles/ATCC-Teams-CDC-Thermo-Fisher-Scientific-Public-Health-RT-PCR-Assay/categories/20130120_11

CDC. (2014). Revised surveillance case definition for HIV infection--United States, 2014. *MMWR Recomm Rep*, *63*(Rr-03), 1-10. https://www.cdc.gov/mmwr/preview/mmwrhtml/rr6303a1.htm

Coffin, J., & Swanstrom, R. (2013). HIV Pathogenesis: Dynamics and Genetics of Viral Populations and Infected Cells. In *Cold Spring Harb Perspect Med* (Vol. 3). https://doi.org/10.1101/cshperspect.a012526

DHHS. (2022a, January 20, 2022). *Guidelines for the use of antiretroviral agents in adults and adolescents living with HIV*. Department of Health and Human Services. Retrieved March 2 from https://clinicalinfo.hiv.gov/en/guidelines/adult-and-adolescent-arv/whats-new-guidelines

DHHS. (2022b, April 11, 2022). *Guidelines for the Use of Antiretroviral Agents in Pediatric HIV Infection*. https://clinicalinfo.hiv.gov/en/guidelines/pediatric-arv/whats-new-guidelines

DHHS. (2022c, March 17, 2022). *Recommendations for the Use of Antiretroviral Drugs in Pregnant Women with HIV Infection and Interventions to Reduce Perinatal HIV Transmission in the United States*. https://clinicalinfo.hiv.gov/en/guidelines/perinatal/whats-new-guidelines

EACS. (2021). European AIDS Clinical Society Guidelines Version 11.0 October 2021. https://www.eacsociety.org/media/final2021eacsguidelinesv11.0_oct2021.pdf

Fogel, J. M., Bonsall, D., Cummings, V., Bowden, R., Golubchik, T., de Cesare, M., Wilson, E. A., Gamble, T., del Rio, C., Batey, D. S., Mayer, K. H., Farley, J. E., Hughes, J. P., Remien, R. H., Beyrer, C., Fraser, C., & Eshleman, S. H. (2020). Performance of a high-throughput next-generation sequencing method for analysis of HIV drug resistance and viral load. *Journal of Antimicrobial Chemotherapy*, *75*(12), 3510-3516. https://doi.org/10.1093/jac/dkaa352

Fox, Z. V., Geretti, A. M., Kjaer, J., Dragsted, U. B., Phillips, A. N., Gerstoft, J., Staszewski, S., Clotet, B., von Wyl, V., & Lundgren, J. D. (2007). The ability of four genotypic interpretation systems to predict virological response to ritonavir-boosted protease inhibitors. *Aids*, *21*(15), 2033-2042. https://doi.org/10.1097/QAD.0b013e32825a69e4

Gunthard, H. F., Calvez, V., Paredes, R., Pillay, D., Shafer, R. W., Wensing, A. M., Jacobsen, D. M., & Richman, D. D. (2019). Human Immunodeficiency Virus Drug Resistance: 2018 Recommendations of the International Antiviral Society-USA Panel. *Clin Infect Dis*, *68*(2), 177-187. https://doi.org/10.1093/cid/ciy463

Kozal, M. (2019a, September 17th, 2019). *Interpretation of HIV drug resistance testing*. https://www.uptodate.com/contents/interpretation-of-hiv-drug-resistance-testing

Kozal, M. (2019b, September 17th, 2019). *Overview of HIV drug resistance testing assays*. https://www.uptodate.com/contents/overview-of-hiv-drug-resistance-testing-assays

LabCorp. (2020). *Human Immunodeficiency Virus 1 (HIV-1) PhenoSense GT® Plus Integrase (Monogram® Phenotype + Genotype)*. https://www.labcorp.com/tests/551920/human-immunodeficiency-virus-1-hiv-1-phenosense-gt-plus-integrase-monogram-phenotype-genotype

Mansky, L. M., & Temin, H. M. (1995). Lower in vivo mutation rate of human immunodeficiency virus type 1 than that predicted from the fidelity of purified reverse transcriptase. *J Virol*, *69*(8), 5087-5094. https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/7541846/

NYSDOH. (2020). *Clinical Guidelines Program*. https://cdn.hivguidelines.org/wp-content/uploads/20200506090926/NYSDOH-AI-HIV-Resistance-Assays_updated_5-5-2020_mbh.pdf

Pröll, J., Paar, C., Taylor, N., Skocic, M., Freystetter, A., Blaimschein, A., Mayr, R., Niklas, N., Atzmüller, S., Raml, E., & Wechselberger, C. (2022). New aspects of the Virus Life Cycle and Clinical Utility of Next Generation Sequencing based HIV-1 Resistance Testing in the Genomic, the Proviral and the Viral Reservoir of Peripheral Blood Mononuclear Cells. *Curr HIV Res*. https://doi.org/10.2174/1570162x20666220324111418

Raymond, S., Nicot, F., Abravanel, F., Minier, L., Carcenac, R., Lefebvre, C., Harter, A., Martin-Blondel, G., Delobel, P., & Izopet, J. (2020). Performance evaluation of the Vela Dx Sentosa next-generation sequencing system for HIV-1 DNA genotypic resistance. *Journal of Clinical Virology*, *122*, 104229. https://doi.org/https://doi.org/10.1016/j.jcv.2019.104229

Rosemary, A., Chika, O., Jonathan, O., Godwin, I., Georgina, O., Azuka, O., Zaidat, M., Philippe, C., Oliver, E., Oche, A., David, O., Jay, S., Ibrahim, D., Mukhtar, A., Joshua, D., Chunfu, Y., Elliot, R., Beth, C., Phyllis, K., & Emmanuel, I. (2018). Genotyping performance evaluation of commercially available HIV-1 drug resistance test. *PLoS One*, *13*(6), e0198246. https://doi.org/10.1371/journal.pone.0198246

Shen, C., Yu, X., Harrison, R. W., & Weber, I. T. (2016). Automated prediction of HIV drug resistance from genotype data. *BMC Bioinformatics*, *17 Suppl 8*, 278. https://doi.org/10.1186/s12859-016-1114-6

Taylor, T., Lee, E. R., Nykoluk, M., Enns, E., Liang, B., Capina, R., Gauthier, M. K., Domselaar, G. V., Sandstrom, P., Brooks, J., & Ji, H. (2019). A MiSeq-HyDRA platform for enhanced HIV drug resistance genotyping and surveillance. *Sci Rep*, *9*(1), 8970. https://doi.org/10.1038/s41598-019-45328-3

Vandamme, A. M., Camacho, R. J., Ceccherini-Silberstein, F., de Luca, A., Palmisano, L., Paraskevis, D., Paredes, R., Poljak, M., Schmit, J. C., Soriano, V., Walter, H., & Sonnerborg, A. (2011). European recommendations for the clinical use of HIV drug resistance testing: 2011 update. *AIDS Rev*, *13*(2), 77-108. http://gruposdetrabajo.sefh.es/afvih/images/stories/Documentos/04resistan2011.pdf

Zhang, J., Rhee, S. Y., Taylor, J., & Shafer, R. W. (2005). Comparison of the precision and sensitivity of the Antivirogram and PhenoSense HIV drug susceptibility assays. J Acquir Immune Defic Syndr, 38(4), 439-444.