Humana Claims Payment Policy

Subject: Laboratory – Hemoglobin A1c

Application: Medicare Advantage and Commercial Products
Policy number: LAB2023019
Related policies: N/A

Published date: 05/2023
Review date or Revision date: 07/2023

Disclaimer: The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website: **Humana.com/ClaimPaymentPolicies**

Overview

This policy establishes Humana's billing requirements and reimbursement for hemoglobin A1c laboratory services.

Medicare Advantage Payment Policy
Commercial Payment Policy
References
General Humana Resources

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to this policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Measurement of hemoglobin A1c (CPT code 83037) **IS ONLY REIMBURSABLE** for individuals with a diagnosis of either Type 1 or Type 2 diabetes once every three months.

- Measurement of hemoglobin A1c (CPT code 83037) **IS ONLY REIMBURSABLE** once every 365 days to help in the detection and diagnosis of Type 2 diabetes in individuals aged 18 and over with any of the following:
  - Overweight or obese
  - Pre-diabetes
  - History of gestational diabetes
  - Family history of diabetes
  - Cardiovascular disease
  - Hypertension
  - Hypercholesterolemia
  - Metabolic syndrome
  - Polycystic ovary syndrome
  - High-risk race/ethnicity (e.g., African American, Latino or Hispanics, Native American, Asian American, Pacific Islanders) at risk for Type 2 diabetes (e.g., obesity)
  - Physical inactivity
  - Other clinical conditions associated with insulin resistance (e.g., acanthosis nigricans)

- Diabetes screening with a hemoglobin A1c determination (CPT code 83037) **IS ONLY REIMBURSABLE** once every 3 years for children aged 10-17 with at least one of the following characteristics:
  - Overweight or obese
  - Family history of type 2 diabetes
  - Hypertension
  - Dyslipidemia
  - Polycystic ovary syndrome

- Measurement of hemoglobin A1c (CPT code 83037) **IS ONLY REIMBURSABLE** for pregnant individuals up to once per month during pregnancy.

- Measurement of hemoglobin A1c (CPT code 83037) **IS NOT REIMBURSABLE** when billed in conjunction with measurement of (CPT code 82985) fructosamine.

Applicable Procedures for Medicare Advantage Plans

Procedure code	Code description
83037	Hemoglobin; glycosylated (A1c) by device cleared by FDA for home use

Commercial Payment Policy

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Measurement of hemoglobin A1c (CPT code 83036 or 83037) **IS ONLY REIMBURSABLE** for individuals with a diagnosis of either Type 1 or Type 2 diabetes once every three months.

- Measurement of hemoglobin A1c (CPT code 83036 or 83037) **IS ONLY REIMBURSABLE** once every 365 days to help in the detection and diagnosis of Type 2 diabetes in individuals aged 18 and over with any of the following:
  - Overweight or obese
  - Pre-diabetes
  - History of gestational diabetes
  - Family history of diabetes
  - Cardiovascular disease
  - Hypertension
  - Hypercholesterolemia
  - Metabolic syndrome
  - Polycystic ovary syndrome
  - High-risk race/ethnicity (e.g., African American, Latino or Hispanics, Native American, Asian American, Pacific Islanders) at risk for Type 2 diabetes (e.g., obesity)
  - Physical inactivity
  - Other clinical conditions associated with insulin resistance (e.g., acanthosis nigricans)

- Diabetes screening with a hemoglobin A1c determination (CPT code 83036 or 83037) **IS ONLY REIMBURSABLE** once every 3 years for children aged 10-17 with at least one of the following characteristics:
  - Overweight or obese
  - Family history of type 2 diabetes
  - Hypertension
  - Dyslipidemia
  - Polycystic ovary syndrome

- Measurement of hemoglobin A1c (CPT code 83036 or 83037) in for pregnant individuals **IS ONLY REIMBURSABLE** up to once per month during pregnancy.

- Measurement of hemoglobin A1c (CPT code 83036 or 83037) **IS NOT REIMBURSABLE** when billed in conjunction with measurement of (CPT code 82985) fructosamine.

Applicable Procedures for Commercial Plans

Procedure code	Code description
83036	Hemoglobin; glycosylated (A1c)
83037	Hemoglobin; glycosylated (A1c) by device cleared by FDA for home use

References

- AAFP.). Screening for Abnormal Blood Glucose and Type 2 Diabetes Mellitus: Recommendation Statement. *Am Fam Physician, 105*(1), Online. Retrieved from https://www.aafp.org/afp/2022/0100/od1.html
- ADA. (2010). Diagnosis and classification of diabetes mellitus. *Diabetes Care, 33 Suppl 1*, S62-69. doi:10.2337/dc10-S062
- ADA. (2017). Statistics About Diabetes. Retrieved from https://www.diabetes.org/resources/statistics/statistics-about-diabetes

- ADA. (2020a). 4. Comprehensive Medical Evaluation and Assessment of Comorbidities: Standards of Medical Care in Diabetes—2020. *Diabetes Care, 43*(Supplement 1), S37. doi:10.2337/dc20-S004
- ADA. (2020b). 6. Glycemic Targets: Standards of Medical Care in Diabetes—2020. *Diabetes Care, 43*(Supplement 1), S66. doi:10.2337/dc20-S006
- ADA. (2020c). 13. Children and Adolescents: Standards of Medical Care in Diabetes−2020. *Diabetes Care, 43*(Supplement 1), S163. doi:10.2337/dc20-S013
- ADA. (2021a). 2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2021. *Diabetes Care, 43*(Supplement 1), S14. doi:10.2337/dc20-S002
- ADA. (2021b). 4. Comprehensive Medical Evaluation and Assessment of Comorbidities: Standards of Medical Care in Diabetes—2021. *Diabetes Care, 43*(Supplement 1), S37. doi:10.2337/dc20-S004
- ADA. (2021c). 6. Glycemic Targets: Standards of Medical Care in Diabetes—2021. *Diabetes Care, 43*(Supplement 1), S66. doi:10.2337/dc20-S006
- ADA. (2021d). 13. Children and Adolescents: Standards of Medical Care in Diabetes−2021. *Diabetes Care, 43*(Supplement 1), S163. doi:10.2337/dc20-S013
- ADA. (2021e). 14. Management of Diabetes in Pregnancy: Standards of Medical Care in Diabetes—2021. *Diabetes Care, 43*(Supplement 1), S183. doi:10.2337/dc20-S014
- Al-Badri, A., Hashmath, Z., Oldland, G. H., Miller, R., Javaid, K., Syed, A. A., . . . Chirinos, J. A. (2018). Poor Glycemic Control Is Associated With Increased Extracellular Volume Fraction in Diabetes. *Diabetes Care*. doi:10.2337/dc18-0324
- Al Mansari, A., Obeid, Y., Islam, N., Fariduddin, M., Hassoun, A., Djaballah, K., . . . Chaudhury, T. (2018). GOAL study: clinical and non-clinical predictive factors for achieving glycemic control in people with type 2 diabetes in real clinical practice. *BMJ Open Diabetes Res Care, 6*(1), e000519. doi:10.1136/bmjdrc-2018-000519
- Arbiol-Roca, A., Pérez-Hernández, E. A., Aisa-Abdellaoui, N., Valls-Guallar, T., Gálvez-Carmona, F., Mariano-Serrano, E., . . . Ruiz-Morer, M. R. (2021). The utility HBA1c test as a screening biomarker for detecting gestational diabetes mellitus. *Clinical Biochemistry, 90*, 58-61. doi:https://doi.org/10.1016/j.clinbiochem.2021.01.002
- CDC. (2020). National Diabetes Statistics Report 2020 Estimates of Diabetes and Its Burden in the United States. Retrieved from https://www.cdc.gov/diabetes/pdfs/data/statistics/national-diabetes-statistics-report.pdf
- Committee, D. C. C. P. G. E. (2018). *Diabetes Canada 2018 Clinical Practice Guidelines for the Prevention and Management of Diabetes in Canada.* Retrieved from http://guidelines.diabetes.ca/docs/CPG-2018-full-EN.pdf
- Cowie, C. C., Rust, K. F., Byrd-Holt, D. D., Gregg, E. W., Ford, E. S., Geiss, L. S., . . . Fradkin, J. E. (2010). Prevalence of Diabetes and High Risk for Diabetes Using A1C Criteria in the U.S. Population in 1988–2006. *Diabetes Care, 33*(3), 562. doi:10.2337/dc09-1524
- Darukhanavala, A., Van Dessel, F., Ho, J., Hansen, M., Kremer, T., & Alfego, D. (2021). Use of hemoglobin A1c to identify dysglycemia in cystic fibrosis. *PLoS One, 16*(4), e0250036. doi:10.1371/journal.pone.0250036
- Davidson, K. W., Barry, M. J., Mangione, C. M., Cabana, M., Caughey, A. B., Davis, E. M., . . . Wong, J. B. (2021). Screening for Prediabetes and Type 2 Diabetes: US Preventive Services Task Force Recommendation Statement. *Jama, 326*(8), 736-743. doi:10.1001/jama.2021.12531
- de Boer, I. H., Caramori, M. L., Chan, J. C. N., Heerspink, H. J. L., Hurst, C., Khunti, K., . . . Rossing, P. (2020). KDIGO 2020 Clinical Practice Guideline for Diabetes Management in Chronic Kidney Disease. *Kidney International, 98*(4), S1-S115. doi:10.1016/j.kint.2020.06.019
- DiMeglio, L. A., Acerini, C. L., Codner, E., Craig, M. E., Hofer, S. E., Pillay, K., & Maahs, D. M. (2018). ISPAD Clinical Practice Consensus Guidelines 2018: Glycemic control targets and glucose monitoring for children, adolescents, and young adults with diabetes. *Pediatr Diabetes, 19 Suppl 27*, 105-114. doi:10.1111/pedi.12737
- FDA. (2020). Devices@FDA. Retrieved from https://www.accessdata.fda.gov/scripts/cdrh/devicesatfda/index.cfm
- FDA. (2021). Devices@FDA. Retrieved from https://www.accessdata.fda.gov/scripts/cdrh/devicesatfda/index.cfm
- Gambino, R. (2007). Glucose: a simple molecule that is not simple to quantify. *Clin Chem, 53*(12), 2040-2041. doi:10.1373/clinchem.2007.094466
- Garber, A. J., Handelsman, Y., Grunberger, G., Einhorn, D., Abrahamson, M. J., Barzilay, J. I., . . . Umpierrez, G. E. CONSENSUS STATEMENT BY THE AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS AND AMERICAN COLLEGE OF ENDOCRINOLOGY ON THE COMPREHENSIVE TYPE 2 DIABETES MANAGEMENT ALGORITHM - EXECUTIVE SUMMARY. *Endocr Pract,* (1), -139. doi:10.4158/cs--0472

- Goodney, P. P., Newhall, K. A., Bekelis, K., Gottlieb, D., Comi, R., Chaudrain, S., . . . Skinner, J. S. (2016). Consistency of Hemoglobin A1c Testing and Cardiovascular Outcomes in Medicare Patients With Diabetes. *J Am Heart Assoc, 5*(8). doi:10.1161/jaha.116.003566
- Gu, J., Pan, J. A., Fan, Y. Q., Zhang, H. L., Zhang, J. F., & Wang, C. Q. (2018). Prognostic impact of HbA1c variability on long-term outcomes in patients with heart failure and type 2 diabetes mellitus. *Cardiovasc Diabetol, 17*(1), 96. doi:10.1186/s12933-018-0739-3
- Hanssen, K. F., Bangstad, H. J., Brinchmann-Hansen, O., & Dahl-Jorgensen, K. (1992). Blood glucose control and diabetic microvascular complications: long-term effects of near-normoglycaemia. *Diabet Med, 9*(8), 697-705. Retrieved from http://dx.doi.org/
- Hoelzel, W., Weykamp, C., Jeppsson, J. O., Miedema, K., Barr, J. R., Goodall, I., . . . Wiedmeyer, H. M. (2004). IFCC reference system for measurement of hemoglobin A1c in human blood and the national standardization schemes in the United States, Japan, and Sweden: a method-comparison study. *Clin Chem, 50*(1), 166-174. doi:10.1373/clinchem.2003.024802
- IEC. (2009). International Expert Committee report on the role of the A1C assay in the diagnosis of diabetes. *Diabetes Care, 32*(7), 1327-1334. doi:10.2337/dc09-9033
- Inzucchi, S., Lupsa, Beatrice. (2021). Clinical presentation, diagnosis, and initial evaluation of diabetes mellitus in adults - UpToDate. Retrieved from https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-diabetes-mellitus-in-adults?source=search_result&search=a1c&selectedTitle=5~150. https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-diabetes-mellitus-in-adults?source=search_result&search=a1c&selectedTitle=5~150
- Kanyal Butola, L., Ambad, R., Kanyal, D., & Vagga, A. (2021). Glycated Haemoglobin-Recent Developments and Review on Non-Glycemic Variables.
- LeRoith, D., Biessels, G. J., Braithwaite, S. S., Casanueva, F. F., Draznin, B., Halter, J. B., . . . Sinclair, A. J. (2019). Treatment of Diabetes in Older Adults: An Endocrine Society* Clinical Practice Guideline. *The Journal of Clinical Endocrinology & Metabolism, 104*(5), 1520-1574. doi:10.1210/jc.2019-00198
- Ludvigsson, J. F., Neovius, M., Söderling, J., Gudbjörnsdottir, S., Svensson, A. M., Franzén, S., . . . Pasternak, B. (2019). Maternal Glycemic Control in Type 1 Diabetes and the Risk for Preterm Birth: A Population-Based Cohort Study. *Ann Intern Med, 170*(10), 691-701. doi:10.7326/m18-1974
- Malkani, S., & Mordes, J. P. (2011). The implications of using Hemoglobin A1C for diagnosing Diabetes Mellitus. *Am J Med, 124*(5), 395-401. doi:10.1016/j.amjmed.2010.11.025
- Mamtora, S., Maghsoudlou, P., Hasan, H., Zhang, W., & El-Ashry, M. (2021). Assessing the Clinical Utility of Point of Care HbA1c in the Ophthalmology Outpatient Setting. *Clinical ophthalmology (Auckland, N.Z.), 15*, 41-47. doi:10.2147/OPTH.S287531
- Mañé, L., Flores-Le Roux, J. A., Pedro-Botet, J., Gortazar, L., Chillarón, J. J., Llauradó, G., . . . Benaiges, D. (2019). Is fasting plasma glucose in early pregnancy a better predictor of adverse obstetric outcomes than glycated haemoglobin? *Eur J Obstet Gynecol Reprod Biol, 234*, 79-84. doi:10.1016/j.ejogrb.2018.12.036
- Merzon, E., Green, I., Shpigelman, M., Vinker, S., Raz, I., Golan-Cohen, A., & Eldor, R. (2021). Haemoglobin A1c is a predictor of COVID-19 severity in patients with diabetes. *Diabetes Metab Res Rev, 37*(5), e3398. doi:10.1002/dmrr.3398
- Miller, W. G., Myers, G. L., Ashwood, E. R., Killeen, A. A., Wang, E., Ehlers, G. W., . . . Toth, A. (2008). State of the art in trueness and interlaboratory harmonization for 10 analytes in general clinical chemistry. *Arch Pathol Lab Med, 132*(5), 838-846. doi:10.1043/1543-2165(2008)132[838:sotait]2.0.co;2
- Mitsios, J. P., Ekinci, E. I., Mitsios, G. P., Churilov, L., & Thijs, V. (2018). Relationship Between Glycated Hemoglobin and Stroke Risk: A Systematic Review and Meta-Analysis. *J Am Heart Assoc, 7*(11). doi:10.1161/jaha.117.007858
- Moran, A., Pillay, K., Becker, D., Granados, A., Hameed, S., & Acerini, C. L. (2018). ISPAD Clinical Practice Consensus Guidelines 2018: Management of cystic fibrosis-related diabetes in children and adolescents. *Pediatr Diabetes, 19 Suppl 27*, 64-74. doi:10.1111/pedi.12732
- NACB. (2011). Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus. In D. Sacks (Ed.), *LABORATORY MEDICINE PRACTICE GUIDELINES*. Retrieved from https://www.aacc.org/science-and-practice/practice-guidelines/diabetes-mellitus
- Nathan, D. M., Singer, D. E., Hurxthal, K., & Goodson, J. D. (1984). The clinical information value of the glycosylated hemoglobin assay. *N Engl J Med, 310*(6), 341-346. doi:10.1056/nejm198402093100602
- NGSP. (2019, 06/2019). College of American Pathologists (CAP) GH5 Survey Data: . Retrieved from http://www.ngsp.org/CAP/CAP19a.pdf

- NICE. , 3/31/2022). Type 2 diabetes in adults: management. Retrieved from https://www.nice.org.uk/guidance/ng28/chapter/1-Recommendations
- Petersen, P. H., Jorgensen, L. G., Brandslund, I., De Fine Olivarius, N., & Stahl, M. (2005). Consequences of bias and imprecision in measurements of glucose and hba1c for the diagnosis and prognosis of diabetes mellitus. *Scand J Clin Lab Invest Suppl, 240*, 51-60. doi:10.1080/00365510500236135
- Rohlfing, C., Wiedmeyer, H. M., Little, R., Grotz, V. L., Tennill, A., England, J., . . . Goldstein, D. (2002). Biological variation of glycohemoglobin. *Clin Chem, 48*(7), 1116-1118. Retrieved from http://dx.doi.org/
- Saito, Y., Noto, H., Takahashi, O., & Kobayashi, D. (2019). Visit-to-Visit Hemoglobin A1c Variability Is Associated With Later Cancer Development in Patients With Diabetes Mellitus. *Cancer J, 25*(4), 237-240. doi:10.1097/ppo.0000000000000387
- Selvin, E. (2022). Measurements of glycemic control in diabetes mellituss - UpToDate. Retrieved from https://www.uptodate.com/contents/measurements-of-glycemic-control-in-diabetes-mellitus. https://www.uptodate.com/contents/measurements-of-glycemic-control-in-diabetes-mellitus
- Selvin, E., Crainiceanu, C. M., Brancati, F. L., & Coresh, J. (2007). Short-term variability in measures of glycemia and implications for the classification of diabetes. *Arch Intern Med, 167*(14), 1545-1551. doi:10.1001/archinte.167.14.1545
- Skyler, J. S., Bakris, G. L., Bonifacio, E., Darsow, T., Eckel, R. H., Groop, L., . . . Ratner, R. E. (2017). Differentiation of Diabetes by Pathophysiology, Natural History, and Prognosis. *Diabetes, 66*(2), 241-255. doi:10.2337/db16-0806
- van 't Riet, E., Alssema, M., Rijkelijkhuizen, J. M., Kostense, P. J., Nijpels, G., & Dekker, J. M. (2010). Relationship between A1C and glucose levels in the general Dutch population: the new Hoorn study. *Diabetes Care, 33*(1), 61-66. doi:10.2337/dc09-0677
- Weykamp, C., John, W. G., Mosca, A., Hoshino, T., Little, R., Jeppsson, J. O., . . . Siebelder, C. (2008). The IFCC Reference Measurement System for HbA1c: a 6-year progress report. *Clin Chem, 54*(2), 240-248. doi:10.1373/clinchem.2007.097402
- WHO. (2016). *Global Report on Diabetes*. Retrieved from http://www.who.int/diabetes/global-report/en/
- WHO. (2020). Diagnosis and Management of Type 2 Diabetes. Retrieved from https://www.who.int/publications/i/item/who-ucn-ncd-20.1
- Zhao, M. J. Y., Prentice, J. C., Mohr, D. C., & Conlin, P. R. (2021). Association between hemoglobin A1c variability and hypoglycemia-related hospitalizations in veterans with diabetes mellitus. *BMJ Open Diabetes Res Care, 9*(1). doi:10.1136/bmjdrc-2020-001797

General Humana Resources

- Availity – Providers can register for access to information on a variety of topics such as eligibility, benefits, referrals, authorizations, claims and electronic remittances.
- Claims processing edit notifications – Alerts of upcoming claims payment changes are posted on the first Friday of each month.
- Claims resources – Providers can find information on referrals, authorizations, electronic claim submissions and more.
- Education and news – This page can help you find clinical guidelines, educational tools, Medicare and Medicaid resources, our provider magazine and other resources to help you do business with us.
- Making it easier – This page contains an educational series for providers and healthcare professionals.
- Medical and pharmacy coverage policies – Humana publishes determinations of coverage of medical procedures, devices and medications for the treatment of various conditions. There may be variances in coverage among plans.

Note: Links to sources outside of Humana's control are verified at the time of publication. Please report broken links.