Humana. **Claims Payment Policy**

Subject: Laboratory – Immunopharmacologic Monitoring of Therapeutic Serum Antibodies

Application: Medicare Advantage Products **Published date:** 10/2026

Policy number: LAB2026001

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Drug testing and antibody concentration testing for anti-TNF therapies (CPT code 80145, CPT code 80230, CPT code 0514U, CPT code 0515U) and vedolizumab (CPT code 80280) **IS NOT REIMBURSABLE.**

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
80145	Adalimumab
80230	Infliximab
80280	Vedolizumab
0514U	Gastroenterology (irritable bowel disease [IBD]), immunoassay for quantitative determination of adalimumab (ADL) levels in venous serum in patients undergoing adalimumab therapy, results reported as a numerical value as micrograms per milliliter (mcg/mL) Proprietary Test: Procise ADL™ Lab/Manufacturer: ProciseDX Inc
0515U	Gastroenterology (irritable bowel disease [IBD]), immunoassay for quantitative determination of infliximab (IFX) levels in venous serum in patients undergoing infliximab therapy, results reported as a numerical value as micrograms per milliliter (mcg/mL) Proprietary Test: Procise IFX™ Lab/Manufacturer: ProciseDX Inc

References

Barlow NL, Mohammed P, Berg JD. Serum trough infliximab and anti-infliximab antibodies in a cohort of gastroenterology and rheumatology patients' infliximab therapeutic drug monitoring. *Annals of clinical biochemistry*. Jul 2016;53(Pt 4):477-84. doi:10.1177/0004563215604866

Cheifetz AS, Abreu M, Afif W, et al. A comprehensive literature review and expert consensus statement on therapeutic drug monitoring of biologics in inflammatory bowel disease. *Am J Gastroenterol*. 2021;doi:10.14309/ajg.0000000000001396

Cox M, Smith R, Wild G, Dunkley L. P001 What is the role of antidrug antibody and drug level testing in patients treated with infliximab and adalimumab? *Rheumatology*. 2021;60(Supplement_1):keab247. doi:10.1093/rheumatology/keab247

Fernandes SR, Bernardo S, Simoes C, et al. Proactive Infliximab Drug Monitoring Is Superior to Conventional Management in Inflammatory Bowel Disease. *Inflammatory bowel diseases*. Jun 27 2019;doi:10.1093/ibd/izz131

Feuerstein JD, Nguyen GC, Kupfer SS, Falck-Ytter Y, Singh S. American Gastroenterological Association Institute Guideline on Therapeutic Drug Monitoring in Inflammatory Bowel Disease. *Gastroenterology*. Sep 2017;153(3):827-834. doi:10.1053/j.gastro.2017.07.032

Guido AJ, Crandall W, Homan E, et al. Improving Post-induction Antitumor Necrosis Factor Therapeutic Drug Monitoring in Pediatric Inflammatory Bowel Disease. *J Pediatr Gastroenterol Nutr*. Jan 2020;70(1):48-54. doi:10.1097/MPG.0000000000002486

Kirkham B. Tumor necrosis factor-alpha inhibitors: Induction of antibodies, autoantibodies, and autoimmune diseases. Updated March 17, 2025. https://www.uptodate.com/contents/tumor-necrosis-factor-alpha-inhibitors-induction-of-antibodies-autoantibodies-and-autoimmune-diseases

LabCorp. Certolizumab and Anti-Certolizumab Antibody, DoseASSURE™ CTZ. https://www.labcorp.com/tests/504627/certolizumab-and-anti-certolizumab-antibody-i-dose-i-assure-ctz

Lichtenstein G. Treatment of Crohn disease in adults: Dosing and monitoring of tumor necrosis factor-alpha inhibitors. Updated December 04, 2023. https://www.uptodate.com/contents/treatment-of-crohn-disease-in-adults-dosing-and-monitoring-of-tumor-necrosis-factor-alpha-inhibitors

Lichtenstein GR, Loftus EV, Afzali A, et al. ACG Clinical Guideline: Management of Crohn's Disease in Adults. *Official journal of the American College of Gastroenterology | ACG*. 2025;120(6):1225-1264. doi:10.14309/ajg.0000000000003465

Lichtenstein GR, Loftus EV, Isaacs KL, Regueiro MD, Gerson LB, Sands BE. ACG Clinical Guideline: Management of Crohn's Disease in Adults. 2018;113(4):481-517. doi:10.1038/ajg.2018.27

Lis K, Kuzawińska O, Bałkowiec-Iskra E. Tumor necrosis factor inhibitors – state of knowledge. *Arch Med Sci*. 2014:1175-85. vol. 6

Mitchell RA, Shuster C, Shahidi N, et al. The Utility of Infliximab Therapeutic Drug Monitoring among Patients with Inflammatory Bowel Disease and Concerns for Loss of Response: A Retrospective Analysis of a Real-World Experience. *Canadian journal of gastroenterology & hepatology*. 2016;2016:5203898. doi:10.1155/2016/5203898

Moore C, Corbett G, Moss AC. Systematic Review and Meta-Analysis: Serum Infliximab Levels During Maintenance Therapy and Outcomes in Inflammatory Bowel Disease. *Journal of Crohn's & colitis*. May 2016;10(5):619-25. doi:10.1093/ecco-jcc/jjw007

Negoescu DM, Enns EA, Swanhorst B, et al. Proactive Vs Reactive Therapeutic Drug Monitoring of Infliximab in Crohn's Disease: A Cost-Effectiveness Analysis in a Simulated Cohort. *Inflammatory bowel diseases*. Jun 10 2019;doi:10.1093/ibd/izz113

NICE. Therapeutic monitoring of TNF-alpha inhibitors in Crohn's disease (LISA-TRACKER ELISA kits, IDKmonitor ELISA kits, and Promonitor ELISA kits) | Guidance and guidelines | NICE. NICE. https://www.nice.org.uk/guidance/dg22/chapter/1-Recommendations

NICE. Therapeutic monitoring of TNF-alpha inhibitors in Crohn's disease (LISA-TRACKER ELISA kits, IDKmonitor ELISA kits, and Promonitor ELISA kits) | Guidance and guidelines | NICE. NICE. https://www.nice.org.uk/guidance/dg36/chapter/1-Recommendations

Pan Y, Ahmed W, Mahtani P, et al. Utility of Therapeutic Drug Monitoring for Tumor Necrosis Factor Antagonists and Ustekinumab in Postoperative Crohn's Disease. *Inflammatory bowel diseases*. Dec 1 2022;28(12):1865-1871. doi:10.1093/ibd/izac030

Papamichael K, Cheifetz AS, Melmed GY, et al. Appropriate Therapeutic Drug Monitoring of Biologic Agents for Patients With Inflammatory Bowel Diseases. *Clin Gastroenterol Hepatol*. Aug 2019;17(9):1655-1668.e3. doi:10.1016/j.cgh.2019.03.037

Papamichael K, Juncadella A, Wong D, et al. Proactive Therapeutic Drug Monitoring of Adalimumab Is Associated With Better Long-term Outcomes Compared With Standard of Care in Patients With Inflammatory Bowel Disease. *Journal of Crohn's & colitis*. Aug 14 2019;13(8):976-981. doi:10.1093/ecco-jcc/jjz018

Prometheus Laboratories. Therapeutic Drug Monitoring. https://prometheuslabs.com/anser/about-the-tests/

Roblin X, Rinaudo M, Del Tedesco E, et al. Development of an algorithm incorporating pharmacokinetics of adalimumab in inflammatory bowel diseases. *The American journal of gastroenterology*. Aug 2014;109(8):1250-6. doi:10.1038/ajg.2014.146. Epub 2014 Jun 10

Rubin DT, Ananthakrishnan AN, Siegel CA, Sauer BG, Long MD. ACG Clinical Guideline: Ulcerative Colitis in Adults. *The American journal of gastroenterology*. Mar 2019;114(3):384-413. doi:10.14309/ajg.0000000000000152

Singh JA, Guyatt G, Ogdie A, et al. 2018 American College of Rheumatology/National Psoriasis Foundation Guideline for the Treatment of Psoriatic Arthritis. *Arthritis Care & Research*. 2019/01/01 2019;71(1):2-29. doi:10.1002/acr.23789

Steenholdt C, Brynskov J, Thomsen OO, et al. Individualised therapy is more cost-effective than dose intensification in patients with Crohn's disease who lose response to anti-TNF treatment: a randomised, controlled trial. *Gut*. Jun 2014;63(6):919-27. doi:10.1136/gutjnl-2013-305279

Syversen SW, Jørgensen KK, Goll GL, et al. Effect of Therapeutic Drug Monitoring vs Standard Therapy During Maintenance Infliximab Therapy on Disease Control in Patients With Immune-Mediated Inflammatory Diseases: A Randomized Clinical Trial. *JAMA*. 2021;326(23):2375-2384. doi:10.1001/jama.2021.21316

Theradiag. Miraca Life Sciences, Theradiag's partner in the USA, becomes Inform Diagnostics. Updated January 19, 2018. https://www.theradiag.com/wp-content/uploads/2017/12/PR_Theradiag_19012018_InformDX.pdf

Tighe D, McNamara D. Clinical impact of immunomonitoring in the treatment of inflammatory bowel disease. *World journal of gastroenterology*. Jan 21 2017;23(3):414-425. doi:10.3748/wjg.v23.i3.414

UpToDate®. Ustekinumab (including biosimilars): Drug information. https://www.uptodate.com/contents/ustekinumab-including-biosimilars-drug-information

UpToDate®. Vedolizumab: Drug information. https://www.uptodate.com/contents/vedolizumab-drug-information

Van Stappen T, Bollen L, Vande Casteele N, et al. Rapid Test for Infliximab Drug Concentration Allows Immediate Dose Adaptation. *Clinical and translational gastroenterology*. Dec 08 2016;7(12):e206. doi:10.1038/ctg.2016.62

Vande Casteele N, Herfarth H, Katz J, Falck-Ytter Y, Singh S. American Gastroenterological Association Institute Technical Review on the Role of Therapeutic Drug Monitoring in the Management of Inflammatory Bowel Diseases. *Gastroenterology*. 2017;153(3):835-857.e6. doi:10.1053/j.gastro.2017.07.031

Wallace ZS, Sparks JA. Therapeutic Drug Monitoring for Immune-Mediated Inflammatory Diseases. *JAMA*. 2021;326(23):2370-2372. doi:10.1001/jama.2021.21315

Wang SL, Hauenstein S, Ohrmund L, et al. Monitoring of adalimumab and antibodies-to-adalimumab levels in patient serum by the homogeneous mobility shift assay. *Journal of pharmaceutical and biomedical analysis*. May 5 2013;78-79:39-44. doi:10.1016/j.jpba.2013.01.031

Wang SL, Ohrmund L, Hauenstein S, et al. Development and validation of a homogeneous mobility shift assay for the measurement of infliximab and antibodies-to-infliximab levels in patient serum. *Journal of immunological methods*. Aug 31 2012;382(1-2):177-88. doi:10.1016/j.jim.2012.06.002