Humana. Claims Payment Policy

Subject: Laboratory – Lyme Disease

Application: Medicare Advantage Products
Policy number: LAB2023037
Published date: 06/2023
Revision date: 12/2025

Disclaimer**: The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website: **Humana.com/ClaimPaymentPolicies

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to this policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Serologic testing, 2-tier testing strategy using a sensitive enzyme immunoassay (EIA) or immunofluorescence assay (CPT code 86618), followed by a western immunoblot assay (CPT code 0041U, CPT code 0042U) or FDA-cleared second EIA assay (CPT code 86617), **IS REIMBURSABLE** for any of the following conditions:
  - Acute cranial neuropathy
  - Acute myocarditis, pericarditis or cardiomyopathy
  - Ataxia
  - Cough or shortness of breath
  - Fever, malaise, chills, fatigue or myalgia
  - Meningitis encephalitis or myelitis
  - Mononeuropathy multiplex
  - Painful radiculoneuritis
  - Urticaria
- Nucleic acid testing to detect *Borrelia burgdorferi* (CPT code 87475*, CPT code 87476*) **IS NOT REIMBURSABLE**.
- Other testing for *Borrelia burgdorferi* (CPT code 0316U) **IS NOT REIMBURSABLE**.

Applicable procedures for Medicare Advantage plans

Procedure Code	Code Description
86617	Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (e.g., Western Blot or immunoblot)
86618	Antibody; Borrelia burgdorferi (Lyme disease)
87475*	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, direct probe technique
87476*	Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique
0041U	Borrelia burgdorferi, antibody detection of 5 recombinant protein groups, by immunoblot, IgM Proprietary test: Lyme ImmunoBlot IgM

Procedure Code	Code Description
	Lab/Manufacturer: IGeneX Inc
0042U	Borrelia burgdorferi, antibody detection of 12 recombinant protein groups, by immunoblot, IgG Proprietary test: Lyme ImmunoBlot IgM Lab/Manufacturer: IGeneX Inc
0316U	Borrelia burgdorferi (Lyme disease), OspA protein evaluation, urine Proprietary test: Lyme Borrelia Nanotrap® Urine Antigen Test Lab/Manufacturer: Galaxy Diagnostics Inc

Original Medicare Local Coverage Determinations (LCDs)

Contractor Name	Policy Title	Policy Number	Procedure Code
CGS Administrators, LLC	MolDX: Molecular Syndromic Panels for Infectious Disease Pathogen Identification Testing	L39038	87475 87476
Noridian Healthcare Solutions, LLC	MolDX: Molecular Syndromic Panels for Infectious Disease Pathogen Identification Testing	L39001	87475 87476
Noridian Healthcare Solutions, LLC	MolDX: Molecular Syndromic Panels for Infectious Disease Pathogen Identification Testing	L39003	87475 87476
Palmetto GBA	MolDX: Molecular Syndromic Panels for Infectious Disease Pathogen Identification Testing	L38988	87475 87476
WPS Insurance Corporation	MolDX: Molecular Syndromic Panels for Infectious Disease Pathogen Identification Testing	L39044	87475 87476

*****_The payment criterion for CPT Code 87475 and CPT Code 87476 applies to all Medicare jurisdictions, except those states awarded to CGS Administrators, LLC; Noridian Healthcare Solutions, LLC; Palmetto GBA; and WPS Insurance Corporation._

References

Barbour A. Microbiology of Lyme disease - UpToDate. In: Mitty J, Steere AC, eds. *UpToDate*. 2023. https://www.uptodate.com/contents/microbiology-of-lyme-disease

Hu L. Diagnosis of Lyme disease - UpToDate. In: Mitty J, ed. *UpToDate*. 2023. Accessed 1/8/21. https://www.uptodate.com/contents/diagnosis-of-lyme-disease

Mead P, Schwartz A. Epidemiology of Lyme disease In: Steere AC, Hall KK, eds. *UpToDate*. 2024. https://www.uptodate.com/contents/epidemiology-of-lyme-disease

Pritt BS, Mead PS, Johnson DKH, et al. Identification of a novel pathogenic Borrelia species causing Lyme borreliosis with unusually high spirochaetaemia: a descriptive study. *The Lancet Infectious diseases*. May 2016;16(5):556-564. doi:10.1016/s1473-3099(15)00464-8

Adeolu M, Gupta RS. A phylogenomic and molecular marker based proposal for the division of the genus Borrelia into two genera: the emended genus Borrelia containing only the members of the relapsing fever Borrelia, and the genus Borreliella gen. nov.

containing the members of the Lyme disease Borrelia (Borrelia burgdorferi sensu lato complex). *Antonie van Leeuwenhoek*. Jun 2014;105(6):1049-72. doi:10.1007/s10482-014-0164-x

Margos G, Marosevic D, Cutler S, et al. There is inadequate evidence to support the division of the genus Borrelia. *International journal of systematic and evolutionary microbiology*. Apr 2017;67(4):1081-1084. doi:10.1099/ijsem.0.001717

Hyde JA. Borrelia burgdorferi Keeps Moving and Carries on: A Review of Borrelial Dissemination and Invasion. *Front Immunol*. 2017;8doi:10.3389/fimmu.2017.00114

Bacon RM, Kugeler KJ, Mead PS. Surveillance for Lyme disease--United States, 1992-2006. *Morbidity and mortality weekly report Surveillance summaries (Washington, DC : 2002)*. Oct 3 2008;57(10):1-9.

Cook MJ. Lyme borreliosis: a review of data on transmission time after tick attachment. *Int J Gen Med*. 2015;8:1-8. doi:10.2147/ijgm.s73791

CDC. Lyme Disease Surveillance and Data. Updated May 15, 2024. https://www.cdc.gov/lyme/data-research/facts-stats/index.html

Weitzner E, McKenna D, Nowakowski J, et al. Long-term Assessment of Post-Treatment Symptoms in Patients With Culture-Confirmed Early Lyme Disease. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. Dec 15 2015;61(12):1800-6. doi:10.1093/cid/civ735

Marques AR. Laboratory diagnosis of Lyme disease: advances and challenges. *Infectious disease clinics of North America*. Jun 2015;29(2):295-307. doi:10.1016/j.idc.2015.02.005

Schriefer ME. Lyme Disease Diagnosis: Serology. *Clinics in laboratory medicine*. Dec 2015;35(4):797-814. doi:10.1016/j.cll.2015.08.001

Bunikis J, Barbour AG. Laboratory testing for suspected Lyme disease. *The Medical clinics of North America*. Mar 2002;86(2):311-40.

John TM, Taege AJ. Appropriate laboratory testing in Lyme disease. *Cleve Clin J Med*. Nov 2019;86(11):751-759. doi:10.3949/ccjm.86a.19029

CDC. Clinical Testing and Diagnosis for Lyme Disease. Updated May 15, 2024. https://www.cdc.gov/lyme/hcp/diagnosis-testing/index.html

Halperin JJ. Chronic Lyme disease: misconceptions and challenges for patient management. *Infection and drug resistance*. 2015;8:119-28. doi:10.2147/idr.s66739

Waddell LA, Greig J, Mascarenhas M, Harding S, Lindsay R, Ogden N. The Accuracy of Diagnostic Tests for Lyme Disease in Humans, A Systematic Review and Meta-Analysis of North American Research. *PloS one*. 2016;11(12):e0168613. doi:10.1371/journal.pone.0168613

CDC. Updated CDC Recommendation for Serologic Diagnosis of Lyme Disease. https://www.cdc.gov/mmwr/volumes/68/wr/mm6832a4.htm

ZEUS Scientific. ZEUS Borrelia MTTT™: A paradigm shift in testing for Lyme disease. https://www.zeusscientific.com/what-is-mttt

Davis IRC, McNeil SA, Allen W, et al. Performance of a Modified Two-Tiered Testing Enzyme Immunoassay Algorithm for Serologic Diagnosis of Lyme Disease in Nova Scotia. *Journal of Clinical Microbiology*. 2020;58(7):e01841-19. doi:10.1128/jcm.01841-19

CCDR. Modified two-tiered testing algorithm for Lyme disease serology: the Canadian context. *Can Commun Dis Rep*. May 7 2020;46(5):125-131. doi:10.14745/ccdr.v46i05a05

Wormser GP, Schriefer M, Aguero-Rosenfeld ME, et al. Single-tier testing with the C6 peptide ELISA kit compared with two-tier testing for Lyme disease. *Diagnostic microbiology and infectious disease*. Jan 2013;75(1):9-15. doi:10.1016/j.diagmicrobio.2012.09.003

Igenex. Lyme ImmunoBlot. https://igenex.com/wp-content/uploads/LymeImmunoBlot-DataSheet.pdf

AAP. Lyme Disease. In: Kimberlin DW, Bernstein HH, Meissner HC, eds. *Red Book: 2021–2024 Report of the Committee on Infectious Diseases 32nd Edition*. American Academy of Pediatrics; 2021:482-489.

Igenex. Development of a sensitive PCR-dot blot assay to supplement serological tests for diagnosing Lyme disease. https://igenex.com/wp-content/uploads/Publication_Development_ofa_Sensitive_PCR-dot_Blot_Assay_to_Supplement_Serological_Tests_for_Diagnosing_Lyme_Disease.png.pdf

Ghosh R, Joung H-A, Goncharov A, et al. Rapid single-tier serodiagnosis of Lyme disease. *Nature Communications*. 2024/08/20 2024;15(1):7124. doi:10.1038/s41467-024-51067-5

Joung HA, Ballard ZS, Wu J, et al. Point-of-Care Serodiagnostic Test for Early-Stage Lyme Disease Using a Multiplexed Paper-Based Immunoassay and Machine Learning. *ACS Nano*. Dec 18 2019;doi:10.1021/acsnano.9b08151

Shakir SM, Mansfield CR, Hays ED, Couturier MR, Hillyard DR. Evaluation of a Novel High-Definition PCR Multiplex Assay for the Simultaneous Detection of Tick-Borne Pathogens in Human Clinical Specimens. *J Clin Microbiol*. Dec 18 2019;doi:10.1128/jcm.01655-19

Nigrovic LE, Lewander DP, Balamuth F, et al. The Lyme Disease Polymerase Chain Reaction Test Has Low Sensitivity. *Vector Borne Zoonotic Dis*. Dec 10 2019;doi:10.1089/vbz.2019.2547

van Gorkom T, Voet W, Sankatsing SUC, et al. Prospective comparison of two enzyme-linked immunosorbent spot assays for the diagnosis of Lyme neuroborreliosis. *Clin Exp Immunol*. Mar 2020;199(3):337-356. doi:10.1111/cei.13393

Sabin AP, Scholze BP, Lovrich SD, Callister SM. Clinical evaluation of a Borrelia modified two-tiered testing (MTTT) shows increased early sensitivity for Borrelia burgdorferi but not other endemic Borrelia species in a high incidence region for Lyme disease in Wisconsin. *Diagnostic microbiology and infectious disease*. Jan 2023;105(1):115837. doi:10.1016/j.diagmicrobio.2022.115837

Pratt GW, Platt M, Velez A, Rao LV. Utility of Whole Blood Real-Time PCR Testing for the Diagnosis of Early Lyme Disease. *Am J Clin Pathol*. Sep 2 2022;158(3):327-330. doi:10.1093/ajcp/aqac068

Arumugam S, Nayak S, Williams T, et al. A Multiplexed Serologic Test for Diagnosis of Lyme Disease for Point-of-Care Use. *Journal of Clinical Microbiology*. 2019;57(12):10.1128/jcm.01142-19. doi:doi:10.1128/jcm.01142-19

Mead P, Petersen J, Hinckley A. Updated CDC Recommendation for Serologic Diagnosis of Lyme Disease. *MMWR Morb Mortal Wkly Rep*. Aug 16 2019;68(32):703. doi:10.15585/mmwr.mm6832a4

Lantos PM, Rumbaugh J, Bockenstedt LK, et al. Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis and Treatment of Lyme Disease. *Clinical Infectious Diseases*. 2021;doi:10.1093/cid/ciaa1215

ACR. Choosing wisely: The American College of Rheumatology's top 5 list of things physicians and patients should question. https://escholarship.org/content/qt1kj5v9z2/qt1kj5v9z2.pdf?t=rs2emz&v=lg

NICE. Lyme disease. https://www.nice.org.uk/guidance/ng95/chapter/Recommendations

NICE. Lyme disease. Quality standard [QS186]. Updated July 10, 2019. https://www.nice.org.uk/guidance/qs186/chapter/Quality-statements