Humana. **Claims Payment Policy**

Subject: Laboratory – Nerve Fiber Density Testing

Application: Medicare Advantage Products
Policy number: LAB2023047
Published date: 07/2023
Revision date: 05/2026

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Measurement of sweat gland nerve fiber density (CPT code 88356) **IS NOT REIMBURSABLE** when an individual presents with symptoms of painful sensory neuropathy without history of a disorder known to predispose to painful neuropathy. For example, diabetic neuropathy, toxic neuropathy, human immunodeficiency virus (HIV) neuropathy, celiac neuropathy or inherited neuropathy.

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
88356	Morphometric analysis; nerve

References

AAN. (2022, 1/2/2022). *EVALUATION OF DISTAL SYMMETRIC POLYNEUROPATHY: ROLE OF AUTONOMIC TESTING, NERVE BIOPSY, AND SKIN BIOPSY*. American Academy of Neurology. https://www.aan.com/Guidelines/home/GuidelineDetail/315

ADA. (2018). 10. Microvascular Complications and Foot Care: <em>Standards of Medical Care in Diabetes—2018</em&gt [10.2337/dc18-S010]. *Diabetes Care*, *41*(Supplement 1), S105. http://care.diabetesjournals.org/content/41/Supplement_1/S105.abstract

ADA. (2019). Standards of Medical Care in Diabetes—2019 Abridged for Primary Care Providers. *Clinical Diabetes*, *37*(1), 11-34. https://doi.org/10.2337/cd18-0105

ADA. (2020). 2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes-2020. *Diabetes Care*, *43*(Suppl 1), S14-s31. https://doi.org/10.2337/dc20-S002

ADA. (2021). Standards of Medical Care in Diabetes—2021 Abridged for Primary Care Providers. *Clinical Diabetes*, *39*(1), 14-43. https://doi.org/10.2337/cd21-as01

ADA. (2022). Standards of Medical Care in Diabetes—2022 Abridged for Primary Care Providers. *Clinical Diabetes*, *40*(1), 10-38. https://doi.org/10.2337/cd22-as01

Alam, U., Jeziorska, M., Petropoulos, I. N., Asghar, O., Fadavi, H., Ponirakis, G., Marshall, A., Tavakoli, M., Boulton, A. J. M., Efron, N., & Malik, R. A. (2017). Diagnostic utility of corneal confocal microscopy and intra-epidermal nerve fibre density in diabetic neuropathy. *PLoS One*, *12*(7), e0180175. https://doi.org/10.1371/journal.pone.0180175

BakoDx. (2022). Epidermal Nerve Fiber Density (ENFD) Testing. https://bakodx.com/enfd/

Burlina, A. P., Sims, K. B., Politei, J. M., Bennett, G. J., Baron, R., Sommer, C., Møller, A. T., & Hilz, M. J. (2011). Early diagnosis of peripheral nervous system involvement in Fabry disease and treatment of neuropathic pain: the report of an expert panel. *BMC Neurol*, *11*, 61. https://doi.org/10.1186/1471-2377-11-61

Callaghan, B. C., Gao, L., Li, Y., Zhou, X., Reynolds, E., Banerjee, M., Pop-Busui, R., Feldman, E. L., & Ji, L. (2018). Diabetes and obesity are the main metabolic drivers of peripheral neuropathy. *Ann Clin Transl Neurol*, *5*(4), 397-405. https://doi.org/10.1002/acn3.531

Callaghan, B. C., Xia, R., Reynolds, E., Banerjee, M., Rothberg, A. E., Burant, C. F., Villegas-Umana, E., Pop-Busui, R., & Feldman, E. L. (2016). Association Between Metabolic Syndrome Components and Polyneuropathy in an Obese Population. *JAMA Neurol*, *73*(12), 1468-1476. https://doi.org/10.1001/jamaneurol.2016.3745

Caro, X. J., & Winter, E. F. (2014). Evidence of abnormal epidermal nerve fiber density in fibromyalgia: clinical and immunologic implications. *Arthritis Rheumatol*, *66*(7), 1945-1954. https://doi.org/10.1002/art.38662

Cazzato, D., Castori, M., Lombardi, R., Caravello, F., Bella, E. D., Petrucci, A., Grammatico, P., Dordoni, C., Colombi, M., & Lauria, G. (2016). Small fiber neuropathy is a common feature of Ehlers-Danlos syndromes. *Neurology*, *87*(2), 155-159. https://doi.org/10.1212/wnl.0000000000002847

Chao, C. C., Huang, C. M., Chiang, H. H., Luo, K. R., Kan, H. W., Yang, N. C., Chiang, H., Lin, W. M., Lai, S. M., Lee, M. J., Shun, C. T., & Hsieh, S. T. (2015). Sudomotor innervation in transthyretin amyloid neuropathy: Pathology and functional correlates. *Ann Neurol*, *78*(2), 272-283. https://doi.org/10.1002/ana.24438

Chien, H. F., Tseng, T. J., Lin, W. M., Yang, C. C., Chang, Y. C., Chen, R. C., & Hsieh, S. T. (2001). Quantitative pathology of cutaneous nerve terminal degeneration in the human skin. *Acta Neuropathol*, *102*(5), 455-461. https://pubmed.ncbi.nlm.nih.gov/11699558/

Collongues, N., Samama, B., Schmidt-Mutter, C., Chamard-Witkowski, L., Debouverie, M., Chanson, J. B., Antal, M. C., Benardais, K., de Seze, J., Velten, M., & Boehm, N. (2018). Quantitative and qualitative normative dataset for intraepidermal nerve fibers using skin biopsy. *PLoS One*, *13*(1), e0191614. https://doi.org/10.1371/journal.pone.0191614

Corrà, M. F., Sousa, M., Reis, I., Tanganelli, F., Vila-Chã, N., Sousa, A. P., Magalhães, R., Sampaio, P., Taipa, R., & Maia, L. (2021). Advantages of an Automated Method Compared With Manual Methods for the Quantification of Intraepidermal Nerve Fiber in Skin Biopsy. *J Neuropathol Exp Neurol*, *80*(7), 685-694. https://doi.org/10.1093/jnen/nlab045

CRL. (2022). *SMALL FIBER NEUROPATHY IS PAINFUL. DIAGNOSING IT SHOULDN'T BE.* https://corinthianreferencelab.com/

Cruccu, G., Sommer, C., Anand, P., Attal, N., Baron, R., Garcia-Larrea, L., Haanpaa, M., Jensen, T. S., Serra, J., & Treede, R. D. (2010). EFNS guidelines on neuropathic pain assessment: revised 2009. *Eur J Neurol*, *17*(8), 1010-1018. https://doi.org/10.1111/j.1468-1331.2010.02969.x

Dalsgaard, C. J., Rydh, M., & Haegerstrand, A. (1989). Cutaneous innervation in man visualized with protein gene product 9.5 (PGP 9.5) antibodies. *Histochemistry*, *92*(5), 385-390. https://pubmed.ncbi.nlm.nih.gov/2531128/

Devigili, G., Rinaldo, S., Lombardi, R., Cazzato, D., Marchi, M., Salvi, E., Eleopra, R., & Lauria, G. (2019). Diagnostic criteria for small fibre neuropathy in clinical practice and research. *Brain*, *142*(12), 3728-3736. https://doi.org/10.1093/brain/awz333

Devigili, G., Tugnoli, V., Penza, P., Camozzi, F., Lombardi, R., Melli, G., Broglio, L., Granieri, E., & Lauria, G. (2008). The diagnostic criteria for small fibre neuropathy: from symptoms to neuropathology. *Brain*, *131*(Pt 7), 1912-1925. https://doi.org/10.1093/brain/awn093

Duchesne, M., Danigo, A., Richard, L., Vallat, J. M., Attarian, S., Gonnaud, P. M., Lacour, A., Pereon, Y., Stojkovic, T., Nave, K. A., Bertrand, V., Nabirotchkin, S., Cohen, D., Demiot, C., & Magy, L. (2018). Skin Biopsy Findings in Patients With CMT1A: Baseline Data From the CLN-PXT3003-01 Study Provide New Insights Into the Pathophysiology of the Disorder. *J Neuropathol Exp Neurol*, *77*(4), 274-281. https://doi.org/10.1093/jnen/nly001

EFNS. (2010). European Federation of Neurological Societies/Peripheral Nerve Society Guideline on the use of skin biopsy in the diagnosis of small fiber neuropathy. Report of a joint task force of the European Federation of Neurological Societies and the Peripheral Nerve Society. *J Peripher Nerv Syst*, *15*(2), 79-92. https://doi.org/10.1111/j.1529-8027.2010.00269.x

England, J. D., Gronseth, G. S., Franklin, G., Carter, G. T., Kinsella, L. J., Cohen, J. A., Asbury, A. K., Szigeti, K., Lupski, J. R., Latov, N., Lewis, R. A., Low, P. A., Fisher, M. A., Herrmann, D. N., Howard, J. F., Jr., Lauria, G., Miller, R. G., Polydefkis, M., & Sumner, A. J. (2009a). Practice Parameter: evaluation of distal symmetric polyneuropathy: role of laboratory and genetic testing (an evidence-based review). Report of the American Academy of Neurology, American Association of Neuromuscular and Electrodiagnostic Medicine, and American Academy of Physical Medicine and Rehabilitation. *Neurology*, *72*(2), 185-192. https://doi.org/10.1212/01.wnl.0000336370.51010.a1

England, J. D., Gronseth, G. S., Franklin, G., Carter, G. T., Kinsella, L. J., Cohen, J. A., Asbury, A. K., Szigeti, K., Lupski, J. R., Latov, N., Lewis, R. A., Low, P. A., Fisher, M. A., Herrmann, D. N., Howard, J. F., Lauria, G., Miller, R. G., Polydefkis, M., & Sumner, A. J. (2009b). Practice Parameter: Evaluation of distal symmetric polyneuropathy: Role of autonomic testing, nerve biopsy, and skin biopsy (an evidence-based review). *Neurology*, *72*(2), 177. https://doi.org/10.1212/01.wnl.0000336345.70511.0f

Evdokimov, D., Dinkel, P., Frank, J., Sommer, C., & Üçeyler, N. (2020). Characterization of dermal skin innervation in fibromyalgia syndrome. *PLoS One*, *15*(1), e0227674. https://doi.org/10.1371/journal.pone.0227674

Garber, A. J., Abrahamson, M. J., Barzilay, J. I., Blonde, L., Bloomgarden, Z. T., Bush, M. A., Dagogo-Jack, S., Davidson, M. B., Einhorn, D., Garber, J. R., Garvey, W. T., Grunberger, G., Handelsman, Y., Hirsch, I. B., Jellinger, P. S., McGill, J. B., Mechanick, J. I., Rosenblit, P. D., Umpierrez, G., & Davidson, M. H. (2015). AACE/ACE comprehensive diabetes management algorithm 2015. *Endocr Pract*, *21*(4), 438-447. https://doi.org/10.4158/ep15693.cs

Garber, A. J., Handelsman, Y., Grunberger, G., Einhorn, D., Abrahamson, M. J., Barzilay, J. I., Blonde, L., Bush, M. A., DeFronzo, R. A., Garber, J. R., Garvey, W. T., Hirsch, I. B., Jellinger, P. S., McGill, J. B., Mechanick, J. I., Perreault, L., Rosenblit, P. D., Samson, S., & Umpierrez, G. E. (2020). CONSENSUS STATEMENT BY THE AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS AND AMERICAN COLLEGE OF ENDOCRINOLOGY ON THE COMPREHENSIVE TYPE 2 DIABETES MANAGEMENT ALGORITHM - 2020 EXECUTIVE SUMMARY. *Endocr Pract*, *26*(1), 107-139. https://doi.org/10.4158/cs-2019-0472

Gavrilova, N., Starshinova, A., Zinchenko, Y., Kudlay, D., Shapkina, V., Malkova, A., Belyaeva, E., Pavlova, M., Yablonskiy, P., & Shoenfeld, Y. (2021). Small Fiber Neuropathy in Sarcoidosis. *Pathophysiology*, *28*(4), 544-550. https://doi.org/10.3390/pathophysiology28040035

Gibbons, C. H., Griffin, J. W., Polydefkis, M., Bonyhay, I., Brown, A., Hauer, P. E., & McArthur, J. C. (2006). The utility of skin biopsy for prediction of progression in suspected small fiber neuropathy. *Neurology*, *66*(2), 256-258. https://doi.org/10.1212/01.wnl.0000194314.86486.a2

Gibbons, C. H., Illigens, B. M., Wang, N., & Freeman, R. (2009). Quantification of sweat gland innervation: a clinical-pathologic correlation. *Neurology*, *72*(17), 1479-1486. https://doi.org/10.1212/WNL.0b013e3181a2e8b8

Gupta, N., Arora, M., Sharma, R., & Arora, K. S. (2016). Peripheral and Central Nervous System Involvement in Recently Diagnosed Cases of Hypothyroidism: An Electrophysiological Study. *Ann Med Health Sci Res*, *6*(5), 261-266. https://doi.org/10.4103/amhsr.amhsr_39_16

Haanpaa, M., Attal, N., Backonja, M., Baron, R., Bennett, M., Bouhassira, D., Cruccu, G., Hansson, P., Haythornthwaite, J. A., Iannetti, G. D., Jensen, T. S., Kauppila, T., Nurmikko, T. J., Rice, A. S., Rowbotham, M., Serra, J., Sommer, C., Smith, B. H., & Treede, R. D. (2011). NeuPSIG guidelines on neuropathic pain assessment. *Pain*, *152*(1), 14-27. https://doi.org/10.1016/j.pain.2010.07.031

Hovaguimian, A., & Gibbons, C. H. (2011). Clinical Approach to the Treatment of Painful Diabetic Neuropathy. *Ther Adv Endocrinol Metab*, *2*(1), 27-38. https://doi.org/10.1177/2042018810391900

Indelicato, E., Nachbauer, W., Eigentler, A., Rudzki, D., Wanschitz, J., & Boesch, S. (2018). Intraepidermal Nerve Fiber Density in Friedreich's Ataxia. *J Neuropathol Exp Neurol*, *77*(12), 1137-1143. https://doi.org/10.1093/jnen/nly100

Ipsum Diagnostics. (2022). NERVE TESTING. https://ipsumdiagnostics.com/homepage/nerve-testing/

Jeziorska, M., Atkinson, A., Kass-Iliyya, L., Javed, S., Kobylecki, C., Gosal, D., Marshall, A., Silverdale, M., & Malik, R. A. (2019). Increased Intraepidermal Nerve Fiber Degeneration and Impaired Regeneration Relate to Symptoms and Deficits in Parkinson's Disease. *Front Neurol*, *10*, 111. https://doi.org/10.3389/fneur.2019.00111

Lauria, G., & Devigili, G. (2007). Skin biopsy as a diagnostic tool in peripheral neuropathy. *Nat Clin Pract Neurol*, *3*(10), 546-557. https://doi.org/10.1038/ncpneuro0630

Lawson, V. H., Grewal, J., Hackshaw, K. V., Mongiovi, P. C., & Stino, A. M. (2018). Fibromyalgia syndrome and small fiber, early or mild sensory polyneuropathy. *Muscle Nerve*. https://doi.org/10.1002/mus.26131

Lim, S. H., Ferdousi, M., Kalteniece, A., Mahfoud, Z. R., Petropoulos, I. N., Malik, R. A., Kobylecki, C., & Silverdale, M. (2021). Corneal Confocal Microscopy Identifies Parkinson's Disease with More Rapid Motor Progression. *Movement Disorders*, *n/a*(n/a). https://doi.org/https://doi.org/10.1002/mds.28602

Loseth, S., Stalberg, E., Jorde, R., & Mellgren, S. I. (2008). Early diabetic neuropathy: thermal thresholds and intraepidermal nerve fibre density in patients with normal nerve conduction studies. *J Neurol*, *255*(8), 1197-1202. https://doi.org/10.1007/s00415-008-0872-0

Luo, K. R., Chao, C. C., Chen, Y. T., Huang, C. M., Yang, N. C., Kan, H. W., Wang, S. H., Yang, W. S., & Hsieh, S. T. (2011). Quantitation of sudomotor innervation in skin biopsies of patients with diabetic neuropathy. *J Neuropathol Exp Neurol*, *70*(10), 930-938. https://doi.org/10.1097/NEN.0b013e318230b0f4

Magri, F., Buonocore, M., Oliviero, A., Rotondi, M., Gatti, A., Accornero, S., Camera, A., & Chiovato, L. (2010). Intraepidermal nerve fiber density reduction as a marker of preclinical asymptomatic small-fiber sensory neuropathy in hypothyroid patients. *Eur J Endocrinol*, *163*(2), 279-284. https://doi.org/10.1530/eje-10-0285

Mantyh, W. G., Dyck, P. J., Engelstad, J. K., Litchy, W. J., Sandroni, P., & Davis, M. D. (2016). Epidermal Nerve Fiber Quantification in Patients With Erythromelalgia. *JAMA Dermatol*. https://doi.org/10.1001/jamadermatol.2016.4404

McArthur, J. C., Stocks, E. A., Hauer, P., Cornblath, D. R., & Griffin, J. W. (1998). Epidermal nerve fiber density: normative reference range and diagnostic efficiency. *Arch Neurol*, *55*(12), 1513-1520. https://doi.org/10.1001/archneur.55.12.1513

McCarthy, B. G., Hsieh, S. T., Stocks, A., Hauer, P., Macko, C., Cornblath, D. R., Griffin, J. W., & McArthur, J. C. (1995). Cutaneous innervation in sensory neuropathies: evaluation by skin biopsy. *Neurology*, *45*(10), 1848-1855. https://doi.org/10.1212/wnl.45.10.1848

NeuroPath. (2022). *WE'RE YOUR IN FOR NERVE FIBER DENSITY TESTING*. https://neuropathdx.com/index.html

Piscosquito, G., Provitera, V., Mozzillo, S., Caporaso, G., Borreca, I., Stancanelli, A., Manganelli, F., Santoro, L., & Nolano, M. (2021). The analysis of epidermal nerve fibre spatial distribution improves the diagnostic yield of skin biopsy. *Neuropathology and Applied Neurobiology*, *47*(2), 210-217. https://doi.org/https://doi.org/10.1111/nan.12651

Pop-Busui, R., Boulton, A. J., Feldman, E. L., Bril, V., Freeman, R., Malik, R. A., Sosenko, J. M., & Ziegler, D. (2017). Diabetic Neuropathy: A Position Statement by the American Diabetes Association. *Diabetes Care*, *40*(1), 136-154. https://doi.org/10.2337/dc16-2042

Provitera, V., Gibbons, C. H., Wendelschafer-Crabb, G., Donadio, V., Vitale, D. F., Loavenbruck, A., Stancanelli, A., Caporaso, G., Liguori, R., Wang, N., Santoro, L., Kennedy, W. R., & Nolano, M. (2018). The role of skin biopsy in differentiating small-fiber neuropathy from ganglionopathy. *Eur J Neurol*, *25*(6), 848-853. https://doi.org/10.1111/ene.13608

Quattrini, C., Tavakoli, M., Jeziorska, M., Kallinikos, P., Tesfaye, S., Finnigan, J., Marshall, A., Boulton, A. J., Efron, N., & Malik, R. A. (2007). Surrogate markers of small fiber damage in human diabetic neuropathy. *Diabetes*, *56*(8), 2148-2154. https://doi.org/10.2337/db07-0285

Shun, C. T., Chang, Y. C., Wu, H. P., Hsieh, S. C., Lin, W. M., Lin, Y. H., Tai, T. Y., & Hsieh, S. T. (2004). Skin denervation in type 2 diabetes: correlations with diabetic duration and functional impairments. *Brain*, *127*(Pt 7), 1593-1605. https://doi.org/10.1093/brain/awh180

Smith, A. G., & Gibson, S. (2022). Skin biopsy for the evaluation of peripheral nerve disease. In A. Eichler (Ed.), *UpToDate*. UpToDate, Inc. https://www.uptodate.com/contents/skin-biopsy-for-the-evaluation-of-peripheral-nerve-disease

Smith, A. G., Russell, J., Feldman, E. L., Goldstein, J., Peltier, A., Smith, S., Hamwi, J., Pollari, D., Bixby, B., Howard, J., & Singleton, J. R. (2006). Lifestyle intervention for pre-diabetic neuropathy. *Diabetes Care*, *29*(6), 1294-1299. https://doi.org/10.2337/dc06-0224

Smith, S. M., Dworkin, R. H., Turk, D. C., Baron, R., Polydefkis, M., Tracey, I., Borsook, D., Edwards, R. R., Harris, R. E., Wager, T. D., Arendt-Nielsen, L., Burke, L. B., Carr, D. B., Chappell, A., Farrar, J. T., Freeman, R., Gilron, I., Goli, V., Haeussler, J., . . . Witter, J. (2017). The potential role of sensory testing, skin biopsy, and functional brain imaging as biomarkers in chronic pain clinical trials: IMMPACT considerations. *J Pain*, *18*(7), 757-777. https://doi.org/10.1016/j.jpain.2017.02.429

Sorensen, L., Molyneaux, L., & Yue, D. K. (2006). The relationship among pain, sensory loss, and small nerve fibers in diabetes. *Diabetes Care*, *29*(4), 883-887. https://pubmed.ncbi.nlm.nih.gov/16567832/

Therapath. (2022). *Small Fiber Neuropathy Testing*. https://www.therapath.com/services/small-fiber-neuropathy-testing/

Torvin Moller, A., Winther Bach, F., Feldt-Rasmussen, U., Rasmussen, A., Hasholt, L., Lan, H., Sommer, C., Kolvraa, S., Ballegaard, M., & Staehelin Jensen, T. (2009). Functional and structural nerve fiber findings in heterozygote patients with Fabry disease. *Pain*, *145*(1-2), 237-245. https://doi.org/10.1016/j.pain.2009.06.032

van der Tol, L., Verhamme, C., van Schaik, I. N., van der Kooi, A. J., Hollak, C. E., & Biegstraaten, M. (2016). In Patients with an alpha-Galactosidase A Variant, Small Nerve Fibre Assessment Cannot Confirm a Diagnosis of Fabry Disease. *JIMD Rep*, *28*, 95-103. https://doi.org/10.1007/8904_2015_503

Vinik, A. I., Camacho, P. M., Davidson, J. A., Handelsman, Y., Lando, H. M., Leddy, A. L., Reddy, S. K., Cook, R., Spallone, V., Tesfaye, S., & Ziegler, D. (2017). AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS AND AMERICAN COLLEGE OF ENDOCRINOLOGY POSITION STATEMENT ON TESTING FOR AUTONOMIC AND SOMATIC NERVE DYSFUNCTION. *Endocr Pract*, *23*(12), 1472-1478. https://doi.org/10.4158/ep-2017-0053

Vlckova-Moravcova, E., Bednarik, J., Dusek, L., Toyka, K. V., & Sommer, C. (2008). Diagnostic validity of epidermal nerve fiber densities in painful sensory neuropathies. *Muscle Nerve*, *37*(1), 50-60. https://doi.org/10.1002/mus.20889

von Cossel, K., Muschol, N., Friedrich, R. E., Glatzel, M., Ammer, L., Lohmöller, B., Bendszus, M., Mautner, V.-F., & Godel, T. (2021). Assessment of small fiber neuropathy in patients carrying the non-classical Fabry variant p.D313Y. *Muscle Nerve*, *63*(5), 745-750. https://doi.org/https://doi.org/10.1002/mus.27196

Wang, M., Zhang, C., Zuo, A., Li, L., Chen, L., & Hou, X. (2021). Diagnostic utility of corneal confocal microscopy in type 2 diabetic peripheral neuropathy. *Journal of Diabetes Investigation*, *12*(4), 574-582. https://doi.org/https://doi.org/10.1111/jdi.13381

Wilkinson, K. D., Lee, K. M., Deshpande, S., Duerksen-Hughes, P., Boss, J. M., & Pohl, J. (1989). The neuron-specific protein PGP 9.5 is a ubiquitin carboxyl-terminal hydrolase. Science, 246(4930), 670-673. https://doi.org/10.1126/science.2530630