Humana. **Claims Payment Policy**

Subject: Laboratory – Serum Biomarker Testing for Multiple Sclerosis and Related Neurologic Diseases

Application: Medicare Advantage Products
Policy number: LAB2023015
Published date: 04/2023
Revision date: 04/2026

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-Cintended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Measurement of aquaporin-4 immunoglobulin G and myelin oligodendrocyte glycoprotein-immunoglobulin G using a serum indirect fluorescence assay (CPT code 86052, CPT code 86362) or fluorescence-activated cell sorting assay (CPT code 86053*, CPT code 86363*) **IS REIMBURSABLE** for individuals with any of the following conditions:

  - Blindness or vision loss
  - Demyelinating disease
  - Disease of spinal cord
  - Encephalitis
  - Erectile dysfunction after myelitis
  - Lesion on the brain, optic nerve or spinal cord
  - Myelitis
  - Neuritis
  - Neutrophilic cerebrospinal fluid (CSF) pleocytosis
  - Optic papillitis
  - Papilledema
  - White matter disease

- Enzyme-linked immunosorbent assay (ELISA) testing for aquaporin-4 (CPT code 86051) **IS NOT REIMBURSABLE** for individuals with any of the following conditions:

  - Demyelinating disease
  - Disease of spinal cord
  - Encephalitis
  - Multiple sclerosis
  - Myelitis
  - Neuritis
  - Optic papillitis

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
86051	Aquaporin-4 (neuromyelitis optica [NMO]) antibody; enzyme-linked immunosorbent immunoassay (ELISA)
86052	Aquaporin-4 (neuromyelitis optica [NMO]) antibody; cell-based immunofluorescence assay (CBA), each
86053*	Aquaporin-4 (neuromyelitis optica [NMO]) antibody; flow cytometry (ie, fluorescence-activated cell sorting [FACS]), each
86362	Myelin oligodendrocyte glycoprotein (MOG-IgG1) antibody; cell-based immunofluorescence assay (CBA), each
86363*	Myelin oligodendrocyte glycoprotein (MOG-IgG1) antibody; flow cytometry (ie, fluorescence-activated cell sorting [FACS]), each

**The payment criteria for 86053 and 86363 applies to all Medicare jurisdictions, except those states awarded Noridian Healthcare Solutions, LLC.*

Original Medicare Local Coverage Determinations (LCDs)

Contractor name	Policy title	Policy number	Procedure code
Noridian Healthcare Solutions, LLC	Lab: Flow Cytometry	L34215	86053 86363

References

Atlas of MS. (2023). *MS Statistics*. https://www.atlasofms.org/map/united-states-of-america/epidemiology/number-of-people-with-ms

Benkert, P., Meier, S., Schaedelin, S., Manouchehrinia, A., Yaldizli, Ö., Maceski, A., Oechtering, J., Achtnichts, L., Conen, D., Derfuss, T., Lalive, P. H., Mueller, C., Müller, S., Naegelin, Y., Oksenberg, J. R., Pot, C., Salmen, A., Willemse, E., Kockum, I., . . . Kuhle, J. (2022). Serum neurofilament light chain for individual prognostication of disease activity in people with multiple sclerosis: a retrospective modelling and validation study. *Lancet Neurol*, *21*(3), 246-257. https://doi.org/10.1016/s1474-4422(22)00009-6

Brownlee, W. J., Hardy, T. A., Fazekas, F., & Miller, D. H. (2017). Diagnosis of multiple sclerosis: progress and challenges. *Lancet*, *389*(10076), 1336-1346. https://doi.org/10.1016/s0140-6736(16)30959-x

Cantó, E., Barro, C., Zhao, C., Caillier, S. J., Michalak, Z., Bove, R., Tomic, D., Santaniello, A., Häring, D. A., Hollenbach, J., Henry, R. G., Cree, B. A. C., Kappos, L., Leppert, D., Hauser, S. L., Benkert, P., Oksenberg, J. R., & Kuhle, J. (2019). Association Between Serum Neurofilament Light Chain Levels and Long-term Disease Course Among Patients With Multiple Sclerosis Followed up for 12 Years. *JAMA Neurol*, *76*(11), 1359-1366. https://doi.org/10.1001/jamaneurol.2019.2137

Comabella, M., & Montalban, X. (2014). Body fluid biomarkers in multiple sclerosis. *Lancet Neurol*, *13*(1), 113-126. https://doi.org/10.1016/s1474-4422(13)70233-3

Comabella, M., Sastre-Garriga, J., & Montalban, X. (2016). Precision medicine in multiple sclerosis: biomarkers for diagnosis, prognosis, and treatment response. *Curr Opin Neurol*, *29*(3), 254-262. https://doi.org/10.1097/wco.0000000000000336

El Ayoubi, N. K., & Khoury, S. J. (2017). Blood Biomarkers as Outcome Measures in Inflammatory Neurologic Diseases. *Neurotherapeutics*, *14*(1), 135-147. https://doi.org/10.1007/s13311-016-0486-7

Eriksson, M., Andersen, O., & Runmarker, B. (2003). Long-term follow up of patients with clinically isolated syndromes, relapsing-remitting and secondary progressive multiple sclerosis. *Mult Scler*, *9*(3), 260-274. https://doi.org/10.1191/1352458503ms914oa

FDA. (2016). *510k*. https://www.accessdata.fda.gov/cdrh_docs/pdf16/K161951.pdf

Filippi, M., & Rocca, M. A. (2011). MR imaging of multiple sclerosis. *Radiology*, *259*(3), 659-681. https://doi.org/10.1148/radiol.11101362

Fryer, J. P., Lennon, V. A., Pittock, S. J., Jenkins, S. M., Fallier-Becker, P., Clardy, S. L., Horta, E., Jedynak, E. A., Lucchinetti, C. F., Shuster, E. A., Weinshenker, B. G., Wingerchuk, D. M., & McKeon, A. (2014). AQP4 autoantibody assay performance in clinical laboratory service. *Neurol Neuroimmunol Neuroinflamm*, *1*(1), e11. https://doi.org/10.1212/NXI.0000000000000011

Gil-Perotin, S., Castillo-Villalba, J., Cubas-Nuñez, L., Gasque, R., Hervas, D., Gomez-Mateu, J., Alcala, C., Perez-Miralles, F., Gascon, F., Dominguez, J. A., & Casanova, B. (2019). Combined Cerebrospinal Fluid Neurofilament Light Chain Protein and Chitinase-3 Like-

1 Levels in Defining Disease Course and Prognosis in Multiple Sclerosis. *Front Neurol*, *10*, 1008. https://doi.org/10.3389/fneur.2019.01008

Glisson, C. C. (2024). *Neuromyelitis optica spectrum disorders*. Wolters Kluwer. https://www.uptodate.com/contents/neuromyelitis-optica-spectrum-disorders-nmosd-clinical-features-and-diagnosis

Goodin, D. S. (2014). The epidemiology of multiple sclerosis: insights to disease pathogenesis. *Handb Clin Neurol*, *122*, 231-266. https://doi.org/10.1016/b978-0-444-52001-2.00010-8

Hyun, J. W., Kim, W., Huh, S. Y., Park, M. S., Ahn, S. W., Cho, J. Y., Kim, B. J., Lee, S. H., Kim, S. H., & Kim, H. J. (2018). Application of the 2017 McDonald diagnostic criteria for multiple sclerosis in Korean patients with clinically isolated syndrome. *Mult Scler*, 1352458518790702. https://doi.org/10.1177/1352458518790702

Jarius, S., Paul, F., Aktas, O., Asgari, N., Dale, R. C., de Seze, J., Franciotta, D., Fujihara, K., Jacob, A., Kim, H. J., Kleiter, I., Kümpfel, T., Levy, M., Palace, J., Ruprecht, K., Saiz, A., Trebst, C., Weinshenker, B. G., & Wildemann, B. (2018). MOG encephalomyelitis: international recommendations on diagnosis and antibody testing. *Journal of Neuroinflammation*, *15*, 134. https://doi.org/10.1186/s12974-018-1144-2

Jitprapaikulsan, J., Chen, J. J., Flanagan, E. P., Tobin, W. O., Fryer, J. P., Weinshenker, B. G., McKeon, A., Lennon, V. A., Leavitt, J. A., Tillema, J. M., Lucchinetti, C., Keegan, B. M., Kantarci, O., Khanna, C., Jenkins, S. M., Spears, G. M., Sagan, J., & Pittock, S. J. (2018). Aquaporin-4 and Myelin Oligodendrocyte Glycoprotein Autoantibody Status Predict Outcome of Recurrent Optic Neuritis. *Ophthalmology*, *125*(10), 1628-1637. https://doi.org/10.1016/j.ophtha.2018.03.041

Koch, M., Kingwell, E., Rieckmann, P., & Tremlett, H. (2009). The natural history of primary progressive multiple sclerosis. *Neurology*, *73*(23), 1996-2002. https://doi.org/10.1212/WNL.0b013e3181c5b47f

Lim, C. K., Bilgin, A., Lovejoy, D. B., Tan, V., Bustamante, S., Taylor, B. V., Bessede, A., Brew, B. J., & Guillemin, G. J. (2017). Kynurenine pathway metabolomics predicts and provides mechanistic insight into multiple sclerosis progression. *Sci Rep*, *7*, 41473. https://doi.org/10.1038/srep41473

Lotze, T. E. (2024). *Differential diagnosis of acute central nervous system demyelination in children*. Wolters Kluwer. https://www.uptodate.com/contents/differential-diagnosis-of-acute-central-nervous-system-demyelination-in-children

Lublin, F. D., Coetzee, T., Cohen, J. A., Marrie, R. A., Thompson, A. J., & International Advisory Committee on Clinical Trials in, M. S. (2020). The 2013 clinical course descriptors for multiple sclerosis: A clarification. *Neurology*, *94*(24), 1088-1092. https://doi.org/10.1212/WNL.0000000000009636

Lublin, F. D., Reingold, S. C., Cohen, J. A., Cutter, G. R., Sorensen, P. S., Thompson, A. J., Wolinsky, J. S., Balcer, L. J., Banwell, B., Barkhof, F., Bebo, B., Jr., Calabresi, P. A., Clanet, M., Comi, G., Fox, R. J., Freedman, M. S., Goodman, A. D., Inglese, M., Kappos, L., . . . Polman, C. H. (2014). Defining the clinical course of multiple sclerosis: the 2013 revisions. *Neurology*, *83*(3), 278-286. https://doi.org/10.1212/wnl.0000000000000560

Luzzio, C. (2023). Multiple Sclerosis Guidelines. https://emedicine.medscape.com/article/1146199-guidelines

Martin, S.-J., McGlasson, S., Hunt, D., & Overell, J. (2019). Cerebrospinal fluid neurofilament light chain in multiple sclerosis and its subtypes: a meta-analysis of case–control studies. *Journal of Neurology, Neurosurgery & Psychiatry*, *90*(9), 1059. https://doi.org/10.1136/jnnp-2018-319190

NICE. (2022). Multiple sclerosis in adults: management. https://www.nice.org.uk/guidance/ng220/chapter/Recommendations#diagnosing-multiple-sclerosis

Offenbacher, H., Fazekas, F., Schmidt, R., Freidl, W., Flooh, E., Payer, F., & Lechner, H. (1993). Assessment of MRI criteria for a diagnosis of MS. *Neurology*, *43*(5), 905-909. https://doi.org/10.1212/wnl.43.5.905

Olek, M., Howard, Jonathan. (2024a). Clinical course and classification of multiple sclerosis - UpToDate. In J. Dashe (Ed.), *UpToDate*. https://www.uptodate.com/contents/clinical-presentation-course-and-prognosis-of-multiple-sclerosis-in-adults

Olek, M., Howard, Jonathan. (2024b). Evaluation and diagnosis of multiple sclerosis in adults. In J. Dashe (Ed.), *UpToDate*. https://www.uptodate.com/contents/evaluation-and-diagnosis-of-multiple-sclerosis-in-adults

Raphael, I., Webb, J., Stuve, O., Haskins, W. E., & Forsthuber, T. G. (2015). Body fluid biomarkers in multiple sclerosis: how far we have come and how they could affect the clinic now and in the future. *Expert Rev Clin Immunol*, *11*(1), 69-91. https://doi.org/10.1586/1744666x.2015.991315

Rovira, A., Swanton, J., Tintore, M., Huerga, E., Barkhof, F., Filippi, M., Frederiksen, J. L., Langkilde, A., Miszkiel, K., Polman, C., Rovaris, M., Sastre-Garriga, J., Miller, D., & Montalban, X. (2009). A single, early magnetic resonance imaging study in the diagnosis of multiple sclerosis. *Arch Neurol*, *66*(5), 587-592. https://doi.org/10.1001/archneurol.2009.49

Sapko, K., Jamroz-Wisniewska, A., Marciniec, M., Kulczynski, M., Szczepanska-Szerej, A., & Rejdak, K. (2020). Biomarkers in Multiple Sclerosis: a review of diagnostic and prognostic factors. *Neurol Neurochir Pol*, *54*(3), 252-258. https://doi.org/10.5603/PJNNS.a2020.0037

Schaffler, N., Kopke, S., Winkler, L., Schippling, S., Inglese, M., Fischer, K., & Heesen, C. (2011). Accuracy of diagnostic tests in multiple sclerosis--a systematic review. *Acta Neurol Scand*, *124*(3), 151-164. https://doi.org/10.1111/j.1600-0404.2010.01454.x

Simonsen, C. S., Flemmen, H., Lauritzen, T., Berg-Hansen, P., Moen, S. M., & Celius, E. G. (2020). The diagnostic value of IgG index versus oligoclonal bands in cerebrospinal fluid of patients with multiple sclerosis. *Mult Scler J Exp Transl Clin*, *6*(1), 2055217319901291. https://doi.org/10.1177/2055217319901291

Sotirchos, E. S., Filippatou, A., Fitzgerald, K. C., Salama, S., Pardo, S., Wang, J., Ogbuokiri, E., Cowley, N. J., Pellegrini, N., Murphy, O. C., Mealy, M. A., Prince, J. L., Levy, M., Calabresi, P. A., & Saidha, S. (2019). Aquaporin-4 IgG seropositivity is associated with worse visual outcomes after optic neuritis than MOG-IgG seropositivity and multiple sclerosis, independent of macular ganglion cell layer thinning. *Mult Scler*, 1352458519864928. https://doi.org/10.1177/1352458519864928

Teunissen, C. E., Malekzadeh, A., Leurs, C., Bridel, C., & Killestein, J. (2015). Body fluid biomarkers for multiple sclerosis--the long road to clinical application. *Nat Rev Neurol*, *11*(10), 585-596. https://doi.org/10.1038/nrneurol.2015.173

Thompson, A. J., Banwell, B. L., Barkhof, F., Carroll, W. M., Coetzee, T., Comi, G., Correale, J., Fazekas, F., Filippi, M., Freedman, M. S., Fujihara, K., Galetta, S. L., Hartung, H. P., Kappos, L., Lublin, F. D., Marrie, R. A., Miller, A. E., Miller, D. H., Montalban, X., . . . Cohen, J. A. (2018). Diagnosis of multiple sclerosis: 2017 revisions of the McDonald criteria. *Lancet Neurol*, *17*(2), 162-173. https://doi.org/10.1016/s1474-4422(17)30470-2

Wallin, M. T., Culpepper, W. J., Campbell, J. D., Nelson, L. M., Langer-Gould, A., Marrie, R. A., Cutter, G. R., Kaye, W. E., Wagner, L., Tremlett, H., Buka, S. L., Dilokthornsakul, P., Topol, B., Chen, L. H., & LaRocca, N. G. (2019). The prevalence of MS in the United States: A population-based estimate using health claims data. *Neurology*, *92*(10), e1029-e1040. https://doi.org/10.1212/wnl.0000000000007035

Weinshenker, B. G. (1994). Natural history of multiple sclerosis. *Ann Neurol*, *36 Suppl*, S6-11. https://doi.org/10.1002/ana.410360704

Wingerchuk, D. M., Banwell, B., Bennett, J. L., Cabre, P., Carroll, W., Chitnis, T., de Seze, J., Fujihara, K., Greenberg, B., Jacob, A., Jarius, S., Lana-Peixoto, M., Levy, M., Simon, J. H., Tenembaum, S., Traboulsee, A. L., Waters, P., Wellik, K. E., & Weinshenker, B. G. (2015). International consensus diagnostic criteria for neuromyelitis optica spectrum disorders. *Neurology*, *85*(2), 177-189. https://doi.org/10.1212/wnl.0000000000001729

Yang, J., Hamade, M., Wu, Q., Wang, Q., Axtell, R., Giri, S., & Mao-Draayer, Y. (2022). Current and Future Biomarkers in Multiple Sclerosis. *Int J Mol Sci*, *23*(11). https://doi.org/10.3390/ijms23115877