Humana. **Claims Payment Policy**

Subject: Laboratory – Testing for Crohn's Disease, Ulcerative Colitis and Irritable Bowel Syndrome

Application: Medicare Advantage Products
Policy number: LAB2023046
Published date: 07/2023
Revision date: 04/2026

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- Fecal calprotectin testing (CPT code 83993) **IS REIMBURSABLE** when any one of the following conditions or symptoms are present:

  - Abdominal or pelvic pain
  - Abnormal weight loss
  - Anal spasm or anal fistula
  - Anemia
  - Constipation
  - Crohn's disease
  - Diarrhea
  - Duodenitis
  - Dysphagia
  - Early satiety
  - Fecal incontinence
  - Flatulence
  - Functional dyspepsia
  - Gastro-esophageal reflux disease
  - Heartburn
  - Hemorrhage of anus or rectum
  - Irritable bowel syndrome
  - Malnutrition or malabsorption
  - Melena
  - Nausea and vomiting
  - Other specified diseases of the intestine, anus or rectum
  - Oral aphthae
  - Noninfective gastroenteritis and colitis
  - Symptoms and signs involving the digestive system
  - Ulcerative colitis
  - Use of steroids, immunosuppressants or immunomodulators

- Fecal lactoferrin measurement (CPT code 83630, CPT code 83631) **IS NOT REIMBURSABLE**.

- The use of the following serologic markers **ARE NOT REIMBURSABLE** in individuals with Crohn's Disease, ulcerative colitis or irritable bowel syndrome:

  - Antibody to Escherichia coli outer membrane porin C (anti-OmpC) (CPT code 83520)
  - Antibody to Pseudomonas fluorescens-associated sequence I2 (anti-I2) (CPT code 83520)
  - Anti-CBir1 flagellin antibody (anti-cBir1) (CPT code 83520)
  - Antichitobioside antibodies (ACCA IgA) (CPT code 83516)
  - Anti-cytolethal distending toxin B (anti-CdtB) and anti-vinculin antibodies (CPT code 0176U)
  - Antilaminaribioside antibodies (ALCA IgG) (CPT code 83516)
  - Antimannobioside antibodies (AMCA IgG) (CPT code 83516)
  - Anti-neutrophil cytoplasmic antibody (ANCA) (CPT code 86036, CPT code 86037)
  - Anti-Saccharomyces cerevisiae antibody (ASCA) (CPT code 86671)
  - Perinuclear anti-neutrophilic cytoplasmic antibody (pANCA) (CPT code 86021, CPT code 86255)
  - Pyruvate kinase M2 (PKM2) (CPT code 83520)

- The use of diagnostic algorithm-based testing (CPT code 0164U) **IS NOT REIMBURSABLE**.

- Genetic testing for inflammatory bowel disease, including Crohn's disease and ulcerative colitis, (CPT code 0203U*) **IS NOT REIMBURSABLE**.

- Immunoglobulin G (IgG) based food sensitivity testing (e.g., inFoods® IBS Test) (CPT code 0598U) IS NOT REIMBURSABLE.

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
83516	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method
83520	Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified
83630	Lactoferrin, fecal; qualitative
83631	Lactoferrin, fecal; quantitative
83993	Calprotectin, fecal
86021	Antibody identification; leukocyte antibodies
86036	Antineutrophil cytoplasmic antibody (ANCA); screen, each antibody
86037	Antineutrophil cytoplasmic antibody (ANCA); titer, each antibody
86255	Fluorescent noninfectious agent antibody; screen, each antibody
86671	Antibody; fungus, not elsewhere specified
0164U	Gastroenterology (irritable bowel syndrome [IBS]), immunoassay for anti-CdtB and anti-vinculin antibodies, utilizing plasma, algorithm for elevated or not elevated qualitative results Proprietary test: ibs-smart™ Lab/Manufacturer: Gemelli Biotech
0176U	Cytolethal distending toxin B (CdtB) and vinculin IgG antibodies by immunoassay (ie, ELISA) Proprietary test: IBSchek® Lab/Manufacturer: Commonwealth Diagnostics International, Inc
0203U*	Autoimmune (inflammatory bowel disease), mRNA, gene expression profiling by quantitative RT-PCR, 17 genes (15 target and 2 reference genes), whole blood, reported as a continuous risk score and classification of inflammatory bowel disease aggressiveness

Procedure code	Code description
	Proprietary test: PredictSURE IBD™ Test Lab/Manufacturer: KSL Diagnostics
0598U	Gastroenterology (irritable bowel syndrome), IgG antibodies to 18 food items by microarray-based immunoassay, whole blood or serum, report as elevated (positive) or normal (negative) antibody levels Proprietary test: inFoods® IBS Lab/Manufacturer: Ethos Laboratories

**The payment criterion for 0203U applies to all Medicare jurisdictions, except those states awarded to Noridian Healthcare Solutions, Wisconsin Physicians Service Insurance, Palmetto GBA, and CGS Administrators.*

Original Medicare Local Coverage Determinations (LCDs)

Contractor name	Policy title	Policy number	Procedure code
Noridian Healthcare Solutions, LLC	MolDX: Repeat Germline Testing	L38351	0203U
Noridian Healthcare Solutions, LLC	MolDX: Repeat Germline Testing	L38353	0203U
Noridian Healthcare Solutions, LLC	MolDX: Molecular Diagnostic Tests (MDT)	L36256	0203U
Noridian Healthcare Solutions, LLC	MolDX: Molecular Diagnostic Tests (MDT)	L35160	0203U
Wisconsin Physicians Service Insurance Corporation	MolDX: Repeat Germline Testing	L38429	0203U
Wisconsin Physicians Service Insurance Corporation	MolDX: Molecular Diagnostic Tests (MDT)	L36807	0203U
Palmetto GBA	MolDX: Repeat Germline Testing	L38274	0203U
Palmetto GBA	MolDX: Molecular Diagnostic Tests (MDT)	L35025	0203U
CGS Administrators, LLC	MolDX: Repeat Germline Testing	L38288	0203U
CGS Administrators, LLC	MolDX: Molecular Diagnostic Tests (MDT)	L36021	0203U

References

AGA. Identification, Assessment and Initial Medical Treatment in Crohn's Disease Clinical Decision Support Tool. American Gastroenterological Association. https://s3.amazonaws.com/agaassets/pdf/guidelines/IBDCarePathway.pdf

AGA. Ulcerative Colitis Clinical Care Pathway. American Gastroenterological Association. https://s3.amazonaws.com/agaassets/pdf/guidelines/UlcerativeColitis/index.html

Ahmed Z, Lysek M, Zhang N, Malik TA. Association Between Serological Markers and Crohn's Disease Activity. *J Clin Med Res*. 2020;12(1):6-12. doi:10.14740/jocmr4016

Akasaka E, Nakano H, Korekawa A, et al. Anti-laminin gamma1 pemphigoid associated with ulcerative colitis and psoriasis vulgaris showing autoantibodies to laminin gamma1, type XVII collagen and laminin-332. *European journal of dermatology : EJD*. 2015;25(2):198-9. doi:10.1684/ejd.2014.2499

Almario CV, Ballal ML, Chey WD, Nordstrom C, Khanna D, Spiegel BMR. Burden of Gastrointestinal Symptoms in the United States: Results of a Nationally Representative Survey of Over 71,000 Americans. *Am J Gastroenterol*. 2018;113(11):1701-1710. doi:10.1038/s41395-018-0256-8

Almousa AA, Morris M, Fowler S, Jones J, Alcorn J. Elevation of serum pyruvate kinase M2 (PKM2) in IBD and its relationship to IBD indices. *Clinical biochemistry*. 2018;53:19-24.

Ananthakrishnan AN, Nguyen GC, Bernstein CN. AGA Clinical Practice Update on Management of Inflammatory Bowel Disease in Elderly Patients: Expert Review. *Gastroenterology*. 2021;160(1):445-451. doi:10.1053/j.gastro.2020.08.060

Benor S, Russell GH, Silver M, Israel EJ, Yuan Q, Winter HS. Shortcomings of the inflammatory bowel disease Serology 7 panel. *Pediatrics*. 2010;125(6):1230-6. doi:10.1542/peds.2009-1936

Ben-Shachar S, Finezilber Y, Elad H, et al. Genotype-Serotype Interactions Shed Light on Genetic Components of Inflammatory Bowel Diseases. *Inflammatory bowel diseases*. 2019;25(2):336-344. doi:10.1093/ibd/izy231

Bernstein CN, Eliakim A, Fedail S, et al. World Gastroenterology Organisation Global Guidelines Inflammatory Bowel Disease: Update August 2015. *Journal of clinical gastroenterology*. 2016;50(10):803-818. doi:10.1097/mcg.0000000000000660

Biasci D, Lee JC, Noor NM, et al. A blood-based prognostic biomarker in IBD. *Gut*. 2019;68(8):1386. doi:10.1136/gutjnl-2019-318343

Blumberg RS, Saubermann LJ, Strober W. Animal models of mucosal inflammation and their relation to human inflammatory bowel disease. *Current opinion in immunology*. 1999;11(6):648-56.

Boirivant M, Cossu A. Inflammatory bowel disease. *Oral Dis*. 2012;18(1):1-15. doi:10.1111/j.1601-0825.2011.01811.x

Bousvaros A, Antonioli DA, Colletti RB, et al. Differentiating ulcerative colitis from Crohn disease in children and young adults: report of a working group of the North American Society for Pediatric Gastroenterology, Hepatology, and Nutrition and the Crohn's and Colitis Foundation of America. *Journal of pediatric gastroenterology and nutrition*. 2007;44(5):653-74. doi:10.1097/MPG.0b013e31805563f3

Burri E, Beglinger C. The use of fecal calprotectin as a biomarker in gastrointestinal disease. *Expert review of gastroenterology & hepatology*. 2014;8(2):197-210. doi:10.1586/17474124.2014.869476

Campbell JP, Zierold C, Rode AM, Blocki FA, Vaughn BP. Clinical Performance of a Novel LIAISON Fecal Calprotectin Assay for Differentiation of Inflammatory Bowel Disease From Irritable Bowel Syndrome. *Journal of clinical gastroenterology*. 2021;55(3):239-243. doi:10.1097/mcg.0000000000001359

Colombel JF, Shin A, Gibson PR. AGA Clinical Practice Update on Functional Gastrointestinal Symptoms in Patients With Inflammatory Bowel Disease: Expert Review. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association*. 2019;17(3):380-390.e1. doi:10.1016/j.cgh.2018.08.001

Condino AA, Hoffenberg EJ, Accurso F, et al. Frequency of ASCA seropositivity in children with cystic fibrosis. *Journal of pediatric gastroenterology and nutrition*. 2005;41(1):23-6. doi:10.1097/01.mpg.0000166801.61708.60

Coukos JA, Howard LA, Weinberg JM, Becker JM, Stucchi AF, Farraye FA. ASCA IgG and CBir antibodies are associated with the development of Crohn's disease and fistulae following ileal pouch-anal anastomosis. *Digestive diseases and sciences*. 2012;57(6):1544-53. doi:10.1007/s10620-012-2050-6

Czub E, Nowak JK, Szaflarska-Poplawska A, et al. Comparison of fecal pyruvate kinase isoform M2 and calprotectin in assessment of pediatric inflammatory bowel disease severity and activity. *Acta biochimica Polonica*. 2014;61(1):99-102.

De Simone B, Davies J, Chouillard E, et al. WSES-AAST guidelines: management of inflammatory bowel disease in the emergency setting. *World Journal of Emergency Surgery*. 2021;16(1):23. doi:10.1186/s13017-021-00362-3

D'Haens GR, Geboes K, Peeters M, Baert F, Penninckx F, Rutgeerts P. Early lesions of recurrent Crohn's disease caused by infusion of intestinal contents in excluded ileum. *Gastroenterology*. 1998;114(2):262-7.

Donato LJ, Lueke A, Kenyon SM, Meeusen JW, Camilleri M. Description of analytical method and clinical utility of measuring serum 7-alpha-hydroxy-4-cholesten-3-one (7aC4) by mass spectrometry. *Clinical biochemistry*. 2018;52:106-111. doi:10.1016/j.clinbiochem.2017.10.008

Dotan I, Fishman S, Dgani Y, et al. Antibodies against laminaribioside and chitobioside are novel serologic markers in Crohn's disease. *Gastroenterology*. 2006;131(2):366-78. doi:10.1053/j.gastro.2006.04.030

Duarte-Silva M, Afonso PC, de Souza PR, Peghini BC, Rodrigues-Júnior V, de Barros Cardoso CR. Reappraisal of antibodies against Saccharomyces cerevisiae (ASCA) as persistent biomarkers in quiescent Crohn's disease. *Autoimmunity*. 2019;52(1):37-47. doi:10.1080/08916934.2019.1588889

FDA. 510(k) https://www.accessdata.fda.gov/cdrh_docs/pdf16/K160447.pdf

FDA. 510(k) https://www.accessdata.fda.gov/cdrh_docs/pdf18/K182698.pdf

FDA. 510(k) Substantial Equivalence Determination. https://www.accessdata.fda.gov/cdrh_docs/reviews/K050007.pdf

FDA. Buhlmann FCAL Turbo And CALEX Cap. https://www.accessdata.fda.gov/scripts/cdrh/devicesatfda/index.cfm?db=pmn&id=K191718

FDA. LIAISON Calprotectin. https://www.accessdata.fda.gov/cdrh_docs/pdf18/K182698.pdf

Feuerstein JD, Ho EY, Shmidt E, et al. AGA Clinical Practice Guidelines on the Medical Management of Moderate to Severe Luminal and Perianal Fistulizing Crohn's Disease. *Gastroenterology*. 2021;160(7):2496-2508. doi:10.1053/j.gastro.2021.04.022

Gasche C, Scholmerich J, Brynskov J, et al. A simple classification of Crohn's disease: report of the Working Party for the World Congresses of Gastroenterology, Vienna 1998. *Inflammatory bowel diseases*. 2000;6(1):8-15.

Gibson P. Approach to persistent gastrointestinal symptoms in adults with inflammatory bowel disease in remission. Updated May 20, 2025. https://www.uptodate.com/contents/approach-to-persistent-gastrointestinal-symptoms-in-adults-with-inflammatory-bowel-disease-in-remission

Gomollón F, Dignass A, Annese V, et al. 3rd European Evidence-based Consensus on the Diagnosis and Management of Crohn's Disease 2016: Part 1: Diagnosis and Medical Management. *Journal of Crohn's and Colitis*. 2016;11(1):3-25. doi:10.1093/ecco-jcc/jjw168

Gordon H, Minozzi S, Kopylov U, et al. ECCO Guidelines on Therapeutics in Crohn's Disease: Medical Treatment. *Journal of Crohn's and Colitis*. 2024;18(10):1531-1555. doi:10.1093/ecco-jcc/jjae091

Granito A, Zauli D, Muratori P, et al. Anti-Saccharomyces cerevisiae and perinuclear anti-neutrophil cytoplasmic antibodies in coeliac disease before and after gluten-free diet. *Alimentary pharmacology & therapeutics*. 2005;21(7):881-7. doi:10.1111/j.1365-2036.2005.02417.x

Halpin SJ, Ford AC. Prevalence of symptoms meeting criteria for irritable bowel syndrome in inflammatory bowel disease: systematic review and meta-analysis. *Am J Gastroenterol*. 2012;107(10):1474-82. doi:10.1038/ajg.2012.260

Higuchi LM, Bousvaros A. Clinical presentation and diagnosis of inflammatory bowel disease in children - UpToDate. Updated September 10, 2024. https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-inflammatory-bowel-disease-in-children

Higuchi LM, Bousvaros, Athos. Clinical presentation and diagnosis of inflammatory bowel disease in children. Updated September 10, 2024. https://www.uptodate.com/contents/clinical-presentation-and-diagnosis-of-inflammatory-bowel-disease-in-children

Johnson LM, Spannagl M, Wojtalewicz N, Durner J. Comparison of fecal calprotectin and pancreatic elastase assays based on proficiency testing results. *Clinical biochemistry*. 2022;107:19-23. doi:10.1016/j.clinbiochem.2022.05.002

Joossens S, Reinisch W, Vermeire S, et al. The value of serologic markers in indeterminate colitis: a prospective follow-up study. *Gastroenterology*. 2002;122(5):1242-7. doi:10.1053/gast.2002.32980

Jostins L, Ripke S, Weersma RK, et al. Host-microbe interactions have shaped the genetic architecture of inflammatory bowel disease. *Nature*. 2012;491(7422):119-24. doi:10.1038/nature11582

Kaul A, Hutfless S, Liu L, Bayless TM, Marohn MR, Li X. Serum anti-glycan antibody biomarkers for inflammatory bowel disease diagnosis and progression: a systematic review and meta-analysis. *Inflammatory bowel diseases*. 2012;18(10):1872-84. doi:10.1002/ibd.22862

Kelsen JR, Sullivan KE, Rabizadeh S, et al. NASPGHAN Position Paper on The Evaluation and Management for Patients with Very Early-Onset Inflammatory Bowel Disease (VEO-IBD). *Journal of pediatric gastroenterology and nutrition*. 2019;doi:10.1097/mpg.0000000000002567

Khaki-Khatibi F, Qujeq D, Kashifard M, Moein S, Maniati M, Vaghari-Tabari M. Calprotectin in inflammatory bowel disease. *Clin Chim Acta*. 2020;510:556-565. doi:10.1016/j.cca.2020.08.025

Kovacs G, Sipeki N, Suga B, et al. Significance of serological markers in the disease course of ulcerative colitis in a prospective clinical cohort of patients. *PLoS One*. 2018;13(3):e0194166. doi:10.1371/journal.pone.0194166

Kucharzik T, Ellul P, Greuter T, et al. ECCO Guidelines on the Prevention, Diagnosis, and Management of Infections in Inflammatory Bowel Disease. *J Crohns Colitis*. 2021;15(6):879-913. doi:10.1093/ecco-jcc/jjab052

Lacy BE, Pimentel M, Brenner DM, et al. ACG Clinical Guideline: Management of Irritable Bowel Syndrome. *Official journal of the American College of Gastroenterology | ACG*. 2021;116(1):17-44. doi:10.14309/ajg.0000000000001036

Lamb CA, Kennedy NA, Raine T, et al. British Society of Gastroenterology consensus guidelines on the management of inflammatory bowel disease in adults. *Gut*. 2019;68(Suppl 3):s1. doi:10.1136/gutjnl-2019-318484

Landers CJ, Cohavy O, Misra R, et al. Selected loss of tolerance evidenced by Crohn's disease-associated immune responses to auto- and microbial antigens. *Gastroenterology*. 2002;123(3):689-99. doi:10.1053/gast.2002.35379

Lewis JD. The Utility of Biomarkers in the Diagnosis and Therapy of Inflammatory Bowel Disease. *Gastroenterology*. 2011;140(6):1817-1826 e2. doi:10.1053/j.gastro.2010.11.058

Lichtenstein GR, Loftus EV, Afzali A, et al. ACG Clinical Guideline: Management of Crohn's Disease in Adults. *Official journal of the American College of Gastroenterology | ACG*. 2025;120(6):1225-1264. doi:10.14309/ajg.0000000000003465

Lichtenstein GR, Loftus EV, Isaacs KL, Regueiro MD, Gerson LB, Sands BE. ACG Clinical Guideline: Management of Crohn's Disease in Adults. *Am J Gastroenterol*. 2018;113(4):481-517. doi:10.1038/ajg.2018.27

Liu JZ, Anderson CA. Genetic studies of Crohn's disease: Past, present and future. *Best Pract Res Clin Gastroenterol*. 2014:373-86. vol. 3.

Liu JZ, van Sommeren S, Huang H, et al. Association analyses identify 38 susceptibility loci for inflammatory bowel disease and highlight shared genetic risk across populations. *Nat Genet*. 2015;47(9):979-86. doi:10.1038/ng.3359

Maaser C, Sturm A, Vavricka SR, et al. ECCO-ESGAR Guideline for Diagnostic Assessment in IBD Part 1: Initial diagnosis, monitoring of known IBD, detection of complications. *J Crohns Colitis*. 2019;13(2):144-164. doi:10.1093/ecco-jcc/jjy113

Magro F, Doherty G, Peyrin-Biroulet L, et al. ECCO Position Paper: Harmonisation of the approach to Ulcerative Colitis Histopathology. *J Crohns Colitis*. 2020;doi:10.1093/ecco-jcc/jjaa110

Magro F, Gionchetti P, Eliakim R, et al. Third European Evidence-based Consensus on Diagnosis and Management of Ulcerative Colitis. Part 1: Definitions, Diagnosis, Extra-intestinal Manifestations, Pregnancy, Cancer Surveillance, Surgery, and Ileo-anal Pouch Disorders. *Journal of Crohn's and Colitis*. 2017;11(6):649-670. doi:10.1093/ecco-jcc/jjx008

McGovern D, Kugathasan S, Cho JH. Genetics of Inflammatory Bowel Diseases. *Gastroenterology*. 2015;149(5):1163-1176 e2. doi:10.1053/j.gastro.2015.08.001

Menees SB, Powell C, Kurlander J, Goel A, Chey WD. A meta-analysis of the utility of C-reactive protein, erythrocyte sedimentation rate, fecal calprotectin, and fecal lactoferrin to exclude inflammatory bowel disease in adults with IBS. *Am J Gastroenterol*. 2015;110(3):444-54. doi:10.1038/ajg.2015.6

Mitsuyama K, Niwa M, Masuda J, et al. Possible diagnostic role of antibodies to Crohn's disease peptide (ACP): results of a multicenter study in a Japanese cohort. *Journal of gastroenterology*. 2014;49(4):683-91. doi:10.1007/s00535-013-0916-9

Mitsuyama K, Niwa M, Takedatsu H, et al. Antibody markers in the diagnosis of inflammatory bowel disease. *World J Gastroenterol*. 2016;22(3):1304-10. doi:10.3748/wjg.v22.i3.1304

Molander P, af Bjorkesten CG, Mustonen H, et al. Fecal calprotectin concentration predicts outcome in inflammatory bowel disease after induction therapy with TNFalpha blocking agents. *Inflammatory bowel diseases*. 2012;18(11):2011-7. doi:10.1002/ibd.22863

Molander P, Farkkila M, Ristimaki A, et al. Does fecal calprotectin predict short-term relapse after stopping TNFalpha-blocking agents in inflammatory bowel disease patients in deep remission? *J Crohns Colitis*. 2015;9(1):33-40. doi:10.1016/j.crohns.2014.06.012

Mourad F, Zreik AE, Halwani A, Saab J, Rizk C, Hashash JG. S1235 Utilization and Usefulness of Fecal Calprotectin for Suspected Inflammatory Bowel Disease in Clinical Practice: Real-World Data. *Official journal of the American College of Gastroenterology | ACG*. 2024;119(10S):S879. doi:10.14309/01.ajg.0001034308.58875.23

Mumolo MG, Bertani L, Ceccarelli L, et al. From bench to bedside: Fecal calprotectin in inflammatory bowel diseases clinical setting. *World J Gastroenterol*. 2018;24(33):3681-3694. doi:10.3748/wjg.v24.i33.3681

Nakov R, Snegarova V, Dimitrova-Yurukova D, Velikova T. Biomarkers in Irritable Bowel Syndrome: Biological Rationale and Diagnostic Value. *Digestive Diseases*. 2022;40(1):23-32. doi:10.1159/000516027

NICE. Crohn's disease: management. Updated May 3, 2019. https://www.nice.org.uk/guidance/ng129

NICE. Faecal calprotectin diagnostic tests for inflammatory diseases of the bowel DG11. NICE. Updated October 2, 2013. https://www.nice.org.uk/guidance/DG11

NICE. Ulcerative colitis: management. Updated May 3, 2019. https://www.nice.org.uk/guidance/ng130

Peeters M, Joossens S, Vermeire S, Vlietinck R, Bossuyt X, Rutgeerts P. Diagnostic value of anti-Saccharomyces cerevisiae and antineutrophil cytoplasmic autoantibodies in inflammatory bowel disease. *Am J Gastroenterol*. 2001;96(3):730-4. doi:10.1111/j.1572-0241.2001.03613.x

Peppercorn M, Cheifetz AS. Definition, epidemiology, and risk factors in inflammatory bowel disease. Updated May 13, 2025. https://www.uptodate.com/contents/definitions-epidemiology-and-risk-factors-for-inflammatory-bowel-disease

Peppercorn M, Kane SV. Clinical manifestations, diagnosis and prognosis of Crohn disease in adults Updated July 2, 2025. https://www.uptodate.com/contents/clinical-manifestations-diagnosis-and-prognosis-of-crohn-disease-in-adults

Peppercorn M, Kane SV. Clinical manifestations, diagnosis, and prognosis of ulcerative colitis in adults. Updated May 17, 2025. https://www.uptodate.com/contents/clinical-manifestations-diagnosis-and-prognosis-of-ulcerative-colitis-in-adults

Plevy S, Silverberg MS, Lockton S, et al. Combined serological, genetic, and inflammatory markers differentiate non-IBD, Crohn's disease, and ulcerative colitis patients. *Inflammatory bowel diseases*. 2013;19(6):1139-48. doi:10.1097/MIB.0b013e318280b19e

Prometheus. IBDsgi Diagnostic. https://www.prometheuslabs.com/disease-tests/ibd-sgi-diagnostic/
Prometheus. Monitr Crohn's. https://www.prometheuslabs.com/monitr-crohns-disease/about-monitr/
Prometheus. Prometheus Laboratories Announces the Launch of PredictrPKTM IFX, A Revolutionary Test Enabling Precision-Guided Dosing for Inflammatory Bowel Disease. https://www.prometheuslabs.com/prometheus-laboratories-announces-the-launch-of-predictrpktm-ifx/
Reese GE, Constantinides VA, Simillis C, et al. Diagnostic precision of anti-Saccharomyces cerevisiae antibodies and perinuclear antineutrophil cytoplasmic antibodies in inflammatory bowel disease. *Am J Gastroenterol*. 2006;101(10):2410-22. doi:10.1111/j.1572-0241.2006.00840.x
Rubin DT, Ananthakrishnan AN, Siegel CA, Barnes EL, Long MD. ACG Clinical Guideline Update: Ulcerative Colitis in Adults. *Official journal of the American College of Gastroenterology | ACG*. 2025;120(6):1187-1224. doi:10.14309/ajg.0000000000003463
Rubin DT, Ananthakrishnan AN, Siegel CA, Sauer BG, Long MD. ACG Clinical Guideline: Ulcerative Colitis in Adults. *Am J Gastroenterol*. 2019;114(3):384-413. doi:10.14309/ajg.0000000000000152
Ruemmele FM, Targan SR, Levy G, Dubinsky M, Braun J, Seidman EG. Diagnostic accuracy of serological assays in pediatric inflammatory bowel disease. *Gastroenterology*. 1998;115(4):822-9. doi:10.1016/s0016-5085(98)70252-5
Sandborn WJ, Loftus EV, Colombel JF, et al. Utility of perinuclear anti-neutrophil cytoplasmic antibodies (pANCA), anti-saccharomyces cerevisiae (ASCA), and anti-pancreatic antibodies (APA) as serologic markers in a population based cohort of patients with Crohn's disease (CD) and ulcerative colitis (UC). *Gastroenterology*. 2000;118(4)doi:10.1016/S0016-5085(00)82501-9
Schoepfer AM, Trummler M, Seeholzer P, Seibold-Schmid B, Seibold F. Discriminating IBD from IBS: comparison of the test performance of fecal markers, blood leukocytes, CRP, and IBD antibodies. *Inflammatory bowel diseases*. 2008;14(1):32-9. doi:10.1002/ibd.20275
Shirts B, von Roon AC, Tebo AE. The entire predictive value of the prometheus IBD sgi diagnostic product may be due to the three least expensive and most available components. *Am J Gastroenterol*. 2012:1760-1. vol. 11.
Silverberg MS, Satsangi J, Ahmad T, et al. Toward an integrated clinical, molecular and serological classification of inflammatory bowel disease: report of a Working Party of the 2005 Montreal World Congress of Gastroenterology. *Canadian journal of gastroenterology = Journal canadien de gastroenterologie*. 2005;19 Suppl A:5a-36a.
Singh S, Ananthakrishnan AN, Nguyen NH, et al. AGA Clinical Practice Guideline on the Role of Biomarkers for the Management of Ulcerative Colitis. *Gastroenterology*. 2023;164(3):344-372. doi:10.1053/j.gastro.2022.12.007
Smalley W, Falck-Ytter C, Carrasco-Labra A, Wani S, Lytvyn L, Falck-Ytter Y. AGA Clinical Practice Guidelines on the Laboratory Evaluation of Functional Diarrhea and Diarrhea-Predominant Irritable Bowel Syndrome in Adults (IBS-D). *Gastroenterology*. 2019;157(3):851-854. doi:10.1053/j.gastro.2019.07.004
Snapper S, Abraham C. Immune and microbial mechanisms in the pathogenesis of inflammatory bowel disease - UpToDate. Updated February 14, 2025. https://www.uptodate.com/contents/immune-and-microbial-mechanisms-in-the-pathogenesis-of-inflammatory-bowel-disease
Strober W, Fuss IJ, Blumberg RS. The immunology of mucosal models of inflammation. *Annual review of immunology*. 2002;20:495-549. doi:10.1146/annurev.immunol.20.100301.064816
Sura SP, Ahmed A, Cheifetz AS, Moss AC. Characteristics of inflammatory bowel disease serology in patients with indeterminate colitis. *Journal of clinical gastroenterology*. 2014;48(4):351-5. doi:10.1097/mcg.0000000000000083
Targan SR, Landers CJ, Yang H, et al. Antibodies to CBir1 flagellin define a unique response that is associated independently with complicated Crohn's disease. *Gastroenterology*. 2005;128(7):2020-8. doi:10.1053/j.gastro.2005.03.046
Tham YS, Yung DE, Fay S, et al. Fecal calprotectin for detection of postoperative endoscopic recurrence in Crohn's disease: systematic review and meta-analysis. *Therap Adv Gastroenterol*. 2018;11:1756284818785571. doi:10.1177/1756284818785571
Tibble JA, Sigthorsson G, Foster R, Forgacs I, Bjarnason I. Use of surrogate markers of inflammation and Rome criteria to distinguish organic from nonorganic intestinal disease. *Gastroenterology*. 2002;123(2):450-60. doi:10.1053/gast.2002.34755
Torres J, Bonovas S, Doherty G, et al. ECCO Guidelines on Therapeutics in Crohn's Disease: Medical Treatment. *Journal of Crohn's and Colitis*. 2019;14(1):4-22. doi:10.1093/ecco-jcc/jjz180
Turner D, Ruemmele FM, Orlanski-Meyer E, et al. Management of Paediatric Ulcerative Colitis, Part 1: Ambulatory Care—An Evidence-based Guideline From European Crohn's and Colitis Organization and European Society of Paediatric Gastroenterology, Hepatology and Nutrition. *Journal of pediatric gastroenterology and nutrition*. 2018;67(2)doi:10.1097/MPG.0000000000002035

van Rheenen PF, Van de Vijver E, Fidler V. Faecal calprotectin for screening of patients with suspected inflammatory bowel disease: diagnostic meta-analysis. *BMJ (Clinical research ed)*. 2010;341:c3369. doi:10.1136/bmj.c3369

Vasant DH, Paine PA, Black CJ, et al. British Society of Gastroenterology guidelines on the management of irritable bowel syndrome. *Gut*. 2021;70(7):1214-1240. doi:10.1136/gutjnl-2021-324598

Vestergaard MV, Allin KH, Poulsen GJ, Lee JC, Jess T. Characterizing the pre-clinical phase of inflammatory bowel disease. *Cell Rep Med*. 2023;4(11):101263. doi:10.1016/j.xcrm.2023.101263

Vijayvargiya P, Busciglio I, Burton D, Donato L, Lueke A, Camilleri M. Bile Acid Deficiency in a Subgroup of Patients With Irritable Bowel Syndrome With Constipation Based on Biomarkers in Serum and Fecal Samples. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association*. 2018;16(4):522-527. doi:10.1016/j.cgh.2017.06.039

von Roon AC, Karamountzos L, Purkayastha S, et al. Diagnostic precision of fecal calprotectin for inflammatory bowel disease and colorectal malignancy. *Am J Gastroenterol*. 2007;102(4):803-13. doi:10.1111/j.1572-0241.2007.01126.x

Walsham NE, Sherwood RA. Fecal calprotectin in inflammatory bowel disease. *Clin Exp Gastroenterol*. 2016;9:21-9. doi:10.2147/ceg.s51902

Walters JRF, Pattni SS. Managing bile acid diarrhoea. *Therap Adv Gastroenterol*. 2010;3(6):349-57. doi:10.1177/1756283x10377126

Wang ZZ, Shi K, Peng J. Serologic testing of a panel of five antibodies in inflammatory bowel diseases: Diagnostic value and correlation with disease phenotype. *Biomed Rep*. 2017:401-10. vol. 4.

Waugh N, Cummins E, Royle P, et al. Faecal calprotectin testing for differentiating amongst inflammatory and non-inflammatory bowel diseases: systematic review and economic evaluation. *Health technology assessment (Winchester, England)*. 2013;17(55):xv-xix, 1-211. doi:10.3310/hta17550