Humana. **Claims Payment Policy**

Subject: Laboratory – Urinary Tumor Markers for Bladder Cancer

Application: Medicare Advantage Products
Policy number: LAB2023055
Published date: 07/2023
Revision date: 04/2026

Disclaimer: *The intended audience of this medical claims payment policy is healthcare providers who treat Humana members. This policy is made available to provide information on certain Humana claims payment policies. This policy is a guideline only and does not constitute medical advice, guarantee of payment, plan pre-authorization, an explanation of benefits, or a contract. This policy does not govern whether a procedure is covered under a specific member plan or policy, nor is it intended to address every claim situation. Claims may be affected by other factors, such as: state and federal laws and regulations, provider contract terms, and our professional judgment. This policy is subject to change or termination by Humana. Humana has full and final discretionary authority for its interpretation and application. No part of this policy may be reproduced, stored in a retrieval system or transmitted, in any shape or form or by any means, electronic, mechanical, photocopying or otherwise without express written permission from Humana. When printed, this version becomes uncontrolled. For the most current information, always refer to the following website:* ***Humana.com/ClaimPaymentPolicies***

Medicare Advantage Payment Policy

As a Medicare Advantage plan, we have developed payment policies to explain coverage more fully for services. The criteria outlined will apply to Medicare Advantage plans except when the procedure(s) has established criteria through the Original Medicare National Coverage Determinations (NCDs) and Local Coverage Determinations (LCDs) as outlined below.

In addition to the policy, claims payments are subject to other plan requirements for the processing and payment of claims, including, but not limited to, requirements of medical necessity and reasonableness and applicable referral or authorization requirements.

- A nuclear matrix protein (NMP22) test (CPT code 86386*) or a bladder tumor antigen (BTA) test (CPT code 86294*, CPT code 86316*) **IS REIMBURSABLE** in individuals with a bladder neoplasm or a personal history of bladder neoplasm.

- For all other situations not described above, an NMP22 test or a BTA test **IS NOT REIMBURSABLE**.

- Fluorescence immunocytology tests (e.g., ImmunoCyt/uCyt+) (CPT code 88346, CPT code 88350) **ARE NOT REIMBURSABLE** as part of a screening for malignant neoplasm of the bladder or in individuals with the following symptoms:

  – Dysuria or painful or frequent micturition
  – Hematuria
  – Low back pain
  – Pyuria or other abnormal findings

- Urinary protein biomarker panels designed to detect, monitor or predict recurrence of bladder cancer (e.g., Oncuria® Detect, Oncuria® Monitor, Oncuria® Predict) (CPT code 0365U***, CPT code 0366U***, CPT code 0367U***) **ARE NOT REIMBURSABLE**.

- All other urinary biomarker panels designed to diagnose or prognose bladder cancer (CPT code 0012M, CPT code 0013M, CPT code 0363U, CPT code 0420U, CPT code 0452U**, CPT code 0465U**, CPT code 0549U**, CPT code 0613U) **ARE NOT REIMBURSABLE**.

Applicable procedures for Medicare Advantage plans

Procedure code	Code description
86294*	Immunoassay for tumor antigen, qualitative or semiquantitative (e.g., bladder tumor antigen)
86316*	Immunoassay for tumor antigen; other antigen, quantitative, (eg, CA 50, 72-4, 549) each
86386*	Nuclear matrix protein 22 (nmp22), qualitative
88346	Immunofluorescence, per specimen; initial single antibody stain procedure
88350	Immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)

Procedure code	Code description
0012M**	Oncology (urothelial), mRNA, gene expression profiling by real-time quantitative PCR of five genes (MDK, HOXA13, CDC2 [CDK1], IGFBP5, and CXCR2), utilizing urine, algorithm reported as a risk score for having urothelial carcinoma Proprietary Test: Cxbladder Detect Lab/Manufacturer: Pacific Edge Limited
0013M**	Oncology (urothelial), mRNA, gene expression profiling by real-time quantitative PCR of five genes (MDK, HOXA13, CDC2 [CDK1], IGFBP5, and CXCR2), utilizing urine, algorithm reported as a risk score for having recurrent urothelial carcinoma Proprietary Test: Cxbladder Monitor Lab/Manufacturer: Pacific Edge Limited
0363U**	Oncology (urothelial), mRNA, gene-expression profiling by real-time quantitative PCR of 5 genes (MDK, HOXA13, CDC2 [CDK1], IGFBP5, and CXCR2), utilizing urine, algorithm incorporates age, sex, smoking history, and macrohematuria frequency, reported as a risk score for having urothelial carcinoma Proprietary Test: Cxbladder™ Triage Lab/Manufacturer: Pacific Edge Diagnostics USA, Ltd, Pacific Edge Diagnostics USA, Ltd
0365U***	Oncology (bladder), 10 protein biomarkers (A1AT, ANG, APOE, CA9, IL8, MMP9, MMP10, PAI1, SDC1, and VEGFA) by immunoassays, urine, diagnostic algorithm, including patient's age, race, and gender, reported as a probability of harboring urothelial cancer Proprietary Test: Oncuria® Detect Lab/Manufacturer: DiaCarta Clinical Lab, DiaCarta, Inc
0366U***	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE, CA9, IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays, urine, algorithm reported as a probability of recurrent bladder cancer Proprietary Test: Oncuria® Monitor, Lab/Manufacturer: DiaCarta Clinical Lab, DiaCarta, Inc
0367U***	Oncology (bladder), analysis of 10 protein biomarkers (A1AT, ANG, APOE, CA9, IL8, MMP9, MMP10, PAI1, SDC1 and VEGFA) by immunoassays, urine, diagnostic algorithm reported as a risk score for probability of rapid recurrence of recurrent or persistent cancer following transurethral resection Proprietary Test: Oncuria® Predict Lab/Manufacturer: DiaCarta Clinical Lab, DiaCarta, Inc
0420U**	Oncology (urothelial), mRNA expression profiling by real-time quantitative PCR of MDK, HOXA13, CDC2, IGFBP5, and CXCR2 in combination with droplet digital PCR (ddPCR) analysis of 6 single-nucleotide polymorphisms (SNPs) genes TERT and FGFR3, urine, algorithm reported as a risk score for urothelial carcinoma Proprietary Test: Cxbladder Triage Plus Lab/Manufacturer: Pacific Edge Diagnostics USA LTD, Pacific Edge Diagnostics USA LTD
0452U**	Oncology (bladder), methylated PENK DNA detection by linear target enrichment-quantitative methylation-specific real-time PCR (LTE-qMSP), urine, reported as likelihood of bladder cancer Proprietary Test: EarlyTect® Bladder Cancer Detection (EarlyTect® BCD) Lab/Manufacturer: Promis Diagnostics, Inc, Promis Diagnostics, Inc
0465U**	Oncology (urothelial carcinoma), DNA, quantitative methylation-specific PCR of 2 genes (ONECUT2, VIM), algorithmic analysis reported as positive or negative Proprietary Test: UriFind® Urothelial Carcinoma Assay Lab/Manufacturer: DiaCarta, Inc, AnchorDx
0549U**	Oncology (urothelial), DNA, quantitative methylated real-time PCR of TRNA-Cys, SIM2, and NKX1-1, using urine, diagnostic algorithm reported as a probability index for bladder cancer and/or upper tract urothelial carcinoma (UTUC) Proprietary Test: Bladder CARE™ Lab/Manufacturer: Pangea Laboratory LLC, Pangea Laboratory LLC

Procedure code	Code description
0613U	Oncology (urothelial carcinoma), DNA methylation and mutation analysis of 6 biomarkers (TWIST1, OTX1, ONECUT2, FGFR3, HRAS, TERT promoter region), methylation-specific PCR and targeted next-generation sequencing, urine, algorithm reported as a probability index for bladder cancer and upper tract urothelial carcinoma Proprietary Test: AssureMDxTM Lab/Manufacturer: Vesica Health® Inc

**The payment criteria for 86294, 86386 and 86316 apply to all Medicare jurisdictions, except those states awarded to CGS Administrators, Noridian Healthcare Solutions, and Palmetto GBA.*
*** The payment criteria for 0452U, 0465U, and 0549Uapply to all Medicare jurisdictions, except those states awarded to CGS Administrators, Noridian Healthcare Solutions, Palmetto GBA and WPS Insurance Corporation.*
**** The payment criteria for 0365U, 0366U, 0367U apply to all Medicare jurisdictions, except those states awarded to CGS Administrators, Noridian Healthcare Solutions, Palmetto GBA, and WPS Insurance Corporation.*

Original Medicare Local Coverage Determinations (LCDs)

Contractor name	Policy title	Policy number	Procedure code
CGS Administrators, LLC	Bladder/Urothelial Tumor Markers	L36975	86294 86316 86386
CGS Administrators, LLC	MolDX: Molecular Diagnostic Tests (MDT)	L36021	0365U 0366U 0367U 0452U 0465U 0549U
Noridian Healthcare Solutions, LLC	Lab: Bladder/Urothelial Tumor Markers	L36678	86294 86316 86386
Noridian Healthcare Solutions, LLC	MolDX: Molecular Diagnostic Tests (MDT)	L35160	0365U 0366U 0367U 0452U 0465U 0549U
Noridian Healthcare Solutions, LLC	MolDX: Molecular Diagnostic Tests (MDT)	L36256	0365U 0366U 0367U 0452U 0465U 0549U
Palmetto GBA	Lab: Bladder/Urothelial Tumor Markers	L33420	86294 86316 86386
Palmetto GBA	MolDX: Molecular Diagnostic Tests (MDT)	L35025	0365U 0366U 0367U 0452U 0465U 0549U
WPS Insurance Corporation	MolDX: Molecular Diagnostic Tests (MDT)	L36807	0365U 0366U

Contractor name	Policy title	Policy number	Procedure code
			0367U 0452U 0465U 0549U

References

Abbott. ALERE NMP22® BLADDERCHEK®. https://www.globalpointofcare.abbott/en/product-details/nmp22-bladderchek.html

ACS. Key Statistics for Bladder Cancer. Updated March 12, 2024. https://www.cancer.org/cancer/types/bladder-cancer/about/key-statistics.html

AroCell. Bladder Cancer Detection. https://arocell.com/products/oncology/ubc-rapid/

Babjuk M, Burger M, Capoun O, et al. European Association of Urology Guidelines on Non–muscle-invasive Bladder Cancer (Ta, T1, and Carcinoma in Situ). *European Urology*. 2022;81(1):75-94. doi:10.1016/j.eururo.2021.08.010

Barocas DA, Boorjian SA, Alvarez RD, et al. Microhematuria: AUA/SUFU Guideline. *The Journal of urology*. Oct 2020;204(4):778-786. doi:10.1097/ju.0000000000001297

Bhindi B, Kool R, Kulkarni GS, et al. Canadian Urological Association guideline on the management of non-muscle-invasive bladder cancer – Full-text. *Can Urol Assoc J* 2021;

Breen V, Kasabov N, Kamat AM, et al. A holistic comparative analysis of diagnostic tests for urothelial carcinoma: a study of Cxbladder Detect, UroVysion® FISH, NMP22® and cytology based on imputation of multiple datasets. *BMC medical research methodology*. 2015;15:45-45. doi:10.1186/s12874-015-0036-8

Chang SS, Bochner BH, Chou R, et al. Treatment of Non-Metastatic Muscle-Invasive Bladder Cancer: AUA/ASCO/ASTRO/SUO Guideline. *The Journal of urology*. Sep 2017;198(3):552-559. doi:10.1016/j.juro.2017.04.086

Chang SS, Boorjian SA, Chou R, et al. Diagnosis and Treatment of Non-Muscle Invasive Bladder Cancer: AUA/SUO Guideline. *The Journal of urology*. Oct 2020;196(4):1021-9. doi:10.1016/j.juro.2016.06.049

Chou R, Dana T. Screening adults for bladder cancer: A review of the evidence for the u.s. preventive services task force. *Annals of Internal Medicine*. 2010;153(7):461-468. doi:10.7326/0003-4819-153-7-201010050-00009

Chou R, Gore JL, Buckley D, et al. Urinary Biomarkers for Diagnosis of Bladder Cancer: A Systematic Review and Meta-analysis. *Ann Intern Med*. Dec 15 2015;163(12):922-31. doi:10.7326/m15-0997

D'Andrea D, Soria F, Zehetmayer S, et al. Diagnostic accuracy, clinical utility and influence on decision-making of a methylation urine biomarker test in the surveillance of non-muscle-invasive bladder cancer. *BJU Int*. Jun 2019;123(6):959-967. doi:10.1111/bju.14673

Darwiche F, Parekh DJ, Gonzalgo ML. Biomarkers for non-muscle invasive bladder cancer: Current tests and future promise. *Indian journal of urology : IJU : journal of the Urological Society of India*. Oct-Dec 2015;31(4):273-82. doi:10.4103/0970-1591.166448

Davis R, Jones JS, Barocas DA, et al. Diagnosis, evaluation and follow-up of asymptomatic microhematuria (AMH) in adults: AUA guideline. *The Journal of urology*. Dec 2012;188(6 Suppl):2473-81. doi:10.1016/j.juro.2012.09.078

D'Costa JJ, Goldsmith JC, Wilson JS, Bryan RT, Ward DG. A Systematic Review of the Diagnostic and Prognostic Value of Urinary Protein Biomarkers in Urothelial Bladder Cancer. *Bladder cancer (Amsterdam, Netherlands)*. 2016;2(3):301-317. doi:10.3233/blc-160054

DeGeorge KC, Holt HR, Hodges SC. Bladder Cancer: Diagnosis and Treatment. 2017;(1532-0650 (Electronic))

D'Elia C, Folchini DM, Mian C, et al. Diagnostic value of Xpert(®) Bladder Cancer Monitor in the follow-up of patients affected by non-muscle invasive bladder cancer: an update. *Ther Adv Urol*. Jan-Dec 2021;13:1756287221997183. doi:10.1177/1756287221997183

Dudley JC, Schroers-Martin J, Lazzareschi DV, et al. Detection and Surveillance of Bladder Cancer Using Urine Tumor DNA. *Cancer Discov*. Apr 2019;9(4):500-509. doi:10.1158/2159-8290.Cd-18-0825

EAU. EAU Guidelines on Non-muscle Invasive Bladder Cancer. https://uroweb.org/guidelines/non-muscle-invasive-bladder-cancer

Ecke TH, Weiß S, Stephan C, et al. UBC(®) Rapid Test-A Urinary Point-of-Care (POC) Assay for Diagnosis of Bladder Cancer with a focus on Non-Muscle Invasive High-Grade Tumors: Results of a Multicenter-Study. *Int J Mol Sci*. Dec 2 2018;19(12)doi:10.3390/ijms19123841

Fantony JJ, Longo TA, Gopalakrishna A, et al. Urinary NID2 and TWIST1 methylation to augment conventional urine cytology for the detection of bladder cancer. *Cancer Biomark*. 2017;18(4):381-387. doi:10.3233/cbm-160261

FDA. 510(k) number: K994356. https://www.accessdata.fda.gov/cdrh_docs/pdf/K994356.pdf

FDA. 510(k) Summary Information. https://www.accessdata.fda.gov/cdrh_docs/pdf/K964151.pdf
FDA. 510(k) Summary Information. https://www.accessdata.fda.gov/cdrh_docs/pdf/K971402.pdf
FDA. 510(k) Summary. https://www.accessdata.fda.gov/cdrh_docs/pdf2/K021231.pdf
FDA. Premarket Approval. https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpma/pma.cfm?id=P940035
FDA. Premarket Approval. https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpma/pma.cfm?id=P030052
Grossman H, Messing E, Soloway M, et al. Detection of bladder cancer using a point-of-care proteomic assay. *JAMA*. 2005;293(7):810-816. doi:10.1001/jama.293.7.810
Halpern JA, Chughtai B, Ghomrawi H. Cost-effectiveness of Common Diagnostic Approaches for Evaluation of Asymptomatic Microscopic Hematuria. *JAMA internal medicine*. Jun 2017;177(6):800-807. doi:10.1001/jamainternmed.2017.0739
Hirasawa Y, Pagano I, Chen R, et al. Diagnostic performance of Oncuria™, a urinalysis test for bladder cancer. *Journal of Translational Medicine*. 2021/04/06 2021;19(1):141. doi:10.1186/s12967-021-02796-4
Holzbeierlein J BB, Buckley DI, et al. Diagnosis and Treatment of Non-Muscle Invasive Bladder Cancer: AUA/SUO Guideline: 2024 Amendment. *Journal of Urology [Internet]*. 2024 Apr 1 2024;
Holzbeierlein J BB, Buckley DI, et al. Treatment of non-metastatic muscle-invasive bladder cancer: AUA/ASCO/SUO guideline (2017; amended 2020, 2024). *J Urol*. 2024;
Hottinger AF, Hormigo A. Serum Biomarkers. In: Schwab M, ed. *Encyclopedia of Cancer*. Springer Berlin Heidelberg; 2011:3390-3394.
Kaufman DS, Shipley WU, Feldman AS. Bladder cancer. *Lancet (London, England)*. Jul 18 2009;374(9685):239-49. doi:10.1016/s0140-6736(09)60491-8
KDx Diagnostics. URO17® A Better test For Better Health. https://kdxdiagnostics.com/uro17/
Landaas EJ, Eckel AM, Wright JL, Baird GS, Hansen RN, Sullivan SD. Application of Health Technology Assessment (HTA) to Evaluate New Laboratory Tests in a Health System: A Case Study of Bladder Cancer Testing. *Acad Pathol*. Jan-Dec 2020;7:2374289520968225. doi:10.1177/2374289520968225
Lerner SP, Raghavan, Derek. Overview of the initial approach and management of urothelial bladder cancer. Updated July 29, 2024. https://www.uptodate.com/contents/overview-of-the-initial-approach-and-management-of-urothelial-bladder-cancer
Li HT, Duymich CE, Weisenberger DJ, Liang G. Genetic and Epigenetic Alterations in Bladder Cancer. *Int Neurourol J*. Nov 2016;20(Suppl 2):S84-94. doi:10.5213/inj.1632752.376
Lopez-Beltran A, Cheng L, Gevaert T, et al. Current and emerging bladder cancer biomarkers with an emphasis on urine biomarkers. *Expert Rev Mol Diagn*. Dec 11 2019:1-13. doi:10.1080/14737159.2020.1699791
Lotan Y, Choueiri T. Clinical presentation, diagnosis, and staging of bladder cancer. Updated February 25, 2025. https://www.uptodate.com/contents/clinical-presentation-diagnosis-and-staging-of-bladder-cancer
Lotan Y, Elias K, Svatek RS, et al. Bladder cancer screening in a high risk asymptomatic population using a point of care urine based protein tumor marker. *The Journal of urology*. Jul 2009;182(1):52-7; discussion 58. doi:10.1016/j.juro.2009.02.142
Lotan Y, Roehrborn CG. Sensitivity and specificity of commonly available bladder tumor markers versus cytology: results of a comprehensive literature review and meta-analyses. *Urology*. 2003;61(1):109-118. doi:10.1016/S0090-4295(02)02136-2
Mahnert B, Tauber S, Kriegmair M, et al. BTA-TRAK--a useful diagnostic tool in urinary bladder cancer? *Anticancer research*. Jul-Aug 1999;19(4a):2615-9.
Meleth S, Reeder-Hayes K, Ashok M, et al. AHRQ Technology Assessments. *Technology Assessment of Molecular Pathology Testing for the Estimation of Prognosis for Common Cancers*. Agency for Healthcare Research and Quality (US); 2014.
Mitra A, Birkman M, Penson D, Cote R. Urine biomarkers for the detection of urothelial (transitional cell) carcinoma of the bladder Updated January 18, 2024. https://www.uptodate.com/contents/urine-biomarkers-for-the-detection-of-urothelial-transitional-cell-carcinoma-of-the-bladder
Monteiro LL, Witjes JA, Agarwal PK, et al. ICUD-SIU International Consultation on Bladder Cancer 2017: management of non-muscle invasive bladder cancer. 2018:1-10.
Mossanen M, Wang Y, Szymaniak J, et al. Evaluating the cost of surveillance for non-muscle-invasive bladder cancer: an analysis based on risk categories. *World J Urol*. Oct 2019;37(10):2059-2065. doi:10.1007/s00345-018-2550-x
Moyer VA. Screening for bladder cancer: U.S. Preventive Services Task Force recommendation statement. *Ann Intern Med*. Aug 16 2011;155(4):246-51. doi:10.7326/0003-4819-155-4-201108160-00008
NCCN. NCCN Guidelines Version 5.2024 Bladder Cancer. Updated October 28, 2024. https://www.nccn.org/professionals/physician_gls/pdf/bladder.pdf
NCI. Bladder and Other Urothelial Cancers Screening (PDQ®)–Health Professional Version. U.S. Department of Health and Human Services. Accessed 12/12/2024, https://www.cancer.gov/types/bladder/hp/bladder-screening-pdq

NICE. URO17 for detecting bladder cancer. Updated February 4, 2021. https://www.nice.org.uk/advice/mib250/chapter/The-technology
Nonagen Bioscience. Bladder Cancer. https://www.nonagen.com/products
Nucleix. BLADDER EPICHECK https://www.nucleix.com/bladder-epicheck/
Pangea. Features of Bladder CARE™. https://pangealab.com/bladder-care/
Pangea. Pangea® Laboratory to License Bladder CARE™ Technology from Zymo Research. https://www.prnewswire.com/news-releases/pangea-laboratory-to-license-bladder-care-technology-from-zymo-research-300800622.html
Perazalla M. Evaluation of hematuria in adults. Updated December 18, 2024. https://www.uptodate.com/contents/evaluation-of-hematuria-in-adults
Piao XM, Jeong P, Kim YH, et al. Urinary cell-free microRNA biomarker could discriminate bladder cancer from benign hematuria. *Int J Cancer*. Jan 15 2019;144(2):380-388. doi:10.1002/ijc.31849
Pichler R, Fritz J, Tulchiner G, et al. Increased accuracy of a novel mRNA-based urine test for bladder cancer surveillance. *BJU Int*. Jan 2018;121(1):29-37. doi:10.1111/bju.14019
Sathianathen NJ, Butaney M, Weight CJ, Kumar R, Konety BR. Urinary Biomarkers in the Evaluation of Primary Hematuria: A Systematic Review and Meta-Analysis. *Bladder cancer (Amsterdam, Netherlands)*. 2018;4(4):353-63.
Schmitz-Dräger BJ, Droller M, Lokeshwar VB, et al. Molecular Markers for Bladder Cancer Screening, Early Diagnosis, and Surveillance: The WHO/ICUD Consensus. *Urologia Internationalis*. 2015;94(1):1-24. doi:10.1159/000369357
Soubra A, Risk MC. Diagnostics techniques in nonmuscle invasive bladder cancer. *Indian journal of urology : IJU : journal of the Urological Society of India*. Oct-Dec 2015;31(4):283-8. doi:10.4103/0970-1591.166449
Stecca C, Chowdhury D, Blais N, et al. 2024 CUA-GUMOC Expert Report: Management of unresectable locally advanced and metastatic urothelial carcinoma. *Can Urol Assoc J*. 2024;18(12):379-90
Sutton AJ, Lamont JV, Evans RM, et al. An early analysis of the cost-effectiveness of a diagnostic classifier for risk stratification of haematuria patients (DCRSHP) compared to flexible cystoscopy in the diagnosis of bladder cancer. *PloS one*. 2018;13(8):e0202796. doi:10.1371/journal.pone.0202796
Tan WS, Tan WP, Tan MY, et al. Novel urinary biomarkers for the detection of bladder cancer: A systematic review. *Cancer Treat Rev*. Sep 2018;69:39-52. doi:10.1016/j.ctrv.2018.05.012
USPSTF. Bladder Cancer in Adults: Screening. https://www.uspreventiveservicestaskforce.org/uspstf/recommendation/bladder-cancer-in-adults-screening
Vasdev N, Hampson A, Agarwal S, et al. The role of URO17™ biomarker to enhance diagnosis of urothelial cancer in new hematuria patients—First European Data. *BJUI Compass*. 2021;2(1):46-52. doi:10.1002/bco2.50
Vasdev, Hampson A, Agarwal S, et al. The role of URO17™ biomarker to enhance diagnosis of urothelial cancer in new hematuria patients-First European Data. *BJUI Compass*. Jan 2021;2(1):46-52. doi:10.1002/bco2.50
Witjes JA, Bruins HM, Cathomas R, et al. Muscle-invasive and Metastatic Bladder Cancer. https://doi.org/10.1016/j.eururo.2023.08.016
Zuiverloon TCM, de Jong FC, Theodorescu D. Clinical Decision Making in Surveillance of Non-Muscle-Invasive Bladder Cancer: The Evolving Roles of Urinary Cytology and Molecular Markers. *Oncology (Williston Park, NY)*. Dec 15 2017;31(12):855-62.