

WPTracked — Server & WordPress Health Check

Server: wp-prod-01 · Generated: 2026-07-24T03:49:21.070858+00:00

Scope: Server + WordPress

Sites: site-one.example.com, site-two.example.com, site-three.example.com, site-four.example.com

Summary

- **Verdict:** **ALERT** · 1 alert(s), 6 warning(s), 13 notice(s)
- **ALERT SSH** — root login via *password* from 203.0.113.66 (2x) — password root SSH is enabled; set PermitRootLogin prohibit-password + PasswordAuthentication no
- **WARN OS Updates** — 7 pending security update(s)
- **WARN WP Security** — site-one.example.com: wp-config.php mode 0o664 — tighten to 0640 or stricter
- **WARN WP Security** — site-two.example.com: wp-config.php mode 0o664 — tighten to 0640 or stricter
- **WARN WP Security** — site-three.example.com: wp-config.php mode 0o664 — tighten to 0640 or stricter
- **WARN WP Security** — site-four.example.com: wp-config.php mode 0o644 — tighten to 0640 or stricter
- **WARN SSH** — 3,139 failed/invalid SSH attempts (brute-force scanning) — no rate-limiting observed
- **INFO WP Security** — site-one.example.com: DISALLOW_FILE_EDIT not set — dashboard code editor is active
- **INFO WP Security** — site-one.example.com: 2 inactive plugin(s) installed — remove if unused
- **INFO WP Security** — site-one.example.com: readme.html is present — discloses the WordPress version
- **INFO WP Security** — site-two.example.com: DISALLOW_FILE_EDIT not set — dashboard code editor is active
- **INFO WP Security** — site-two.example.com: 2 inactive plugin(s) installed — remove if unused
- **INFO WP Security** — site-two.example.com: readme.html is present — discloses the WordPress version
- **INFO WP Security** — site-three.example.com: DISALLOW_FILE_EDIT not set — dashboard code editor is active
- **INFO WP Security** — site-three.example.com: 2 inactive plugin(s) installed — remove if unused
- **INFO WP Security** — site-three.example.com: readme.html is present — discloses the WordPress version
- **INFO WP Security** — site-four.example.com: DISALLOW_FILE_EDIT not set — dashboard code editor is active
- **INFO WP Security** — site-four.example.com: 6 inactive plugin(s) installed — remove if unused

- **INFO WP Security** — site-four.example.com: readme.html is present — discloses the WordPress version
- **INFO Plugins** — 6 plugin update(s) available across sites

Recommended Actions

1. **ALERT SSH** — root login via *password* from 203.0.113.66 (2x) — password root SSH is enabled; set PermitRootLogin prohibit-password + PasswordAuthentication no
2. **WARN OS Updates** — 7 pending security update(s)
3. **WARN WP Security** — site-one.example.com: wp-config.php mode 0o664 — tighten to 0640 or stricter
4. **WARN WP Security** — site-two.example.com: wp-config.php mode 0o664 — tighten to 0640 or stricter
5. **WARN WP Security** — site-three.example.com: wp-config.php mode 0o664 — tighten to 0640 or stricter
6. **WARN WP Security** — site-four.example.com: wp-config.php mode 0o644 — tighten to 0640 or stricter
7. **WARN SSH** — 3,139 failed/invalid SSH attempts (brute-force scanning) — no rate-limiting observed

1. Host Infrastructure

Disk

Filesystem	Size	Used	Avail	Use%	Mount
/dev/vda3	503G	9,1G	474G	2%	/
/dev/vda2	975M	261M	664M	29%	/boot
/dev/vda1	253M	6,1M	246M	3%	/boot/efi

Root inode usage: 1%.

TLS Certificates

Domain	Issuer	Expires	Days left
site-one.example.com	C = US, O = Google Trust Services, CN = WE1	Oct 5 06:30:59 2026 GMT	73
site-two.example.com	C = US, O = Google Trust Services, CN = WE1	Oct 5 06:30:59 2026 GMT	73
site-three.example.com	C = US, O = Google Trust Services, CN = WE1	Oct 5 06:30:59 2026 GMT	73
site-four.example.com	C = US, O = Google Trust Services, CN = WE1	Sep 5 03:08:15 2026 GMT	42

OS / Security Updates

- Applicable now: 7 (security: 7)
- ESM-only (Ubuntu Pro) security updates: 17
- Reboot required: no

2. WordPress Core Integrity

Site	Version	Checksums
site-one.example.com	7.0.2	OK verified
site-two.example.com	7.0.2	OK verified
site-three.example.com	7.0.2	OK verified
site-four.example.com	7.0.2	OK verified

3. WordPress Security Audit

Site	Check	Status	Detail
site-one.example.com	wp-config-perms	WARN	wp-config.php mode 0o664 — tighten to 0640 or stricter
site-one.example.com	debug-display	OK	WP_DEBUG_DISPLAY is off
site-one.example.com	file-edit	INFO	DISALLOW_FILE_EDIT not set — dashboard code editor is active
site-one.example.com	table-prefix	OK	non-default table prefix (wpa1_)
site-one.example.com	admin-user	OK	1 admin account(s), none named 'admin'
site-one.example.com	https	OK	site URL uses HTTPS
site-one.example.com	inactive-plugins	INFO	2 inactive plugin(s) installed — remove if unused
site-one.example.com	readme-exposed	INFO	readme.html is present — discloses the WordPress version
site-two.example.com	wp-config-perms	WARN	wp-config.php mode 0o664 — tighten to 0640 or stricter
site-two.example.com	debug-display	OK	WP_DEBUG_DISPLAY is off
site-two.example.com	file-edit	INFO	DISALLOW_FILE_EDIT not set — dashboard code editor is active
site-two.example.com	table-prefix	OK	non-default table prefix (wpb2_)
site-two.example.com	admin-user	OK	1 admin account(s), none named 'admin'
site-two.example.com	https	OK	site URL uses HTTPS

site-two.example.com	inactive-plugins	INFO	2 inactive plugin(s) installed — remove if unused
site-two.example.com	readme-exposed	INFO	readme.html is present — discloses the WordPress version
site-three.example.com	wp-config-perms	WARN	wp-config.php mode 0o664 — tighten to 0640 or stricter
site-three.example.com	debug-display	OK	WP_DEBUG_DISPLAY is off
site-three.example.com	file-edit	INFO	DISALLOW_FILE_EDIT not set — dashboard code editor is active
site-three.example.com	table-prefix	OK	non-default table prefix (wpc3_)
site-three.example.com	admin-user	OK	1 admin account(s), none named 'admin'
site-three.example.com	https	OK	site URL uses HTTPS
site-three.example.com	inactive-plugins	INFO	2 inactive plugin(s) installed — remove if unused
site-three.example.com	readme-exposed	INFO	readme.html is present — discloses the WordPress version
site-four.example.com	wp-config-perms	WARN	wp-config.php mode 0o644 — tighten to 0640 or stricter
site-four.example.com	debug-display	OK	WP_DEBUG_DISPLAY is off
site-four.example.com	file-edit	INFO	DISALLOW_FILE_EDIT not set — dashboard code editor is active
site-four.example.com	table-prefix	OK	non-default table prefix (wpd4_)
site-four.example.com	admin-user	OK	4 admin account(s), none named 'admin'
site-four.example.com	https	OK	site URL uses HTTPS
site-four.example.com	inactive-plugins	INFO	6 inactive plugin(s) installed — remove if unused
site-four.example.com	readme-exposed	INFO	readme.html is present — discloses the WordPress version

4. Plugins, Themes & Vulnerabilities

Available updates:

Site	Type	Name	Installed	Latest
site-one.example.com	plugin	fluentform	6.2.7	6.2.8

site-one.example.com	plugin	mailpoet	5.34.1	5.34.2
site-two.example.com	plugin	fluentform	6.2.7	6.2.8
site-two.example.com	plugin	mailpoet	5.34.1	5.34.2
site-three.example.com	plugin	fluentform	6.2.7	6.2.8
site-three.example.com	plugin	mailpoet	5.34.1	5.34.2

Vulnerability scan — 40 components vs wpvulnerability.net, CVEs cross-referenced with CISA KEV (1653 entries):

- **OK 0 matching vulnerabilities, 0 CISA KEV matches** — all installed versions are newer than every known-vulnerable version.
- No public listing (custom/premium — verify manually): `site-connector-mu`, `site-tools`, `blocks-builder`, `hello`, `mail-composer-pro`, `custom-toolkit`, `custom-toolkit-pro`, `slim-seo-pro`, `code-snippets-pro`, `sso-auto-login`, `storefront-theme`, `storefront-theme-child`
- Lookup did not complete for (re-run to confirm): `mail-composer`

5. Logs & Intrusion Scanning

- Web-server error log `site-one.example.com` : empty
- Web-server error log `site-two.example.com` : empty
- Web-server error log `site-three.example.com` : empty
- Web-server error log `site-four.example.com` : empty
- Access `site-one.example.com` : 496 reqs; 2xx=493, 4xx=2, 5xx=0
- Access `site-two.example.com` : 464 reqs; 2xx=461, 4xx=2, 5xx=0
- Access `site-three.example.com` : 491 reqs; 2xx=488, 4xx=2, 5xx=0
- Access `site-four.example.com` : 612 reqs; 2xx=568, 4xx=2, 5xx=0

SSH auth.log

- Window: Jul 22 01:39:40 → Jul 24 05:49:15
- Invalid-user attempts: **3,081**; failed passwords: **58** (root: 23) — none successful.
- Accepted logins:
 - publickey for `root` from 198.51.100.10 ×157 (allowlisted)
 - password for `root` from 203.0.113.66 ×2
 - publickey for `deploy` from 198.51.100.11 ×1 (allowlisted)

Generated by Varry LLC · WPTracked (<https://wptracked.com>) — automated, read-only health check.