

JQUERY EXERCISES – SOLUTIONS

1. jQuery Library Inclusion

Exercise 1: Adding jQuery to a Page

Solution:

1. Include jQuery using CDN:

```
<script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
```

2. Include jQuery using a local file:

```
<script src="js/jquery-3.7.1.min.js"></script>
```

Bonus:

HTML:

```
<p id="msg">Hello World!</p>
```

jQuery:

```
$(document).ready(function(){  
  console.log($("#msg").text());  
});
```

Output:

The text "Hello World!" is displayed on the webpage and logged in the browser console.

2. The \$() Function

Exercise 2: Selecting Elements

HTML:

```
<h1 id="title">Original Heading</h1>
```

```
<p>Paragraph One</p>
```

```
<p id="hidePara">Paragraph Two</p>
```

```
<button id="btnHide">Hide Paragraph</button>
```

jQuery:

```
$(document).ready(function(){
```

```
    \ \ \
```

```
    $("#title").text("Welcome to jQuery");
```

```
    $("#btnHide").click(function(){
```

```
        $("#hidePara").hide();
```

```
    });
```

```
    \ \ \
```

```
});
```

Output:

The heading changes to "Welcome to jQuery". Clicking the button hides the second paragraph.

3. jQuery Methods

Exercise 3: Use of Common Methods

HTML:

```
<div class="box"></div>
```

```
<div class="box"></div>
```

```
<div class="box"></div>
```

```
<button id="hideBtn">Hide</button> <button id="showBtn">Show</button> <button  
id="fadeOutBtn">Fade Out</button> <button id="fadeInBtn">Fade In</button> <button  
id="toggleBtn">Toggle</button>
```

jQuery:

```
$("#hideBtn").click(function(){
```

```
$(".box").hide();
```

```
});
```

```
$("#showBtn").click(function(){  
    $(".box").show();  
});
```

```
$("#fadeOutBtn").click(function(){  
    $(".box").fadeOut();  
});
```

```
$("#fadeInBtn").click(function(){  
    $(".box").fadeIn();  
});
```

```
$("#toggleBtn").click(function(){  
    $(".box").toggle();  
});
```

Bonus:

```
$(".box")  
    .slideUp()  
    .delay(1000)  
    .slideDown();
```

Output:

The boxes respond to different button clicks using jQuery effects.

4. DOM Manipulation

Exercise 4: Creating and Modifying Elements

HTML:

```
<input type="text" id="item">
<button id="addBtn">Add</button>
<button id="removeBtn">Remove All</button>

<ul id="list"></ul>
```

jQuery:

```
$("#addBtn").click(function(){
    ...

    let value = $("#item").val();

    if(value !== ""){

        $("#list").append(
            "<li>" + value + "</li>"
        );

        $("#item").val("");
    }
    ...
}
```

```
});
```

```
$("#removeBtn").click(function(){  
    $("#list").empty();  
});
```

Output:

The entered text is added to the list. Clicking "Remove All" clears the list.

5. Working with Events

Exercise 5: Handling User Interactions

HTML:

```
<button id="colorBtn">  
    Change Color  
</button>
```

```
<div id="colorBox"></div>
```

jQuery:

```
$("#colorBtn").click(function(){
```

```

    \ \ \

$("#colorBox").css(
    "background-color",
    "red"
);
\ \ \

});

$("#colorBtn").dblclick(function(){

    \ \ \

$("#colorBox").css(
    "background-color",
    "white"
);
\ \ \

});

```

Output:

Single click changes the box color to red. Double click changes it back to white.

6. Event Helpers

Exercise 6: Mouse and Keyboard Events

HTML:

```
<div id="eventBox">
```

Hover or Click Me

```
</div>
```

```
<input
```

```
type="text"
```

```
id="inputBox"
```

```
placeholder="Type Here">
```

jQuery:

```
$("#eventBox").click(function(){
```

```
    \ \ \
```

```
$(this).text(
```

```
    "Single Click Detected"
```

```
);
```

```
    \ \ \
```

```
});
```

```
$("#eventBox").dblclick(function(){
```

```
    \ \ \
```

```
$(this).css(
```



```
    "background",  
    "yellow"  
);  
` ``
```

```
});
```

```
$("#eventBox").mouseenter(function(){
```

```
` ``
```

```
$(this).css(  
    "background",  
    "lightgreen"  
);  
` ``
```

```
});
```

```
$("#eventBox").mouseleave(function(){
```

```
` ``
```

```
$(this).css(  
    "background",  
    "white"  
);  
});
```

```
$("#inputBox").keypress(function(event){
```

```
...`
```

```
alert(  
    "Key Pressed: " +  
    event.key  
);  
});
```

Output:

- `click()` – Changes text.
- `dblclick()` – Changes background color.
- `mouseenter()` – Changes background to light green.
- `mouseleave()` – Restores original color.
- `keypress()` – Displays the pressed key in an alert box.

Result:

All jQuery concepts such as library inclusion, selectors, methods, DOM manipulation, event handling, and event helpers were successfully implemented and tested.