
SE_Lab 2

Agile Backlog Creation & Sprint Simulation in Jira

Webhook Ingestion & Retry Mechanism Hub


1. Jira Backlog with Epics and Stories

The Jira backlog shows project work items, Epic/parent links, priorities, statuses, and estimates.




2. Story Point Assignments

Estimates were made on a relative basis of complexity, effort and uncertainty in terms of story points.




3. Sprint 1 – Active Sprint View

Sprint 1 was simulated using the Jira workflow: To Do → In Progress → Done.




4. Sprint 2 – Backlog and Active Sprint Progress


Sprint 2 was created from the remaining work. The captured backlog shows 11 work items and 44 story points.



The next screenshots show the Sprint 2 board at different points during the simulation.



5. Sprint 2 – Continued Progress




Evidence note: A separate screenshot showing Sprint 2 after every item was in Done was not captured. The included screenshots document the Sprint 2 setup and progress.

6. Burndown Charts

The burndown chart compares remaining story-point work with the ideal progress guideline.




VB
WIRMH Sprint 1 24 Aug – 31 Aug (15 work items)
44 0 16
Complete sprint
Complete Lab 1 requirements, user stories, sprint planning, and Jira tracking for the Webhook Ingestion & Retry Mechanism Hub.
~~WIRMH-11~~ Save webhook payload Done 3
~~WIRMH-15~~ Retry failed deliveries Done 5
~~WIRMH-18~~ Move failed webhook to dead-letter queue Done 5
~~WIRMH-12~~ Receive inbound webhook requests Done 3
WIRMH-13 Route webhook to target service To Do 5
WIRMH-14 Record delivery attempts To Do 3
WIRMH-16 Complete successful webhook delivery To Do 3
WIRMH-19 View dead-lettered webhooks To Do 3
WIRMH-20 Manually retry dead-lettered webhook To Do 5
WIRMH-21 View webhook delivery history To Do 3
To Do 3
To Do 3
To Do 5
To Do
WIRMH-26 Support required ingestion capacity To Do
Sprint can't be completed
You don't have permission to complete this sprint. Ask your admin to grant you "Manage sprints" permission.
Learn more
Quickstart

7. Reflection Questions

1. Did your estimations reflect the actual effort?

The story point estimates were generally reasonable for the simulated sprint. The smaller and simpler stories were given lower points, while the stories that involved retries, dead letter handling, and performance requirements were given higher points because they involved more complexity and uncertainty. As this was a simulated sprint, the estimates gave a useful way of comparing the relative effort of the different stories.

2. Was your backlog well-prioritized?

Yes, the backlog was prioritized based on the importance of the webhook system functionality. The core features such as receiving, storing and delivering webhooks were considered before the supporting features such as dead-letter management, monitoring, security and performance. This helped in organizing the work into logical Epics and User Stories.

3. How did your simulated sprint align with your plan?

The simulated sprints roughly followed the planned workflow. The User Stories went through the Jira workflow: To Do → In Progress → Done. Sprint 1 and Sprint 2 were used to simulate the planned work. The Jira board made it easy to see what stories were still open and what was done.

4. What insights did the burndown chart give about your team's capacity?

The burndown chart helped show the amount of story-point work remaining during the sprint and provided a comparison with the ideal progress line. The completed User Stories showed how the remaining workload was reduced. Since this was a single-person simulated sprint and not a real sprint with a team, the chart was mainly useful to see how much work could be planned and completed within the sprint time available.