Status	Finished
Started	Thursday, 8 October 2026, 6:16 AM
Completed	Thursday, 8 October 2026, 6:37 AM
Duration	21 mins 30 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer
b. (Computer)
c. Error
d. () ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,9} ✓
b. {9}
c. {0,0,9}
d. It will throw an error as there are two 0 while creating the set.

Question **3**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (16,17,18,19) ✓
- b. Error
- c. (16,17,18)
- d. (25,19,18,17)

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

- a. {1,3,4}
- b. {4} ✓
- c. {1,3,2}
- d. {2}

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii
b. All of the above
c. iii
d. i,ii ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['2', '3', '30', '8']
b. ['30', '8', '3', '2']
c. ['8', '30', '3', '2'] ✓
d. ['2', '3', '8', '30']

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. Error

b. (1,2,3,3,2,1)

c. (1,2,3,4,5,6) ✓

d. (1,2,3)(4,5,6)

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. (3,14,25)

b. (36, 25, 14) ✓

c. Error

d. (58,47,36,25)

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. (1, 4, 8)

b. [1, 4, 8] ✓

c. [1, 2, 4, 3, 8, 9]

d. [2, 3, 9]

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl1=tupl+tupl ✓

b. tupl.append(2)

c. tupl.sort()

d. tupl[1]=2

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, 10, '10', 50, 20, 60, 30} ✓

c. {40, '10', 50, 20, 60, 30}

d. {40, 10, 50, 20, 60, 30}

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
True

b. True ✓
True

c. False
False

d. True
False

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

a. 1

b. 2

c. 5

d. Error ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (10, 20, 30, 40) (40, 50, 60, 70, 80)

b. (30, 40, 50) (10, 20, 30, 40)

c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **15**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only strings as its elements.

b. In Python, a tuple can contain both integers and strings as its elements. ✓

c. In Python, a tuple can contain only integers as its elements.

d. In Python, a tuple can contain either string or integer but not both at a time.