ICPSR 22626

India Human Development Survey (IHDS), 2005

Sonalde Desai *University of Maryland*

Reeve Vanneman University of Maryland

National Council of Applied Economic Research, New Delhi

Medical Codebook

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/22626.xml

ICPSR 22626

India Human Development Survey (IHDS), 2005 Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

India Human Development Survey (IHDS), 2005

Medical

STATEID	State ID			
Location:	1-2(width	: 2; decimal: 0)		
Variable Type:	numeric	(ISO)		
Question:	State ID			
	Value	Label	Unweighted Frequency	%
	1	Jammu & Kashmir	52	1.4 %
	2	Himachal Pradesh	142	3.8 %
	3	Punjab	139	3.7 %
	4	Chandigarh	2	0.1 %
	5	Uttarakhand	50	1.3 %
	6	Haryana	153	4.1 %
	7	Delhi	12	0.3 %
	8	Rajasthan	187	5.0 %
	9	Uttar Pradesh	384	10.2 %
	10	Bihar	157	4.2 %
	11	Sikkim	5	0.1 %
	12	Arunachal Pradesh	6	0.2 %
	13	Nagaland	7	0.2 %
	14	Manipur	5	0.1 %
	15	Mizoram	6	0.2 %
	16	Tripura	7	0.2 %
	17	Meghalaya	7	0.2 %
	18	Assam	45	1.2 %
	19	West Bengal	220	5.8 %
	20	Jharkhand	96	2.5 %
	21	Orissa	217	5.7 %
	22	Chhattisgarh	110	2.9 %
	23	Madhya Pradesh	257	6.8 %
	24	Gujarat	196	5.2 %
	25	Daman & Diu	5	0.1 %
	26	Dadra+Nagar Haveli	6	0.2 %
	27	Maharashtra	345	9.1 %
	28	Andhra Pradesh	251	6.6 %
	29	Karnataka	374	9.9 %
	30	Goa	12	0.3 %
	31	Lakshadweep	0	0.0 %
	32	Kerala	121	3.2 %

Value	Label	Unweighted Frequency	%
33	Tamil Nadu	197	5.2 %
34	Pondicherry	4	0.1 %

Mean: 19.06Median: 21.00Mode: 9.00Minimum: 1.00Maximum: 34.00

• Standard Deviation: 9.75

Based upon 3777 valid cases out of 3777 total cases.

DISTID District ID

Location: 3-4(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: District ID

Value	Unweighted Frequency	%
0	60	1.6 %
1	133	3.5 %
2	215	5.7 %
3	105	2.8 %
4	121	3.2 %
5	199	5.3 %
6	144	3.8 %
7	151	4.0 %
8	140	3.7 %
9	154	4.1 %
10	171	4.5 %
11	133	3.5 %
12	178	4.7 %
13	137	3.6 %
14	105	2.8 %
15	115	3.0 %
16	118	3.1 %
17	113	3.0 %
18	108	2.9 %
19	74	2.0 %
20	124	3.3 %
21	85	2.3 %
22	46	1.2 %
23	109	2.9 %

- Study 22626 -

Value	Unweighted Frequency	%
24	61	1.6 %
25	69	1.8 %
26	62	1.6 %
27	70	1.9 %
28	26	0.7 %
29	56	1.5 %
30	54	1.4 %
31	28	0.7 %
32	51	1.4 %
33	9	0.2 %
34	21	0.6 %
35	14	0.4 %
36	17	0.5 %
37	5	0.1 %
39	2	0.1 %
40	7	0.2 %
41	8	0.2 %
42	20	0.5 %
44	18	0.5 %
45	12	0.3 %
46	4	0.1 %
47	8	0.2 %
48	5	0.1 %
49	12	0.3 %
50	8	0.2 %
51	6	0.2 %
54	14	0.4 %
58	6	0.2 %
59	12	0.3 %
60	2	0.1 %
62	5	0.1 %
63	6	0.2 %
65	18	0.5 %
66	6	0.2 %
67	9	0.2 %
68	8	0.2 %

Mean: 15.29Median: 12.00Mode: 2.00

Minimum: 0.00Maximum: 68.00

• Standard Deviation: 12.43

Based upon 3777 valid cases out of 3777 total cases.

PSUID

PSU:neighbourhood or village ID

Location:

5-6(width: 2; decimal: 0)

Variable Type:

numeric (ISO)

Question:

Neighborhood or village ID

Value	Unweighted Frequency	%
1	575	15.2 %
2	537	14.2 %
3	532	14.1 %
4	416	11.0 %
5	340	9.0 %
6	343	9.1 %
7	281	7.4 %
8	188	5.0 %
9	138	3.7 %
10	100	2.6 %
11	74	2.0 %
12	56	1.5 %
13	41	1.1 %
14	30	0.8 %
15	21	0.6 %
16	8	0.2 %
17	11	0.3 %
18	11	0.3 %
19	11	0.3 %
20	7	0.2 %
21	9	0.2 %
22	6	0.2 %
23	6	0.2 %
24	4	0.1 %
31	4	0.1 %
32	2	0.1 %
33	10	0.3 %
34	4	0.1 %
35	6	0.2 %
36	2	0.1 %
37	2	0.1 %

Value	Unweighted Frequency	%
38	2	0.1 %

Mean: 5.20Median: 4.00Mode: 1.00Minimum: 1.00Maximum: 38.00

• Standard Deviation: 4.58

Based upon 3777 valid cases out of 3777 total cases.

CLINICID Clinic ID

Location: 7-8(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Clinic ID

Value	Unweighted Frequency	%
1	1751	46.4 %
2	1921	50.9 %
3	35	0.9 %
4	69	1.8 %
6	1	0.0 %

Mean: 1.58Median: 2.00Mode: 2.00Minimum: 1.00Maximum: 6.00

Standard Deviation: 0.61

Based upon 3777 valid cases out of 3777 total cases.

IDCLINIC 8 digit unique ID

Location: 9-16(width: 8; decimal: 0)

Variable Type: numeric (ISO)

Question: 8 digit unique ID

Mean: 19212770.34Minimum: 1020101.00Maximum: 34020502.00

• Standard Deviation: 9748993.10

Based upon 3777 valid cases out of 3777 total cases.

MCDATE MF1 Interview Date

Location: 17-21(width: 5; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-2 , -1 , .

Question:

Interview Date

Value	Label	Unweighted Frequency	%
105	-	1	0.0 %
305	-	1	0.0 %
6405	-	1	0.0 %
10104	-	1	0.0 %
10105	-	10	0.3 %
10205	-	27	0.7 %
10305	-	12	0.3 %
10405	-	16	0.4 %
10505	-	10	0.3 %
10605	-	12	0.3 %
10705	-	4	0.1 %
10805	-	1	0.0 %
10905	-	4	0.1 %
11204	-	9	0.2 %
20105	-	15	0.4 %
20204	-	1	0.0 %
20205	-	14	0.4 %
20305	-	21	0.6 %
20405	-	10	0.3 %
20505	-	26	0.7 %
20605	-	8	0.2 %
20705	-	3	0.1 %
20805	-	6	0.2 %
20905	-	4	0.1 %
21005	-	1	0.0 %
21104	-	1	0.0 %
21105	-	1	0.0 %
21204	-	2	0.1 %
30104	-	1	0.0 %
30105	-	14	0.4 %
30205	-	25	0.7 %
30305	-	17	0.5 %
30405	-	7	0.2 %
30505	-	22	0.6 %
30605	-	14	0.4 %
30606	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30704	-	1	0.0 %
30705	-	2	0.1 %
30805	-	3	0.1 %
30905	-	4	0.1 %
31005	-	4	0.1 %
31104	-	1	0.0 %
31105	-	1	0.0 %
31204	-	3	0.1 %
-2	Valid skip	0	0.0 %
-1	Valid blank	21	0.6 %
	-	3414	90.4 %

Mean: 20690.62
Median: 20505.00
Mode: 10205.00
Minimum: 105.00
Maximum: 31204.00

Standard Deviation: 8321.15

Based upon 342 valid cases out of 3777 total cases.

MC10H MF1 Time - hour

Location: 22-25(width: 4; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Time Interview Began

Value	Label
-1	Valid blank

^{*} Frequencies not displayed for this variable.

Mean: 756.47Median: 930.00Mode: 1100.00Minimum: 100.00Maximum: 1255.00

• Standard Deviation: 393.56

Based upon 3767 valid cases out of 3777 total cases.

MC10A MF1 Am/Pm

Location: 26-27(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

AM or PM

Value	Label	Unweighted Frequency	%
1	AM	1675	44.3 %
2	PM	2092	55.4 %
-1	Valid blank	10	0.3 %

Mean: 1.56Median: 2.00Mode: 2.00Minimum: 1.00Maximum: 2.00

Standard Deviation: 0.50

Based upon 3767 valid cases out of 3777 total cases.

MC11 MF1 Number of visits

Location: 28-29(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Number of visits

Value	Unweighted Frequency	%
0	1	0.0 %
1	3193	84.5 %
2	493	13.1 %
3	69	1.8 %
4	18	0.5 %
5	2	0.1 %
6	1	0.0 %

Mean: 1.18Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 6.00

• Standard Deviation: 0.48

Based upon 3777 valid cases out of 3777 total cases.

MC12 MF1 Completion Status

Location: 30-31(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Completion Status

Value	Label	Unweighted Frequency	%
1	Complete	3685	97.6 %

Value	Label	Unweighted Frequency	%
2	Incomplete	92	2.4 %

Mean: 1.02 Median: 1.00 Mode: 1.00 Minimum: 1.00 Maximum: 2.00

• Standard Deviation: 0.15

Based upon 3777 valid cases out of 3777 total cases.

MF1 MF2 Type of Facility

32-33(width: 2; decimal: 0) Location:

Variable Type: numeric (ISO)

Question: What type of facility is this?

Value	Label	Unweighted Frequency	%
1	Public Hopital	287	7.6 %
2	Prim Health Clinic	842	22.3 %
3	Comm Health Centre	189	5.0 %
4	Sub-Centre	278	7.4 %
5	Family Plan Centre	46	1.2 %
6	Private Hospital	313	8.3 %
7	Private Clinic	732	19.4 %
8	Private Doctor	891	23.6 %
9	Other	199	5.3 %

 Mean: 5.24 Median: 6.00 Mode: 8.00 Minimum: 1.00 Maximum: 9.00

• Standard Deviation: 2.70

Based upon 3777 valid cases out of 3777 total cases.

MF2A MF2 Practice allopathic

Location: 34-35(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-6

Question: Does this facility practice allopathic medicine?

Value	Label	Unweighted Frequency	%
0	No	300	7.9 %

Value	Label	Unweighted Frequency	%
1	Yes	3476	92.0 %
-6	Out of range	1	0.0 %

Mean: 0.92Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

· Standard Deviation: 0.27

Based upon 3776 valid cases out of 3777 total cases.

MF2B MF2 Practice ayurvedic

Location: 36-37(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Does this facility practice ayurvedic medicine?

Value	Label	Unweighted Frequency	%
0	No	2921	77.3 %
1	Yes	856	22.7 %

Mean: 0.23Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.42

Based upon 3777 valid cases out of 3777 total cases.

MF2 Practice homeopathy

Location: 38-39(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Does this facility practice homeopathy?

Value	Label	Unweighted Frequency	%
0	No	3496	92.6 %
1	Yes	281	7.4 %

Mean: 0.07Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.26

Based upon 3777 valid cases out of 3777 total cases.

MF2D MF2 Practice Unani

Location: 40-41(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this facility practice unani?

Value	Label	Unweighted Frequency	%
0	No	3727	98.7 %
1	Yes	49	1.3 %
-1	Valid blank	1	0.0 %

Mean: 0.01
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 1.00

Standard Deviation: 0.11

Based upon 3776 valid cases out of 3777 total cases.

MF2E MF2 Practice other

Location: 42-43(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Does this facility practice other?

Valu	e Label	Unweighted Frequency	%
0	No	3721	98.5 %
1	Yes	56	1.5 %

Mean: 0.01Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.12

Based upon 3777 valid cases out of 3777 total cases.

MF3A MF2 Govt funded

Location: 44-45(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Does this medical facility receive funding or other support from the government?

Value	Label	Unweighted Frequency	%
0	No	1973	52.2 %
1	Yes	1804	47.8 %

Mean: 0.48
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 1.00

• Standard Deviation: 0.50

Based upon 3777 valid cases out of 3777 total cases.

MF3B MF2 Religious org support

Location: 46-47(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Does this medical facility receive funding or other support from a religious organization?

Value	Label	Unweighted Frequency	%
0	No	3724	98.6 %
1	Yes	53	1.4 %

Mean: 0.01Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.12

Based upon 3777 valid cases out of 3777 total cases.

MF3C MF2 Charity or NRI support

Location: 48-49(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Does this medical facility receive funding or other support from a non-religious charity or NRI?

Value	Label	Unweighted Frequency	%
0	No	3530	93.5 %
1	Yes	247	6.5 %

Mean: 0.07Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.25

Based upon 3777 valid cases out of 3777 total cases.

MF4	MF2 Year opened
-----	-----------------

Location: 50-53(width: 4; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2

igo or imooning varaoo (m).

Question: In what year did this medical facility open?

Value	Label
-2	Valid skip

^{*} Frequencies not displayed for this variable.

Mean: 1984.39
Median: 1989.00
Mode: 2000.00
Minimum: 1812.00
Maximum: 2005.00
Standard Deviation: 17.77

Based upon 3712 valid cases out of 3777 total cases.

MF5 MF2 Distance to Dist Hospital

Location: 54-56(width: 3; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -3 , -2 , -1

Question:

How far is this facility from the District Hospital?

Value	Label
-3	Don't know
-2	Valid skip
-1	Valid blank

^{*} Frequencies not displayed for this variable.

Mean: 38.08 Median: 30.00 Mode: 0.00 Minimum: 0.00 Maximum: 220.00

Standard Deviation: 32.80

Based upon 3767 valid cases out of 3777 total cases.

MF6A MF2 # Beds for overnight care

Location: 57-59(width: 3; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1

Question:

Does this facility have beds for overnight in-patient care?

Value	Label
-2	Valid skip
-1	Valid blank

^{*} Frequencies not displayed for this variable.

Mean: 11.73Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 942.00

• Standard Deviation: 46.31

Based upon 3752 valid cases out of 3777 total cases.

MF6B

MF2 # Beds Occupied -Average Day

Location: 60-62(width: 3; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1

Question:

On an average day, how many of these beds are occupied?

Value	Label	Unweighted Frequency	%
0	-	2427	64.3 %
1	-	211	5.6 %
2	-	221	5.9 %
3	-	107	2.8 %
4	-	91	2.4 %
5	-	106	2.8 %
6	-	63	1.7 %
7	-	25	0.7 %
8	-	41	1.1 %
9	-	4	0.1 %
10	-	79	2.1 %
11	-	2	0.1 %
12	-	17	0.5 %
13	-	3	0.1 %
14	-	1	0.0 %
15	-	51	1.4 %
16	-	4	0.1 %
17	-	1	0.0 %
18	-	3	0.1 %
20	-	51	1.4 %
22	-	2	0.1 %

Value	Label	Unweighted Frequency	%
24	-	1	0.0 %
25	-	26	0.7 %
26	-	4	0.1 %
27	-	4	0.1 %
28	-	2	0.1 %
29	-	2	0.1 %
30	-	29	0.8 %
32	-	2	0.1 %
35	-	5	0.1 %
36	-	2	0.1 %
38	-	1	0.0 %
40	-	19	0.5 %
44	-	1	0.0 %
45	-	3	0.1 %
48	-	1	0.0 %
50	-	19	0.5 %
55	-	1	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	7	0.2 %
62	-	1	0.0 %
68	-	1	0.0 %
70	-	5	0.1 %
73	-	2	0.1 %
74	-	1	0.0 %
75	-	3	0.1 %
80	-	7	0.2 %
85	-	4	0.1 %
90	-	4	0.1 %
100	-	8	0.2 %
120	-	6	0.2 %
128	-	2	0.1 %
130	-	1	0.0 %
132	-	1	0.0 %
140	-	1	0.0 %
142	-	1	0.0 %
144	-	2	0.1 %
148	-	1	0.0 %
150	-	2	0.1 %
154	-	1	0.0 %

- Study 22626 -

Value	Label	Unweighted Frequency	%
160	-	2	0.1 %
170	-	1	0.0 %
180	-	1	0.0 %
195	-	1	0.0 %
200	-	2	0.1 %
210	-	1	0.0 %
240	-	1	0.0 %
250	-	2	0.1 %
265	-	1	0.0 %
270	-	1	0.0 %
280	-	1	0.0 %
300	-	2	0.1 %
325	-	1	0.0 %
350	-	1	0.0 %
400	-	3	0.1 %
465	-	1	0.0 %
500	-	1	0.0 %
580	-	1	0.0 %
850	-	1	0.0 %
942	-	1	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	56	1.5 %

• Mean: 6.66 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 942.00 Standard Deviation: 35.31

Based upon 3721 valid cases out of 3777 total cases.

MF6C MF2 # Outpatients weekly

Location: 63-66(width: 4; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-2 , -1

Question:

On average, how many out-patients does the facility treat each week?

Value	Label
-2	Valid skip
-1	Valid blank

^{*} Frequencies not displayed for this variable.

Mean: 517.05Minimum: 0.00Maximum: 9999.00

• Standard Deviation: 1335.65

Based upon 3777 valid cases out of 3777 total cases.

MF7A

MF2 Hours Monday?

Location: 67-68(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1

Question:

For how many hours is the clinic open on Monday?

Value	Label	Unweighted Frequency	%
0	-	40	1.1 %
1	-	5	0.1 %
2	-	36	1.0 %
3	-	57	1.5 %
4	-	192	5.1 %
5	-	198	5.2 %
6	-	973	25.8 %
7	-	273	7.2 %
8	-	819	21.7 %
9	-	122	3.2 %
10	-	266	7.0 %
11	-	24	0.6 %
12	-	170	4.5 %
13	-	1	0.0 %
14	-	22	0.6 %
15	-	7	0.2 %
16	-	7	0.2 %
18	-	21	0.6 %
20	-	3	0.1 %
24	-	541	14.3 %
-2	Valid skip	0	0.0 %
-1	Valid blank	0	0.0 %

Mean: 9.62Median: 8.00Mode: 6.00Minimum: 0.00Maximum: 24.00

• Standard Deviation: 6.33

Based upon 3777 valid cases out of 3777 total cases.

MF7B MF2 Hours Tuesday?

Location: 69-70(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

Question: For how many hours is the clinic open on Tuesday?

-2 , -1

Value	Label	Unweighted Frequency	%
0	-	48	1.3 %
1	-	8	0.2 %
2	-	40	1.1 %
3	-	54	1.4 %
4	-	188	5.0 %
5	-	194	5.1 %
6	-	971	25.7 %
7	-	271	7.2 %
8	-	820	21.7 %
9	-	121	3.2 %
10	-	267	7.1 %
11	-	23	0.6 %
12	-	173	4.6 %
13	-	1	0.0 %
14	-	21	0.6 %
15	-	6	0.2 %
16	-	7	0.2 %
18	-	20	0.5 %
20	-	4	0.1 %
24	-	540	14.3 %
-2	Valid skip	0	0.0 %
-1	Valid blank	0	0.0 %

Mean: 9.60
Median: 8.00
Mode: 6.00
Minimum: 0.00
Maximum: 24.00
Standard Deviation: 6.35

Based upon 3777 valid cases out of 3777 total cases.

MF7C MF2 Hours Wednesday?

Location: 71-72(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-2,-1

Question:

For how many hours is the clinic open on Wednesday?

Value	Label	Unweighted Frequency	%
0	-	28	0.7 %
1	-	5	0.1 %
2	-	41	1.1 %
3	-	56	1.5 %
4	-	186	4.9 %
5	-	199	5.3 %
6	-	976	25.8 %
7	-	277	7.3 %
8	-	822	21.8 %
9	-	122	3.2 %
10	-	271	7.2 %
11	-	24	0.6 %
12	-	172	4.6 %
13	-	1	0.0 %
14	-	22	0.6 %
15	-	6	0.2 %
16	-	7	0.2 %
18	-	20	0.5 %
19	-	1	0.0 %
20	-	3	0.1 %
24	-	538	14.2 %
-2	Valid skip	0	0.0 %
-1	Valid blank	0	0.0 %

Mean: 9.63
Median: 8.00
Mode: 6.00
Minimum: 0.00
Maximum: 24.00
Standard Deviation: 6.30

Based upon 3777 valid cases out of 3777 total cases.

MF7D MF2 Hours Thursday?

Location: 73-74(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1

Question: For how many hours is the clinic open on Thursday?

- Study 22626 -

Value	Label	Unweighted Frequency	%
0	-	53	1.4 %
1	-	7	0.2 %
2	-	37	1.0 %
3	-	55	1.5 %
4	-	182	4.8 %
5	-	195	5.2 %
6	-	975	25.8 %
7	-	275	7.3 %
8	-	812	21.5 %
9	-	122	3.2 %
10	-	267	7.1 %
11	-	25	0.7 %
12	-	170	4.5 %
13	-	1	0.0 %
14	-	22	0.6 %
15	-	6	0.2 %
16	-	7	0.2 %
18	-	20	0.5 %
20	-	4	0.1 %
24	-	541	14.3 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

Mean: 9.60
Median: 8.00
Mode: 6.00
Minimum: 0.00
Maximum: 24.00
Standard Deviation: 6.35

Based upon 3776 valid cases out of 3777 total cases.

MF7E MF2 Hours Friday?

Location: 75-76(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1

Question: For

For how many hours is the clinic open on Friday?

Value	Label	Unweighted Frequency	%
0	-	43	1.1 %
1	-	6	0.2 %
2	-	41	1.1 %

- Study 22626 -

Value	Label	Unweighted Frequency	%
3	-	54	1.4 %
4	-	183	4.8 %
5	-	198	5.2 %
6	-	977	25.9 %
7	-	274	7.3 %
8	-	812	21.5 %
9	-	121	3.2 %
10	-	267	7.1 %
11	-	24	0.6 %
12	-	172	4.6 %
13	-	1	0.0 %
14	-	23	0.6 %
15	-	6	0.2 %
16	-	7	0.2 %
17	-	1	0.0 %
18	-	20	0.5 %
20	-	4	0.1 %
24	-	542	14.4 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

Mean: 9.62Median: 8.00Mode: 6.00Minimum: 0.00Maximum: 24.00

• Standard Deviation: 6.34

Based upon 3776 valid cases out of 3777 total cases.

MF7F MF2 Hours Saturdays?

Location: 77-78(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1

Question: For how many hours is the clinic open on Saturday?

Value	Label	Unweighted Frequency	%
0	-	56	1.5 %
1	-	4	0.1 %
2	-	55	1.5 %
3	-	58	1.5 %
4	-	201	5.3 %

- Study 22626 -

Value	Label	Unweighted Frequency	%
5	-	210	5.6 %
6	-	965	25.5 %
7	-	259	6.9 %
8	-	797	21.1 %
9	-	119	3.2 %
10	-	264	7.0 %
11	-	21	0.6 %
12	-	169	4.5 %
13	-	1	0.0 %
14	-	22	0.6 %
15	-	7	0.2 %
16	-	7	0.2 %
18	-	20	0.5 %
20	-	3	0.1 %
24	-	538	14.2 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

Mean: 9.52Median: 8.00Mode: 6.00Minimum: 0.00Maximum: 24.00

Standard Deviation: 6.38

Based upon 3776 valid cases out of 3777 total cases.

MF7G MF2 Hours Sunday?

Location: 79-80(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2,

Question: For how many hours is the clinic open on Sunday?

Value	Label	Unweighted Frequency	%
0	-	1337	35.4 %
1	-	12	0.3 %
2	-	66	1.7 %
3	-	115	3.0 %
4	-	472	12.5 %
5	-	130	3.4 %
6	-	241	6.4 %
7	-	78	2.1 %

- Study 22626 -

Value	Label	Unweighted Frequency	%
8	-	347	9.2 %
9	-	78	2.1 %
10	-	195	5.2 %
11	-	15	0.4 %
12	-	156	4.1 %
13	-	1	0.0 %
14	-	21	0.6 %
15	-	7	0.2 %
16	-	3	0.1 %
18	-	19	0.5 %
20	-	3	0.1 %
24	-	480	12.7 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

Mean: 6.59Median: 4.00Mode: 0.00Minimum: 0.00Maximum: 24.00

• Standard Deviation: 7.70

Based upon 3776 valid cases out of 3777 total cases.

MF8 MF2 Hours of Electricity

Location: 81-82(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: How many hours per day is electricity usually available?

Value	Unweighted Frequency	%
0	488	12.9 %
1	34	0.9 %
2	57	1.5 %
3	67	1.8 %
4	187	5.0 %
5	102	2.7 %
6	246	6.5 %
7	65	1.7 %
8	233	6.2 %
9	24	0.6 %
10	103	2.7 %
11	4	0.1 %

Value	Unweighted Frequency	%
12	94	2.5 %
13	4	0.1 %
14	26	0.7 %
15	35	0.9 %
16	60	1.6 %
17	10	0.3 %
18	279	7.4 %
19	17	0.5 %
20	224	5.9 %
21	51	1.4 %
22	99	2.6 %
23	134	3.5 %
24	1134	30.0 %

Mean: 14.10Median: 18.00Mode: 24.00Minimum: 0.00Maximum: 24.00

• Standard Deviation: 9.22

Based upon 3777 valid cases out of 3777 total cases.

MF8B

MF2 Electricity failure

Location: 83-84(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1

Question:

How often is electric service interrupted?

Value	Label	Unweighted Frequency	%
0	No electricity	873	23.1 %
1	Never, less than I a week	675	17.9 %
2	1 or 2 times/week	1961	51.9 %
3	Almost every day	0	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	268	7.1 %

Mean: 1.31Median: 2.00Mode: 2.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.84

Based upon 3509 valid cases out of 3777 total cases.

MF8C MF2 Use of Electric Generator

Location: 85-86(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2 , -1

Question:

Does this facility have its own electric generator?

Value	Label	Unweighted Frequency	%
0	No	2743	72.6 %
1	Yes, backup	1013	26.8 %
2	Yes, main source	15	0.4 %
-2	Valid skip	0	0.0 %
-1	Valid blank	6	0.2 %

Mean: 0.28 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 2.00

• Standard Deviation: 0.46

Based upon 3771 valid cases out of 3777 total cases.

MF9 MF2 Main Source of water

87-88(width: 2; decimal: 0) Location:

Variable Type: numeric (ISO) Range of Missing Values (M): -3,-2,-1

Question: What is the main source of drinking water in this medical facility?

Value	Label	Unweighted Frequency	%
0	No drinking water	1	0.0 %
1	Piped	1944	51.5 %
2	Tubewell	383	10.1 %
3	Handpump	822	21.8 %
4	Dug-open well	106	2.8 %
5	Covered well	56	1.5 %
6	River, canal	12	0.3 %
7	Pond	14	0.4 %
8	Tanker truck	38	1.0 %
9	Rainwater	4	0.1 %
10	Bottled	140	3.7 %
11	Other	118	3.1 %
-3	Don't know	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Valid skip	138	3.7 %
-1	Valid blank	0	0.0 %

Mean: 2.50 Median: 1.00 Mode: 1.00 Minimum: 0.00 Maximum: 11.00

Standard Deviation: 2.54

Based upon 3638 valid cases out of 3777 total cases.

MF10 MF2 Type of toilet available

Location: 89-90(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-2,-1

Question:

What toilet facilities are available for the use of patients in the clinic?

Value	Label	Unweighted Frequency	%
0	No toilet	1479	39.2 %
1	Latrine	786	20.8 %
2	VIP Latrine	386	10.2 %
3	Flush toilet	1125	29.8 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

Mean: 1.31 Median: 1.00 Mode: 0.00 Minimum: 0.00 Maximum: 3.00

Standard Deviation: 1.26

Based upon 3776 valid cases out of 3777 total cases.

MF10B MF2 Wash basin next to toilet?

Location: 91-92(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Is there a wash basin next to the toilet for washing hands?

Value	Label	Unweighted Frequency	%
0	No	564	14.9 %
1	Yes	1746	46.2 %

Value	Label	Unweighted Frequency	%
-1	Valid blank	1467	38.8 %

• Mean: 0.76 Median: 1.00 Mode: 1.00 Minimum: 0.00 Maximum: 1.00

• Standard Deviation: 0.43

Based upon 2310 valid cases out of 3777 total cases.

MF11 MF3 Registration Fees

93-95(width: 3; decimal: 0) Location:

Variable Type: numeric (ISO)

Range of Missing Values (M):

-2 , -1

Question: Is there a fee for patients to register at this facility the first time they come? If yes, how much is that fee?

Value	Label	Unweighted Frequency	%
0	-	2589	68.5 %
1	-	310	8.2 %
2	-	279	7.4 %
3	-	7	0.2 %
5	-	83	2.2 %
7	-	1	0.0 %
8	-	4	0.1 %
10	-	115	3.0 %
12	-	2	0.1 %
15	-	33	0.9 %
17	-	2	0.1 %
20	-	112	3.0 %
25	-	33	0.9 %
30	-	69	1.8 %
35	-	2	0.1 %
40	-	22	0.6 %
50	-	70	1.9 %
60	-	4	0.1 %
70	-	5	0.1 %
80	-	7	0.2 %
100	-	10	0.3 %
140	-	1	0.0 %
200	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Valid skip	0	0.0 %
-1	Valid blank	16	0.4 %

Mean: 4.02Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 200.00

• Standard Deviation: 12.05

Based upon 3761 valid cases out of 3777 total cases.

MF12 MF3 Ususal visit fee

Location: 96-99(width: 4; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1,.

Question:

What is the usual visit fee charged for a routine visit, for instance, for an infant with diarrhea?

Value	Label	Unweighted Frequency	%
0	-	2332	61.7 %
1	-	9	0.2 %
2	-	11	0.3 %
5	-	23	0.6 %
6	=	1	0.0 %
7	-	2	0.1 %
8	-	1	0.0 %
10	-	209	5.5 %
12	-	2	0.1 %
13	-	1	0.0 %
15	-	134	3.5 %
20	-	272	7.2 %
25	-	87	2.3 %
30	-	178	4.7 %
35	-	9	0.2 %
40	-	82	2.2 %
45	-	7	0.2 %
50	-	180	4.8 %
60	-	20	0.5 %
70	-	27	0.7 %
75	-	5	0.1 %
80	-	22	0.6 %
90	-	5	0.1 %

- Study 22626 -

Value	Label	Unweighted Frequency	%
100	-	64	1.7 %
120	-	2	0.1 %
125	-	3	0.1 %
150	-	39	1.0 %
170	-	1	0.0 %
200	-	11	0.3 %
210	-	1	0.0 %
250	-	5	0.1 %
270	-	1	0.0 %
300	-	5	0.1 %
350	-	1	0.0 %
400	-	2	0.1 %
450	-	1	0.0 %
500	-	2	0.1 %
1200	-	2	0.1 %
1500	-	2	0.1 %
-2	Valid skip	0	0.0 %
-1	Valid blank	15	0.4 %
	-	1	0.0 %

Mean: 16.57
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 1500.00
Standard Deviation: 56.09

Based upon 3761 valid cases out of 3777 total cases.

MF12B MF3 Fee includes basic medicine?

Location: 100-102(width: 3; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2 , -1

Question: Does this fee include basic medicine that would be given for diarrhea?

Value	Label	Unweighted Frequency	%
0	-	2295	60.8 %
1	-	9	0.2 %
2	-	15	0.4 %
3	-	1	0.0 %
5	-	14	0.4 %
6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7	-	1	0.0 %
8	-	1	0.0 %
10	-	105	2.8 %
12	-	2	0.1 %
13	-	1	0.0 %
15	-	65	1.7 %
20	-	168	4.4 %
24	-	1	0.0 %
25	-	68	1.8 %
30	-	154	4.1 %
35	-	18	0.5 %
40	-	105	2.8 %
45	-	10	0.3 %
50	-	190	5.0 %
55	-	2	0.1 %
60	-	58	1.5 %
62	-	1	0.0 %
70	-	25	0.7 %
75	-	8	0.2 %
80	-	41	1.1 %
85	-	1	0.0 %
90	-	7	0.2 %
95	-	1	0.0 %
100	-	93	2.5 %
120	-	16	0.4 %
125	-	8	0.2 %
130	-	4	0.1 %
140	-	1	0.0 %
150	-	91	2.4 %
170	-	1	0.0 %
180	-	2	0.1 %
200	-	60	1.6 %
230	-	1	0.0 %
250	-	26	0.7 %
300	-	34	0.9 %
350	-	6	0.2 %
400	-	18	0.5 %
500	-	12	0.3 %
600	-	4	0.1 %
700	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Valid skip	0	0.0 %
-1	Valid blank	31	0.8 %

Mean: 29.67Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 700.00

· Standard Deviation: 68.51

Based upon 3746 valid cases out of 3777 total cases.

MF13A MF3 Child Immunization

Location: 103-104(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -2 , -1

Question: Does this clinic provide child immunization?

Value	Label	Unweighted Frequency	%
0	No	1594	42.2 %
1	Yes	2180	57.7 %
-6	Out of range	1	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	2	0.1 %

Mean: 0.58Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.49

Based upon 3774 valid cases out of 3777 total cases.

MF13B MF3 Contraceptive Oral pills?

Location: 105-106(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide contraception: oral pills?

Value	Label	Unweighted Frequency	%
0	No	1581	41.9 %
1	Yes	2193	58.1 %
-1	Valid blank	3	0.1 %

Mean: 0.58 Median: 1.00 Mode: 1.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.49

Based upon 3774 valid cases out of 3777 total cases.

MF13C MF3 IUD insertion?

Location: 107-108(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide contraception: IUD insertion?

Value	Label	Unweighted Frequency	%
0	No	2004	53.1 %
1	Yes	1771	46.9 %
-1	Valid blank	2	0.1 %

• Mean: 0.47 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13D MF3 Male sterilzation

Location: 109-110(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide contraception: male sterilization?

Value	Label	Unweighted Frequency	%
0	No	2762	73.1 %
1	Yes	1013	26.8 %
-1	Valid blank	2	0.1 %

Mean: 0.27 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 1.00

· Standard Deviation: 0.44

Based upon 3775 valid cases out of 3777 total cases.

MF13E MF3 Female sterilization

Location: 111-112(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide contraception: female sterilization?

Value	Label	Unweighted Frequency	%
0	No	2514	66.6 %
1	Yes	1261	33.4 %
-1	Valid blank	2	0.1 %

Mean: 0.33Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.47

Based upon 3775 valid cases out of 3777 total cases.

MF13F MF3 Contraceptive Injection

Location: 113-114(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide contraception: injection?

Value	Label	Unweighted Frequency	%
0	No	2804	74.2 %
1	Yes	971	25.7 %
-1	Valid blank	2	0.1 %

Mean: 0.26Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.44

Based upon 3775 valid cases out of 3777 total cases.

MF13G MF3 Incision of abcess

Location: 115-116(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-1

Question:

Does this clinic provide incision of abcess/piercing of boils?

Value	Label	Unweighted Frequency	%
0	No	1623	43.0 %
1	Yes	2152	57.0 %
-1	Valid blank	2	0.1 %

Mean: 0.57Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13H MF3 Saline I V

Location: 117-118(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does this clinic provide saline IV?

Value	Label	Unweighted Frequency	%
0	No	1037	27.5 %
1	Yes	2738	72.5 %
-1	Valid blank	2	0.1 %

Mean: 0.73Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.45

Based upon 3775 valid cases out of 3777 total cases.

MF13I MF3 Set broken bones

Location: 119-120(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

rtarige of whoshing values (W).

Question: Does this clinic set broken bones?

Value	Label	Unweighted Frequency	%
0	No	2816	74.6 %

Value	Label	Unweighted Frequency	%
1	Yes	958	25.4 %
-1	Valid blank	3	0.1 %

Mean: 0.25
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 1.00

• Standard Deviation: 0.44

Based upon 3774 valid cases out of 3777 total cases.

MF13J MF3 Treat gynecological

Location: 121-122(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does this clinic treat gynecological conditions such as white discharge?

Value	Label	Unweighted Frequency	%
0	No	1402	37.1 %
1	Yes	2373	62.8 %
-1	Valid blank	2	0.1 %

Mean: 0.63Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.48

Based upon 3775 valid cases out of 3777 total cases.

MF13K MF3 Treat gonorrhea

Location: 123-124(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide treatment of STDs such as gonorrhea?

Value	Label	Unweighted Frequency	%
0	No	1650	43.7 %
1	Yes	2125	56.3 %
-1	Valid blank	2	0.1 %

Mean: 0.56Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13L MF3 Treat tuberculosis

Location: 125-126(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic treat tuberculosis?

Value	Label	Unweighted Frequency	%
0	No	1602	42.4 %
1	Yes	2173	57.5 %
-1	Valid blank	2	0.1 %

Mean: 0.58Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF13M MF3 Prenatal care

Location: 127-128(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide prenatal care?

Value	Label	Unweighted Frequency	%
0	No	1503	39.8 %
1	Yes	2272	60.2 %
-1	Valid blank	2	0.1 %

Mean: 0.60
Median: 1.00
Mode: 1.00
Minimum: 0.00
Maximum: 1.00

Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF13N MF3 Eye Exam

Location: 129-130(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide eye exams?

Value	Label	Unweighted Frequency	%
0	No	2218	58.7 %
1	Yes	1557	41.2 %
-1	Valid blank	2	0.1 %

Mean: 0.41 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF130 MF3 Treatment of diarrhea

Location: 131-132(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-1

Question: Does this clinic provide treatment of diarrhea?

Value	Label	Unweighted Frequency	%
0	No	145	3.8 %
1	Yes	3630	96.1 %
-1	Valid blank	2	0.1 %

Mean: 0.96 Median: 1.00 Mode: 1.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.19

Based upon 3775 valid cases out of 3777 total cases.

MF13P MF3 Dressing wounds

Location: 133-134(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does this clinic provide dressing wounds?

Value	Label	Unweighted Frequency	%
0	No	247	6.5 %
1	Yes	3528	93.4 %
-1	Valid blank	2	0.1 %

Mean: 0.93Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.25

Based upon 3775 valid cases out of 3777 total cases.

MF13Q MF3 Stitching wounds

Location: 135-136(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does this clinic provide stitching wounds?

Value	Label	Unweighted Frequency	%
0	No	570	15.1 %
1	Yes	3205	84.9 %
-1	Valid blank	2	0.1 %

Mean: 0.85Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.36

Based upon 3775 valid cases out of 3777 total cases.

MF13R MF3 Treat malaria

Location: 137-138(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic treat malaria?

Value	Label	Unweighted Frequency	%
0	No	246	6.5 %
1	Yes	3529	93.4 %
-1	Valid blank	2	0.1 %

Mean: 0.93Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.25

Based upon 3775 valid cases out of 3777 total cases.

MF13S MF3 Minor illnesses

Location: 139-140(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does this clinic provide treatment for minor illnesses like fever?

Value	Label	Unweighted Frequency	%
0	No	135	3.6 %
1	Yes	3640	96.4 %
-1	Valid blank	2	0.1 %

Mean: 0.96Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.19

Based upon 3775 valid cases out of 3777 total cases.

MF13T MF3 Treat Rabies

Location: 141-142(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does this clinic provide treatment of Rabies?

Value	Label	Unweighted Frequency	%
0	No	2106	55.8 %
1	Yes	1669	44.2 %
-1	Valid blank	2	0.1 %

Mean: 0.44Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13U MF3 Childbirth

Location: 143-144(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide childbirth delivery?

Value	Label	Unweighted Frequency	%
0	No	2059	54.5 %
1	Yes	1716	45.4 %
-1	Valid blank	2	0.1 %

Mean: 0.45Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13V MF3 D&C or abortions

Location: 145-146(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide D&C or abortions?

Value	Label	Unweighted Frequency	%
0	No	2842	75.2 %
1	Yes	933	24.7 %
-1	Valid blank	2	0.1 %

Mean: 0.25Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.43

Based upon 3775 valid cases out of 3777 total cases.

MF13W MF3 Blood Transfusion

Location: 147-148(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-1

Question:

Does this clinic provide blood transfusions?

Value	Label	Unweighted Frequency	%
0	No	3369	89.2 %
1	Yes	406	10.7 %
-1	Valid blank	2	0.1 %

Mean: 0.11Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

· Standard Deviation: 0.31

Based upon 3775 valid cases out of 3777 total cases.

MF13X MF3 Cataract surgery

Location: 149-150(width: 2; decimal: 0)

-1

Variable Type: numeric (ISO)

Range of Missing Values (M):

Question:

Does this clinic provide cataract surgery?

Value	Label	Unweighted Frequency	%
0	No	3461	91.6 %
1	Yes	314	8.3 %
-1	Valid blank	2	0.1 %

Mean: 0.08Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.28

Based upon 3775 valid cases out of 3777 total cases.

MF13Y MF3 Abdominal surgery

Location: 151-152(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide abdominal surgery?

Value	Label	Unweighted Frequency	%
0	No	3356	88.9 %

Value	Label	Unweighted Frequency	%
1	Yes	419	11.1 %
-1	Valid blank	2	0.1 %

Mean: 0.11Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

· Standard Deviation: 0.31

Based upon 3775 valid cases out of 3777 total cases.

MF13Z MF3 Heart surgery

Location: 153-154(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does this clinic provide heart surgery?

Value	Label	Unweighted Frequency	%
0	No	3722	98.5 %
1	Yes	52	1.4 %
-1	Valid blank	3	0.1 %

Mean: 0.01Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.12

Based upon 3774 valid cases out of 3777 total cases.

MF14A MF4 Blood:Heamoglobin test

Location: 155-156(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for heamoglobin?

Value	Label	Unweighted Frequency	%
0	No	2160	57.2 %
1	Yes but send out	692	18.3 %
2	Yes analyze here	922	24.4 %
-1	Valid blank	3	0.1 %

Mean: 0.67Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.84

Based upon 3774 valid cases out of 3777 total cases.

MF14B MF4 Blood:Lukemia

Location: 157-158(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the clinic do tests for lukemia?

Value	Label	Unweighted Frequency	%
0	No	2997	79.3 %
1	Yes but send out	444	11.8 %
2	Yes analyze here	333	8.8 %
-1	Valid blank	3	0.1 %

Mean: 0.29Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

Standard Deviation: 0.62

Based upon 3774 valid cases out of 3777 total cases.

MF14C MF4 Blood:AIDS

Location: 159-160(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for AIDS?

Value	Label	Unweighted Frequency	%
0	No	3171	84.0 %
1	Yes but send out	345	9.1 %
2	Yes analyze here	258	6.8 %
-1	Valid blank	3	0.1 %

Mean: 0.23Median: 0.00Mode: 0.00

Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.56

Based upon 3774 valid cases out of 3777 total cases.

MF14D MF4 Blood:TLC

Location: 161-162(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the clinic do tests for TLC?

Value	Label	Unweighted Frequency	%
0	No	2781	73.6 %
1	Yes but send out	478	12.7 %
2	Yes analyze here	514	13.6 %
-1	Valid blank	4	0.1 %

Mean: 0.40
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 2.00

Standard Deviation: 0.72

Based upon 3773 valid cases out of 3777 total cases.

MF14E MF4 Urinanalysis:Routine

Location: 163-164(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for routine urinanalysis?

Value	Label	Unweighted Frequency	%
0	No	2365	62.6 %
1	Yes but send out	638	16.9 %
2	Yes analyze here	771	20.4 %
-1	Valid blank	3	0.1 %

Mean: 0.58Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

Standard Deviation: 0.81

Based upon 3774 valid cases out of 3777 total cases.

MF14F MF4 Urinanalysis:Culture

Location: 165-166(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for urinalysis culture?

Value	Label	Unweighted Frequency	%
0	No	2981	78.9 %
1	Yes but send out	461	12.2 %
2	Yes analyze here	331	8.8 %
4	-	1	0.0 %
-1	Valid blank	3	0.1 %

Mean: 0.30Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 4.00

• Standard Deviation: 0.62

Based upon 3774 valid cases out of 3777 total cases.

MF14G MF4 Stool Test

Location: 167-168(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for stool?

Value	Label	Unweighted Frequency	%
0	No	2717	71.9 %
1	Yes but send out	553	14.6 %
2	Yes analyze here	504	13.3 %
-1	Valid blank	3	0.1 %

Mean: 0.41Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

Standard Deviation: 0.71

Based upon 3774 valid cases out of 3777 total cases.

MF14H MF4 Pregnancy Test

Location: 169-170(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the clinic do tests for pregnancy?

Value	Label	Unweighted Frequency	%
0	No	2263	59.9 %
1	Yes but send out	682	18.1 %
2	Yes analyze here	828	21.9 %
-1	Valid blank	4	0.1 %

Mean: 0.62Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.82

Based upon 3773 valid cases out of 3777 total cases.

MF14I MF4 malarial parasite Test

Location: 171-172(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for malarial parasite?

Value	Label	Unweighted Frequency	%
0	No	1985	52.6 %
1	Yes but send out	944	25.0 %
2	Yes analyze here	845	22.4 %
-1	Valid blank	3	0.1 %

Mean: 0.70
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 2.00

· Standard Deviation: 0.81

Based upon 3774 valid cases out of 3777 total cases.

MF14J MF4 Cerebral malar parasite Test

Location: 173-174(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for malar parasite?

Value	Label	Unweighted Frequency	%
0	No	2507	66.4 %
1	Yes but send out	707	18.7 %
2	Yes analyze here	559	14.8 %
-1	Valid blank	4	0.1 %

Mean: 0.48Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.74

Based upon 3773 valid cases out of 3777 total cases.

MF14K MF4 Tuberculosis Test

Location: 175-176(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for tuberculosis?

Value	Label	Unweighted Frequency	%
0	No	2294	60.7 %
1	Yes but send out	765	20.3 %
2	Yes analyze here	715	18.9 %
-1	Valid blank	3	0.1 %

Mean: 0.58Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.79

Based upon 3774 valid cases out of 3777 total cases.

MF15A MF4 Penicillin in stock

Location: 177-178(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have penicillin in stock?

Value	Label	Unweighted Frequency	%
0	No	1800	47.7 %
1	Yes	1974	52.3 %

Value	Label	Unweighted Frequency	%
-1	Valid blank	3	0.1 %

Mean: 0.52Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF15B MF4 Ampicillin

Location: 179-180(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Do you usually have ampicillin in stock?

Value	Label	Unweighted Frequency	%
0	No	1041	27.6 %
1	Yes	2733	72.4 %
-1	Valid blank	3	0.1 %

Mean: 0.72Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.45

Based upon 3774 valid cases out of 3777 total cases.

MF15C MF4 Tetracyclin

Location: 181-182(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have tetracyclin in stock?

Value	Label	Unweighted Frequency	%
0	No	1133	30.0 %
1	Yes	2641	69.9 %
-1	Valid blank	3	0.1 %

Mean: 0.70Median: 1.00

• Mode: 1.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.46

Based upon 3774 valid cases out of 3777 total cases.

MF15D MF4 Streptomicyn

Location: 183-184(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

Question:

Do you usually have streptomicyn in stock?

Value	Label	Unweighted Frequency	%
0	No	1562	41.4 %
1	Yes	2212	58.6 %
-1	Valid blank	3	0.1 %

Mean: 0.59 Median: 1.00 Mode: 1.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.49

Based upon 3774 valid cases out of 3777 total cases.

MF15E **MF4 Other Antibiotics**

185-186(width: 2; decimal: 0) Location:

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have other antibiotics in stock?

Value	Label	Unweighted Frequency	%
0	No	585	15.5 %
1	Yes	3189	84.4 %
-1	Valid blank	3	0.1 %

Mean: 0.84 Median: 1.00 Mode: 1.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.36

Based upon 3774 valid cases out of 3777 total cases.

MF15F MF4 Iron or Folic Acid

Location: 187-188(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

Question: Do you usually have iron or folic acid in stock?

-1

Value	Label	Unweighted Frequency	%
0	No	732	19.4 %
1	Yes	3042	80.5 %
-1	Valid blank	3	0.1 %

Mean: 0.81Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.40

Based upon 3774 valid cases out of 3777 total cases.

MF15G MF4 Vitamin A

Location: 189-190(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

Question: Do you usually have Vitamin A in stock?

Value	Label	Unweighted Frequency	%
0	No	907	24.0 %
1	Yes	2867	75.9 %
-1	Valid blank	3	0.1 %

Mean: 0.76
Median: 1.00
Mode: 1.00
Minimum: 0.00
Maximum: 1.00

• Standard Deviation: 0.43

Based upon 3774 valid cases out of 3777 total cases.

MF15H MF4 BCG Vaccination

Location: 191-192(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have BCG vaccination in stock?

Value	Label	Unweighted Frequency	%
0	No	1916	50.7 %
1	Yes	1858	49.2 %
-1	Valid blank	3	0.1 %

Mean: 0.49 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF15I **MF4** Polio Immunization

Location: 193-194(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Do you usually have polio immunization in stock?

Value	Label	Unweighted Frequency	%
0	No	1861	49.3 %
1	Yes	1913	50.6 %
-1	Valid blank	3	0.1 %

Mean: 0.51 Median: 1.00 Mode: 1.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF15J MF4 Hepatitis B vaccine

Location: 195-196(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have Hepatitis B vaccine?

Value	Label	Unweighted Frequency	%
0	No	2796	74.0 %
1	Yes	978	25.9 %
-1	Valid blank	3	0.1 %

Mean: 0.26Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.44

Based upon 3774 valid cases out of 3777 total cases.

MF15K MF4 Anti malarial medicine

Location: 197-198(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have anti-malarial medicine?

Value	Label	Unweighted Frequency	%
0	No	1229	32.5 %
1	Yes	2545	67.4 %
-1	Valid blank	3	0.1 %

Mean: 0.67Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.47

Based upon 3774 valid cases out of 3777 total cases.

MF15L MF4 DPT vaccination

Location: 199-200(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have DPT vaccination?

Value	Label	Unweighted Frequency	%
0	No	1979	52.4 %
1	Yes	1795	47.5 %
-1	Valid blank	3	0.1 %

Mean: 0.48
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 1.00

Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF15M MF4 MMR vaccination

Location: 201-202(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have MMR vaccination?

Value	Label	Unweighted Frequency	%
0	No	3062	81.1 %
1	Yes	710	18.8 %
-1	Valid blank	5	0.1 %

Mean: 0.19
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 1.00

• Standard Deviation: 0.39

Based upon 3772 valid cases out of 3777 total cases.

MF16A MF4 Sthethoscope

Location: 203-204(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order a stethoscope?

Value	Label	Unweighted Frequency	%
0	No	134	3.5 %
1	Yes	3641	96.4 %
-1	Valid blank	2	0.1 %

Mean: 0.96Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.19

Based upon 3775 valid cases out of 3777 total cases.

MF16B MF4 Strerilisation/Autoclaves

Location: 205-206(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order a sterilization/autoclaves?

Value	Label	Unweighted Frequency	%
0	No	1299	34.4 %
1	Yes	2476	65.6 %
-1	Valid blank	2	0.1 %

Mean: 0.66
Median: 1.00
Mode: 1.00
Minimum: 0.00
Maximum: 1.00

• Standard Deviation: 0.48

Based upon 3775 valid cases out of 3777 total cases.

MF16C MF4 Weighing scale: Adults

Location: 207-208(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order a weighing scale for adults?

Value	Label	Unweighted Frequency	%
0	No	1116	29.5 %
1	Yes	2659	70.4 %
-1	Valid blank	2	0.1 %

Mean: 0.70Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.46

Based upon 3775 valid cases out of 3777 total cases.

MF16D MF4 Weighing scale: Infants

Location: 209-210(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a weighing scale for infants?

Value	Label	Unweighted Frequency	%
0	No	1482	39.2 %
1	Yes	2293	60.7 %
-1	Valid blank	2	0.1 %

Mean: 0.61Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

· Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF16E MF4 Thermometer

Location: 211-212(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order a thermometer?

Value	Label	Unweighted Frequency	%
0	No	110	2.9 %
1	Yes	3665	97.0 %
-1	Valid blank	2	0.1 %

Mean: 0.97Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.17

Based upon 3775 valid cases out of 3777 total cases.

MF16F MF4 Vaginal Speculum

Location: 213-214(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order a vaginal speculum?

Value	Label	Unweighted Frequency	%
0	No	1922	50.9 %
1	Yes	1852	49.0 %
-1	Valid blank	3	0.1 %

Mean: 0.49Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF16G MF4 Sonograph

Location: 215-216(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a sonograph?

Value	Label	Unweighted Frequency	%
0	No	3329	88.1 %
1	Yes	447	11.8 %
-1	Valid blank	1	0.0 %

Mean: 0.12Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.32

Based upon 3776 valid cases out of 3777 total cases.

MF16H MF4 X-ray machine

Location: 217-218(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order an x-ray machine?

Value	Label	Unweighted Frequency	%
0	No	3161	83.7 %
1	Yes	614	16.3 %
-1	Valid blank	2	0.1 %

Mean: 0.16Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.37

Based upon 3775 valid cases out of 3777 total cases.

MF16I MF4 Blood Pressure guage

Location: 219-220(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-1

Question:

Does the facility have in good working order a blood pressure guage?

Value	Label	Unweighted Frequency	%
0	No	442	11.7 %
1	Yes	3333	88.2 %
-1	Valid blank	2	0.1 %

Mean: 0.88Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.32

Based upon 3775 valid cases out of 3777 total cases.

MF16J MF4 Oxygen

Location: 221-222(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order oxygen?

Value	Label	Unweighted Frequency	%
0	No	2519	66.7 %
1	Yes	1256	33.3 %
-1	Valid blank	2	0.1 %

Mean: 0.33Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

Standard Deviation: 0.47

Based upon 3775 valid cases out of 3777 total cases.

MF16K MF4 Ear Exam

Location: 223-224(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order an ear exam?

Value	Label	Unweighted Frequency	%
0	No	2551	67.5 %

Value	Label	Unweighted Frequency	%
1	Yes	1223	32.4 %
-1	Valid blank	3	0.1 %

Mean: 0.32Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.47

Based upon 3774 valid cases out of 3777 total cases.

MF16L MF4 Delivery kit

Location: 225-226(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order a delivery kit?

Value	Label	Unweighted Frequency	%
0	No	1899	50.3 %
1	Yes	1876	49.7 %
-1	Valid blank	2	0.1 %

Mean: 0.50Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF16M MF4 Forceps

Location: 227-228(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order forceps?

Value	Label	Unweighted Frequency	%
0	No	1490	39.4 %
1	Yes	2285	60.5 %
-1	Valid blank	2	0.1 %

Mean: 0.61Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF16N MF4 Microscope

Location: 229-230(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order a microscope?

Value	Label	Unweighted Frequency	%
0	No	2309	61.1 %
1	Yes	1466	38.8 %
-1	Valid blank	2	0.1 %

Mean: 0.39Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF16O MF4 Centrifuge

Location: 231-232(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a centrifuge?

Value	Label	Unweighted Frequency	%
0	No	2728	72.2 %
1	Yes	1046	27.7 %
-1	Valid blank	3	0.1 %

Mean: 0.28
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 1.00

Standard Deviation: 0.45

Based upon 3774 valid cases out of 3777 total cases.

MF16P MF4 Refrigerator

Location: 233-234(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a refrigerator?

Value	Label	Unweighted Frequency	%
0	No	1773	46.9 %
1	Yes	2002	53.0 %
-1	Valid blank	2	0.1 %

Mean: 0.53 Median: 1.00 Mode: 1.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF16Q **MF4 Cold Chest**

Location: 235-236(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-1

Question: Does the facility have in good working order a cold chest?

Value	Label	Unweighted Frequency	%
0	No	2482	65.7 %
1	Yes	1292	34.2 %
-1	Valid blank	3	0.1 %

Mean: 0.34 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.47

Based upon 3774 valid cases out of 3777 total cases.

MF16R **MF4 ECG monitor**

Location: 237-238(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order a ECG monitor?

Value	Label	Unweighted Frequency	%
0	No	3225	85.4 %
1	Yes	551	14.6 %
-1	Valid blank	1	0.0 %

Mean: 0.15Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.35

Based upon 3776 valid cases out of 3777 total cases.

MF16S MF4 Ambulance

Location: 239-240(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Does the facility have in good working order an ambulance?

Value	Label	Unweighted Frequency	%
0	No	3116	82.5 %
1	Yes	660	17.5 %
-1	Valid blank	1	0.0 %

Mean: 0.17Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.38

Based upon 3776 valid cases out of 3777 total cases.

MF16T MF4 Wheelchair

Location: 241-242(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a wheelchair?

Value	Label	Unweighted Frequency	%
0	No	2863	75.8 %
1	Yes	913	24.2 %
-1	Valid blank	1	0.0 %

Mean: 0.24Median: 0.00Mode: 0.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.43

Based upon 3776 valid cases out of 3777 total cases.

MF17 MF5 N Employees

Location: 243-245(width: 3; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-2,-1

Question:

How many people currently work at this clinic/center?

Value	Label
-2	Valid skip
-1	Valid blank

^{*} Frequencies not displayed for this variable.

Mean: 10.93
Median: 3.00
Mode: 1.00
Minimum: 0.00
Maximum: 500.00
Standard Deviation: 29.45

Based upon 3767 valid cases out of 3777 total cases.

MF18 MF5 Vacant positions

Location: 246-248(width: 3; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question:

Are there any sanctioned positions that are currently vacant?

Value	Label	Unweighted Frequency	%
0	-	2403	63.6 %
1	-	351	9.3 %
2	-	271	7.2 %
3	-	154	4.1 %
4	-	132	3.5 %
5	-	80	2.1 %
6	-	67	1.8 %
7	-	35	0.9 %
8	-	27	0.7 %

Value	Label	Unweighted Frequency	%
9	-	16	0.4 %
10	-	26	0.7 %
11	-	7	0.2 %
12	-	22	0.6 %
13	-	7	0.2 %
14	-	10	0.3 %
15	-	9	0.2 %
16	-	9	0.2 %
17	-	6	0.2 %
18	-	2	0.1 %
19	-	4	0.1 %
20	-	9	0.2 %
21	-	1	0.0 %
22	-	3	0.1 %
23	-	3	0.1 %
25	-	3	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
65	-	1	0.0 %
67	-	1	0.0 %
70	=	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
103	-	1	0.0 %
106	-	1	0.0 %
131	-	1	0.0 %
-1	Valid blank	98	2.6 %

Mean: 1.72
Median: 0.00
Mode: 0.00
Minimum: 0.00
Maximum: 131.00
Standard Deviation: 5.76

Based upon 3679 valid cases out of 3777 total cases.

MF31A MF6 Type of Examination room

Location: 249-250(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -2 , -1

Question:

Is the examination a separate room that provides privacy from other patients?

Value	Label	Unweighted Frequency	%
1	Separate room	1917	50.8 %
2	Same, with curtains	1073	28.4 %
3	Same, no curtains	745	19.7 %
-6	Out of range	1	0.0 %
-2	Valid skip	1	0.0 %
-1	Valid blank	40	1.1 %

Mean: 1.69Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 3.00

Standard Deviation: 0.78

Based upon 3735 valid cases out of 3777 total cases.

MF31B MF6 Curtains?

Location: 251-252(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -2 , -1

Question: Are there curtains for closing the examination area to provide privacy?

Value	Label	Unweighted Frequency	%
0	No curtains	794	21.0 %
1	Clean	940	24.9 %
2	Dirty	140	3.7 %
-6	Out of range	0	0.0 %
-2	Valid skip	1	0.0 %
-1	Valid blank	1902	50.4 %

Mean: 0.65
Median: 1.00
Mode: 1.00
Minimum: 0.00
Maximum: 2.00

· Standard Deviation: 0.61

Based upon 1874 valid cases out of 3777 total cases.

MF31C MF6 Floor Clean?

Location: 253-254(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -2 , -1

Question: Is the floor clean?

Value	Label	Unweighted Frequency	%
1	Clean	3320	87.9 %
2	Dirty	415	11.0 %
-6	Out of range	0	0.0 %
-2	Valid skip	1	0.0 %
-1	Valid blank	41	1.1 %

Mean: 1.11Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 2.00

· Standard Deviation: 0.31

Based upon 3735 valid cases out of 3777 total cases.

MF31D MF6 Walls Clean?

Location: 255-256(width: 2; decimal: 0)

Variable Type: numeric (ISO) Range of Missing Values (M): -6, -2, -1

Question: Are the walls clean?

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	Clean	3261	86.3 %
2	Dirty	473	12.5 %
-6	Out of range	0	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	42	1.1 %

Mean: 1.13Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.33

Based upon 3735 valid cases out of 3777 total cases.

MF31E MF6 Wash Basin?

Location: 257-258(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -2 , -1

Question: Is there a wash basin?

Value	Label	Unweighted Frequency	%
0	No basin	1652	43.7 %
1	Basin-no piped water	915	24.2 %
2	Basin-piped water	1169	31.0 %
-6	Out of range	0	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	41	1.1 %

Mean: 0.87Median: 1.00Mode: 0.00Minimum: 0.00Maximum: 2.00

• Standard Deviation: 0.86

Based upon 3736 valid cases out of 3777 total cases.

MF31F MF6 Examination table?

Location: 259-260(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -2 , -1

Question: Is there an examination table?

Value	Label	Unweighted Frequency	%
0	No exam table	633	16.8 %
1	Yes-Exam table	3102	82.1 %
-6	Out of range	0	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	42	1.1 %

Mean: 0.83Median: 1.00Mode: 1.00Minimum: 0.00Maximum: 1.00

• Standard Deviation: 0.38

Based upon 3735 valid cases out of 3777 total cases.

MF32 MF6 Immunization needle

Location: 261-262(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -2 , -1

Question:

Can I see what you use to give patients injections and immunizations?

Value	Label	Unweighted Frequency	%
1	Disposable needle	2364	62.6 %
2	Non-disposable needle	206	5.5 %
3	Both kinds of needles	1008	26.7 %
4	No needles	150	4.0 %
-6	Out of range	2	0.1 %
-2	Valid skip	0	0.0 %
-1	Valid blank	47	1.2 %

Mean: 1.72Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 4.00

• Standard Deviation: 0.99

Based upon 3728 valid cases out of 3777 total cases.

MF33A MF6 Sterilisation method 1

Location: 263-264(width: 2; decimal: 0)

Variable Type: numeric (ISO) Range of Missing Values (M): -6 , -2 , -1

Question: Can you show me how you sterilize your non-disposable needles?: Method 1

Value	Label	Unweighted Frequency	%
1	Sterilizer	855	22.6 %
2	Needle in boiling water	299	7.9 %
3	Rinse with alcohol	17	0.5 %
4	Needle in flame	5	0.1 %
5	Other	26	0.7 %

Value	Label	Unweighted Frequency	%
6	Not sterilized	14	0.4 %
9	Not applicable	0	0.0 %
-6	Out of range	7	0.2 %
-2	Valid skip	2406	63.7 %
-1	Valid blank	148	3.9 %

Mean: 1.43Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 6.00

• Standard Deviation: 0.89

Based upon 1216 valid cases out of 3777 total cases.

MF33B MF6 Sterilisation method 2

Location: 265-266(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -2 , -1

Question: Can you show me how you sterilize your non-disposable needles?: Method 2

Value	Label	Unweighted Frequency	%
1	Sterilizer	63	1.7 %
2	Needle in boiling water	410	10.9 %
3	Rinse with alcohol	145	3.8 %
4	Needle in flame	33	0.9 %
5	Other	23	0.6 %
6	Not sterilized	6	0.2 %
9	Not applicable	0	0.0 %
-6	Out of range	12	0.3 %
-2	Valid skip	241	6.4 %
-1	Valid blank	2844	75.3 %

Mean: 2.35Median: 2.00Mode: 2.00Minimum: 1.00Maximum: 6.00

Standard Deviation: 0.91

Based upon 680 valid cases out of 3777 total cases.

MF33C MF6 Sterilisation method 3

Location: 267-268(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -6 , -2 , -1

Question:

Can you show me how you sterilize your non-disposable needles?: Method 3

Value	Label	Unweighted Frequency	%
1	Sterilizer	20	0.5 %
2	Needle in boiling water	49	1.3 %
3	Rinse with alcohol	97	2.6 %
4	Needle in flame	51	1.4 %
5	Other	77	2.0 %
6	Not sterilized	19	0.5 %
9	Not applicable	0	0.0 %
-6	Out of range	14	0.4 %
-2	Valid skip	331	8.8 %
-1	Valid blank	3119	82.6 %

Mean: 3.55Median: 3.00Mode: 3.00Minimum: 1.00Maximum: 6.00

• Standard Deviation: 1.34

Based upon 313 valid cases out of 3777 total cases.

MF34 MF6 Vaccine Storage

Location: 269-270(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -6 , -3 , -2 , -1

Question: Can you please show me where the vaccines are stored?

Value	Label	Unweighted Frequency	%
1	Special Refrigerator	1699	45.0 %
2	Other Refrigerator	218	5.8 %
3	Cold chian box	153	4.1 %
4	Not refrigerated	98	2.6 %
5	No regular storage place	532	14.1 %
9	Not Applicable	0	0.0 %
-6	Out of range	25	0.7 %
-3	Don't know	4	0.1 %
-2	Valid skip	1003	26.6 %
-1	Valid blank	45	1.2 %

Mean: 2.09Median: 1.00Mode: 1.00Minimum: 1.00Maximum: 5.00

· Standard Deviation: 1.61

Based upon 2700 valid cases out of 3777 total cases.

MF35 MF6 Floor type

Location: 271-272(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Clinic's predominant floor type

Value	Label	Unweighted Frequency	%
1	Mud	150	4.0 %
2	Wood-bamboo	25	0.7 %
3	Brick	97	2.6 %
4	Stone	39	1.0 %
5	Cement	2506	66.3 %
6	Tiles-Mosaic	896	23.7 %
7	Other	21	0.6 %
-1	Valid blank	43	1.1 %

Mean: 5.01Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 7.00

• Standard Deviation: 1.04

Based upon 3734 valid cases out of 3777 total cases.

MF36 MF6 Wall type

Location: 273-274(width: 2; decimal: 0)

Variable Type: numeric (ISO)
Range of Missing Values (M): -3 , -2 , -1

Question: Clinic's predominant wall type

Value	Label	Unweighted Frequency	%
1	Grass-Thatch	9	0.2 %
2	Mud-Unburnt bricks	261	6.9 %
3	Plastic	7	0.2 %
4	Wood	25	0.7 %

Value	Label	Unweighted Frequency	%
5	Burnt bricks	938	24.8 %
6	GI sheets/metal	27	0.7 %
7	Stone	173	4.6 %
8	Cement-Concrete	0	0.0 %
9	Other	0	0.0 %
-3	Don't know	2270	60.1 %
-2	Valid skip	24	0.6 %
-1	Valid blank	43	1.1 %

Mean: 4.66Median: 5.00Mode: 5.00Minimum: 1.00Maximum: 7.00

• Standard Deviation: 1.47

Based upon 1440 valid cases out of 3777 total cases.

MF37 MF6 Roof type

Location: 275-276(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2, -1

Question:

Clinic's predominant roof type

Value	Label	Unweighted Frequency	%
1	Grass-Mud-Wood	137	3.6 %
2	Tiles	157	4.2 %
3	Slate	127	3.4 %
4	Plastic	6	0.2 %
5	GI sheets-Asbestos	206	5.5 %
6	Cement	1088	28.8 %
7	Brick	83	2.2 %
8	Stone	135	3.6 %
9	Concrete	1763	46.7 %
10	Other	33	0.9 %
-2	Valid skip	0	0.0 %
-1	Valid blank	42	1.1 %

Mean: 7.03Median: 8.00Mode: 9.00Minimum: 1.00

Maximum: 10.00

Standard Deviation: 2.33

Based upon 3735 valid cases out of 3777 total cases.

MF38 MF6 Type of approach road

Location: 277-278(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-2,-1

Question:

Type of approach road to the hospital

Value	Label	Unweighted Frequency	%
1	Footpath	225	6.0 %
2	Kutcha	724	19.2 %
3	Pukka	2789	73.8 %
-2	Valid skip	0	0.0 %
-1	Valid blank	39	1.0 %

Mean: 2.69 Median: 3.00 Mode: 3.00 Minimum: 1.00 Maximum: 3.00

Standard Deviation: 0.58

Based upon 3738 valid cases out of 3777 total cases.

MF39 MF6 Ad for Sex determination?

279-280(width: 2; decimal: 0) Location:

Variable Type: numeric (ISO)

-2,-1 Range of Missing Values (M):

Question:

Is there an advertisement on the building that this clinic does sonograms (or a practice that might determine the sex of a fetus)?

Unweighted Value Label % Frequency 0 No 68.0 % 2568 Yes 30.9 % 1 1167 -2 Valid skip 0 0.0 % -1 Valid blank 42 1.1 %

Mean: 0.31 Median: 0.00 Mode: 0.00 Minimum: 0.00 Maximum: 1.00

Standard Deviation: 0.46

Based upon 3735 valid cases out of 3777 total cases.

MFT2H MF6 Time finished - hour

Location: 281-284(width: 4; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

-2,-1

Question:

Time interview finished

Value	Label
-2	Valid skip
-1	Valid blank

^{*} Frequencies not displayed for this variable.

Mean: 723.32
Median: 720.00
Mode: 1100.00
Minimum: 100.00
Maximum: 1256.00

• Standard Deviation: 413.64

Based upon 3772 valid cases out of 3777 total cases.

MFT2A MF6 am/pm

Location: 285-286(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):

Question:

-2 , -1 AM/PM

ValueLabelUnweighted
Frequency1AM12052PM2567

 -2
 Valid skip
 0
 0.0 %

 -1
 Valid blank
 5
 0.1 %

%

31.9 %

68.0 %

Mean: 1.68Median: 2.00Mode: 2.00Minimum: 1.00Maximum: 2.00

• Standard Deviation: 0.47

Based upon 3772 valid cases out of 3777 total cases.