

How to treat cancer?

Evidence searched on 2026-10-09 (PubMed, ClinicalTrials.gov, FDA drug labels, web)

Clinical summary

Bottom line The retrieved evidence supports **multidisciplinary supportive care approaches** for cancer patients, including **psychosocial interventions** (e.g., cognitive therapies for neurocognitive outcomes), **symptom management tools** (e.g., mHealth apps for advanced cancer), **behavioral therapies** (e.g., speech therapy for postoperative pain and function), and **complementary therapies** (e.g., external applications like *Sizi Powder* for lymphedema). These strategies address **symptom relief, functional recovery, and quality-of-life outcomes**, but **no direct evidence on systemic cancer treatment (e.g., chemotherapy, immunotherapy, or targeted therapies) was retrieved**.

Most important recent finding

Immediate context The evidence **does not address core cancer treatments** (e.g., chemotherapy, radiation, or molecularly targeted therapies). Instead, it focuses on **supportive and symptomatic interventions** (e.g., pain management, lymphedema reduction, psychosocial support) during or after cancer care. No direct evidence on **curative or disease-modifying treatments** was found.

Top treatment drugs (established first, then the most notable latest drug)

Drug	Indication named in the FDA label	Source
Avobenzone, Homosalate, Octisalate, Octocrylene	"uses helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun"	DailyMed
Titanium Dioxide, Zinc Oxide	"Uses helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun"	DailyMed
Prednisone	"Endocrine Disorders Primary or secondary adrenocortical insufficiency (hydrocortisone or cortisone is the first choice; synthetic analogs may be used in conjunction with mineralocorticoids where applicable; in infancy ..."	DailyMed
Ondansetron	"Ondansetron is indicated for the prevention of nausea and vomiting associated with:. highly emetogenic cancer chemotherapy, including cisplatin greater than or equal to 50 mg/m 2. initial and repeat courses of ..."	DailyMed
PF-08634404 (latest, investigational)	Being tested in a registered Phase 3 trial, Not yet recruiting; not an approved treatment	NCT07578649

Latest findings

- **2026-10-01:** Retrospective cohort study, **Sizi Powder external application combined with TDP therapy** for upper limb lymphedema after breast cancer surgery showed a potential benefit in reducing swelling and improving functional outcomes [8].
- **2026-09-29:** Review article, **Graphene-based materials (GBMs)** were proposed as a multifunctional platform for perioperative cancer management, though no direct efficacy data were provided [9].
- **2026-09-29:** Meta-analysis, **Home-based exercise interventions incorporating cardiac rehabilitation principles** improved cardiorespiratory fitness (CRF) and health-related quality of life (HRQoL) in cancer patients [7].
- **2026-09-01:** Randomized controlled trial, **Behavioral speech therapy (BST)** reduced postoperative pain and improved physical function in lung cancer patients undergoing thoroscopic surgery [5].

Current evidence

Approach	Evidence level	What the evidence shows	Reference
Systemic therapy for HER2+ breast cancer	Evidence-supported but limited	Trastuzumab deruxtecan + pertuzumab extended median progression-free survival to 40.7 months vs. 26.9 months with trastuzumab + placebo (interim analysis, Phase III).	[1]
CDK4/6 inhibition in advanced breast cancer	Evidence-supported but limited	Not retrieved	[2]
Immunotherapy for gastric/gastroesophageal cancer	Emerging	Tislelizumab + chemotherapy improved overall survival vs. placebo + chemotherapy in first-line advanced gastric cancer (Phase III).	[3]
Psychosocial interventions for pediatric cancer	Evidence-supported but limited	Cognitive interventions showed a significant positive effect on neurocognitive outcomes (SMD 0.51) in children/adolescents with cancer (meta-analysis).	[4]
Supportive care for taxane-induced nail toxicity	Experimental	Multidisciplinary supportive care managed severe taxane-induced nail toxicity without interrupting systemic therapy (case report).	[5]
Behavioral speech therapy for lung cancer	Emerging	Behavioral speech therapy (BST) reduced postoperative pain and improved physical function at 1 and 3 months (RCT).	[6]
Home-based cardiac rehab for cancer patients	Emerging	Home-based exercise interventions improved cardiorespiratory fitness (SMD 0.42) and quality of life (SMD 0.63) in cancer patients (meta-analysis).	[7]
Lymphedema management after breast cancer	Experimental	Sizi Powder + TDP therapy reduced swelling and improved functional outcomes in upper limb lymphedema (retrospective cohort).	[8]

Treatment Drug Landscape

Drugs used for treatment of this condition

Approved: an FDA label names this condition. Guideline-recommended: a guideline organisation's page recommends the drug. Doses appear only where an FDA label or source gives them for the use shown; individual dosing is a prescriber's decision.

Drug	Indication	Dose / route (if sourced)	Approval status / date	Key evidence
Avobenzone, Homosalate, Octisalate, Octocrylene (sunscreen)	"uses helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun" [associated symptom or comorbidity, not the condition itself]	Route: Topical. No dosing section for this condition was found in the retrieved label text; see the linked label.	FDA-approved for the use shown; label effective 2026-03-02; original approval date not retrieved	FDA label. DailyMed label
Titanium Dioxide, Zinc Oxide (Neutrogena Mineral Invisible Daily Defense Face Sunscreen Broad Spectrum SPF 30)	"Uses helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun" [associated symptom or comorbidity, not the condition itself]	Route: Topical. No dosing section for this condition was found in the retrieved label text; see the linked label.	FDA-approved for the use shown; label effective 2025-07-28; original approval date not retrieved	FDA label. DailyMed label
Prednisone	"Endocrine Disorders Primary or secondary adrenocortical insufficiency (hydrocortisone or cortisone is the first choice; synthetic analogs may be used in conjunction with mineralocorticoids where applicable; in infancy mineralocorticoid supplementation is of particular importance) Congenital adrenal hyperplasia Hypercalcemia associated with cancer Nonsuppurative thyroiditis 2." [associated symptom or comorbidity, not the condition itself]	Route: Oral. No dosing section for this condition was found in the retrieved label text; see the linked label.	FDA-approved for the use shown; label effective 2023-08-31; original approval date not retrieved	FDA label. DailyMed label
Ondansetron	"Ondansetron is indicated for the prevention of nausea and vomiting associated with: • highly emetogenic cancer chemotherapy, including cisplatin greater than or equal to 50 mg/m ² • initial and repeat courses of moderately emetogenic cancer chemotherapy • radiotherapy in patients receiving either total body irradiation, single high-dose fraction to the abdomen, or daily fractions to the abdomen" [associated symptom or comorbidity, not the condition itself]	Route: Oral. No dosing section for this condition was found in the retrieved label text; see the linked label.	FDA-approved for the use shown; label effective 2026-07-29; original approval date not retrieved	FDA label. DailyMed label

Drug	Indication	Dose / route (if sourced)	Approval status / date	Key evidence
cyclophosphamide	childhood cancer medicines (population: children) [guideline-recommended]	Not stated in the retrieved source for this use	Guideline-recommended; no FDA-labelled indication for this condition in the retrieved labels	"Accelerating the development of priority formulations in childhood cancer: target product profiles for paediatric formulations of cyclophosphamide, etoposide, mercaptopurine, methotrexate, procarbazine, temozolomide." World Health Organization: The Global Initiative for Childhood Cancer
etoposide	childhood cancer medicines (population: children) [guideline-recommended]	Not stated in the retrieved source for this use	Guideline-recommended; no FDA-labelled indication for this condition in the retrieved labels	"Accelerating the development of priority formulations in childhood cancer: target product profiles for paediatric formulations of cyclophosphamide, etoposide, mercaptopurine, methotrexate, procarbazine, temozolomide." World Health Organization: The Global Initiative for Childhood Cancer
mercaptopurine	childhood cancer medicines (population: children) [guideline-recommended]	Not stated in the retrieved source for this use	Guideline-recommended; no FDA-labelled indication for this condition in the retrieved labels	"Accelerating the development of priority formulations in childhood cancer: target product profiles for paediatric formulations of cyclophosphamide, etoposide, mercaptopurine, methotrexate, procarbazine, temozolomide." World Health Organization: The Global Initiative for Childhood Cancer
methotrexate	childhood cancer medicines (population: children) [guideline-recommended]	Not stated in the retrieved source for this use	Guideline-recommended; no FDA-labelled indication for this condition in the retrieved labels	"Accelerating the development of priority formulations in childhood cancer: target product profiles for paediatric formulations of cyclophosphamide, etoposide, mercaptopurine, methotrexate, procarbazine, temozolomide." World Health Organization: The Global Initiative for Childhood Cancer

Drug	Indication	Dose / route (if sourced)	Approval status / date	Key evidence
procarbazine	childhood cancer medicines (population: children) [guideline-recommended]	Not stated in the retrieved source for this use	Guideline-recommended; no FDA-labelled indication for this condition in the retrieved labels	"Accelerating the development of priority formulations in childhood cancer: target product profiles for paediatric formulations of cyclophosphamide, etoposide, mercaptopurine, methotrexate, procarbazine, temozolomide." World Health Organization: The Global Initiative for Childhood Cancer
temozolomide	childhood cancer medicines (population: children) [guideline-recommended]	Not stated in the retrieved source for this use	Guideline-recommended; no FDA-labelled indication for this condition in the retrieved labels	"Accelerating the development of priority formulations in childhood cancer: target product profiles for paediatric formulations of cyclophosphamide, etoposide, mercaptopurine, methotrexate, procarbazine, temozolomide." World Health Organization: The Global Initiative for Childhood Cancer

Other drugs: used for symptoms (not established treatments of this condition)

Drugs that a retrieved review, guideline or web page describes as used for the condition, its symptoms or co-occurring conditions, for which no FDA label for this use was retrieved. Drugs still being tested in trials are listed in the Clinical trials section below.

Drug	Indication	Key evidence
Etcamah	advanced hormone receptor-positive breast cancer (population: patients with advanced hormone receptor-positive breast cancer)	"Company: AstraZeneca Date of Approval: September 4, 2026 Treatment for: Breast Cancer Etcamah (camizestrant) is an estrogen receptor antagonist for use in combination with a CDK4/6 inhibitor for the treatment of advanced hormone receptor-positive breast cancer.." New FDA Drug Approvals for 2026 - Drugs.com
Interferons	fight viruses and cancer	"Your Guide to Interferons Interferons alert your immune system to fight viruses and cancer." WebMD Drugs and Medications Reference Library

Recently approved or updated (FDA, EMA and CDSCO announcements)

Date	Type	Announcement	What the regulator's page says
September 04, 2026	Approval	FDA Grants Accelerated Approval to a New Breast Cancer Treatment / FDA	""Today's approval delivers a win to these patients by granting them a targeted therapy designed specifically to overcome resistance, giving them more time before their disease progresses.". "This marks the first FDA approval of a cancer therapy guided by the detection of a resistance mutation in circulating tumor DNA (ctDNA) before imaging tests show that the disease is progressing."
August 26, 2026	Approval	FDA Approves First in Class Targeted Therapy for Metastatic Pancreatic Cancer / FDA	"Food and Drug Administration today approved Rasonque (daraxonrasib), a RAS inhibitor for the most common form of pancreatic cancer-delivering a new treatment option to patients with advanced pancreatic cancer months ahead of schedule.. Rasonque, a tablet taken once daily, targets multiple forms of a protein called RAS, a key driver of tumor growth in most patients with pancreatic adenocarcinoma, which arises from cells lining the ducts of the pancreas.."
May 01, 2026	Other regulatory action	FDA Permits Expanded Access for Investigational Pancreatic Cancer Drug / FDA	"Food and Drug Administration is announcing that it issued a "safe to proceed" letter to Revolution Medicines, allowing the sponsor to initiate an expanded access treatment protocol (EAP) for its experimental pancreatic cancer drug, daraxonrasib.."
February 12, 2026	Other regulatory action	FDA Approves First-of-Its-Kind Device to Treat Pancreatic Cancer / FDA	""This approval provides a novel, non-invasive approach that can be integrated into patients' daily lives, expanding access to cancer care beyond traditional clinical settings.""

Page wording from the regulator's own site; read the page for the full announcement.

2 further regulator page(s) were read but are not listed: the page states no date, or a date more than 3 years old, so they cannot be shown as recent.

Safety warnings (FDA boxed warnings)

Drug(s) (FDA label)	Boxed warning, in the label's words
etoposide	"S Etoposide injection should be administered under the supervision of a qualified physician experienced in the use of cancer chemotherapeutic agents. Severe myelosuppression with resulting infection or bleeding may occur."
methotrexate	"EMBRYO-FETAL TOXICITY, HYPERSENSITIVITY REACTIONS, SEVERE ADVERSE REACTIONS, and RISK OF MEDICATION ERRORS • Methotrexate tablets can cause embryo-fetal toxicity, including fetal death. For non-neoplastic diseases, methotrexate tablets are contraindicated in pregnancy."
procarbazine	"It is recommended that MATULANE be given only by or under the supervision of a physician experienced in the use of potent antineoplastic drugs. Adequate clinical and laboratory facilities should be available to patients for proper monitoring of treatment."

These are the labels' own boxed warnings, not a complete safety review: read the full label.

Clinical trials

Trial	Intervention	Phase	Status (last update)	What the record shows
NCT06694454	azacytidine; carboplatin	Phase 1/2	Suspended (2026-10-08)	Registry status SUSPENDED; no effectiveness conclusion.
NCT06038578	TRK-950; Ramucirumab	Phase 2	Recruiting (2026-10-08)	Under investigation; results not yet available; effectiveness cannot be inferred.
NCT07578649	PF-08634404; Pembrolizumab	Phase 3	Not yet recruiting (2026-10-08)	Under investigation; results not yet available; effectiveness cannot be inferred.
NCT04968106	Doxorubicin; Ifosfamide	Phase 2	Active not recruiting (2026-10-08)	Under investigation; results not yet available; effectiveness cannot be inferred.
NCT05477615	Lazertinib; Pemetrexed	Phase 2	Terminated (2026-10-08)	Terminated early (Slow accrual; enrollment was closed after 14 of 28 planned participants.); no results retrieved.
NCT06991738	68Ga-DOTA-TATE PET Scan; Amino acid infusions	Phase 1/2	Not yet recruiting (2026-10-08)	Under investigation; results not yet available; effectiveness cannot be inferred.
NCT07227012	PF-08634404; Ipilimumab	Phase 1/2	Recruiting (2026-10-08)	Under investigation; results not yet available; effectiveness cannot be inferred.
NCT07023289	Telisotuzumab Adizutecan; Standard of Care	Phase 2	Recruiting (2026-10-08)	Under investigation; results not yet available; effectiveness cannot be inferred.
NCT01905046	metformin hydrochloride; placebo	Phase 3	Active not recruiting (2026-10-08)	Under investigation; results not yet available; effectiveness cannot be inferred.

3 further registry record(s) were retrieved and are not shown (judged not to be treatment trials for this question).

Registry status shows that research is being conducted, not that a treatment works. Registry status is separate from published results.

Key studies

1. **Kalinsky et al. (2025)**, Phase III randomized controlled trial: Abemaciclib + fulvestrant extended progression-free survival (HR 0.73) vs. placebo + fulvestrant in advanced breast cancer [2].
2. **Qiu et al. (2024)**, Phase III randomized controlled trial: Tislelizumab + chemotherapy improved overall survival vs. placebo + chemotherapy in advanced gastric cancer [3].
3. **Zhang et al. (2026)**, Randomized controlled trial: Behavioral speech therapy (BST) reduced postoperative pain and improved physical function in lung cancer patients [5].
4. **Paterson et al. (2026)**, Systematic review/meta-analysis: Cognitive interventions improved neurocognitive outcomes (SMD 0.51) in pediatric/adolescent cancer patients [4].

Conflicting evidence

None was retrieved.

What remains under investigation

- **Efficacy:** Neoadjuvant inhaled azacytidine + platinum-based chemotherapy + durvalumab for early-stage NSCLC (Phase 1/2 suspended pending modifications; NCT06694454).
- **Effectiveness:** Long-term outcomes of home-based cardiac rehab interventions in diverse cancer populations (adherence and safety data remain inconsistent).
- **Feasibility:** Multidisciplinary supportive care protocols for rare, severe toxicities (e.g., taxane-induced nail toxicity) in real-world settings.
- **Association:** Exploratory analyses of graphene-based materials for perioperative cancer management (no direct efficacy data yet; [9]).
- **Effectiveness:** Comparative effectiveness of Sizi Powder + TDP therapy vs. standard lymphedema management (requires prospective validation).

Evidence limitations

- Findings are drawn from abstracts, registry records and web pages, not full texts; study quality was not appraised from the full papers.
- Doses appear only where an FDA label gives them for this condition (section 2.1); for any other use, see a prescribing source. Approval dates appear only where a retrieved source states them.
- [10] carries a journal issue date of 2027 (later than today); treat its date as an advance-publication date. (*indirect evidence: different or related population*)
- [11] carries a journal issue date of 2027 (later than today); treat its date as an advance-publication date. (*indirect evidence: different or related population*)
- [12] carries a journal issue date of 2027 (later than today); treat its date as an advance-publication date. (*indirect evidence: different or related population*)
- [13] carries a journal issue date of 2027 (later than today); treat its date as an advance-publication date. (*indirect evidence: different or related population*)
- [14] carries a journal issue date of 2027 (later than today); treat its date as an advance-publication date. (*indirect evidence: different or related population*)
- [15] carries a journal issue date of 2027 (later than today); treat its date as an advance-publication date. (*indirect evidence: different or related population*)
- [16] carries a journal issue date of 2027 (later than today); treat its date as an advance-publication date. (*indirect evidence: different or related population*)
- [17] carries a journal issue date of 2027 (later than today); treat its date as an advance-publication date. (*indirect evidence: different or related population*)
- 2 retrieved record(s) were excluded because the relevance reading judged them not to answer the question.
- The PubMed / Europe PMC search timed out, so it may be incomplete; the absence of evidence cannot be concluded from it.

Sources

1. Tolaney SM, Jiang Z, Zhang Q, et al. Trastuzumab Deruxtecan plus Pertuzumab for HER2-Positive Metastatic Breast Cancer. *The New England journal of medicine*. 2026 Feb 5. [PMID 41160818](#). DOI 10.1056/NEJMoa2508668.
2. Kalinsky K, Bianchini G, Hamilton E, et al. Abemaciclib Plus Fulvestrant in Advanced Breast Cancer After Progression on CDK4/6 Inhibition: Results From the Phase III postMONARCH Trial. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology*. 2025 Mar 20. [PMID 39693591](#). DOI 10.1200/JCO-24-02086.
3. Qiu MZ, Oh DY, Kato K, et al. Tislelizumab plus chemotherapy versus placebo plus chemotherapy as first line treatment for advanced gastric or gastro-oesophageal junction adenocarcinoma: RATIONALE-305 randomised, double blind, phase 3 trial. *BMJ (Clinical research ed.)*. 2024 May 28. [PMID 38806195](#). DOI 10.1136/bmj-2023-078876.
4. Paterson C, McCarthy MC, Sansom-Daly UM, et al. Psychosocial interventions for children and adolescents across the cancer care continuum: A systematic review and meta-analysis. *Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer*. 2026-09-21. [PMID 42766188](#). DOI 10.1007/s00520-026-11176-x.
5. Sauer N, Kowalczyk M, Arkada A, et al. Multidisciplinary Management of Severe Taxane-Induced Nail Toxicity in a Breast Cancer Patient. *Cancer management and research*. 2026-09-01. [PMID 42701672](#). DOI 10.2147/cmar.s606559.
6. Zhang H, Jin Y, Song X, et al. Behavioral speech therapy intervention can improve the postoperative pain and performance status of lung cancer patients undergoing thoracoscopic surgery. *Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer*. 2026-08-18. [PMID 42611082](#). DOI 10.1007/s00520-026-11111-0.
7. Winnige P, Dosbaba F, Hartman M, et al. Home-based exercise interventions incorporating cardiac rehabilitation principles for people with cancer: a systematic review and meta-analysis. *Annals of medicine*. 2026-09-29. [PMID 42811812](#). DOI 10.1080/07853890.2026.2726615.
8. Zeng J, Xu L, Zhang Y, et al. Clinical effects of Sizi Powder external application combined with TDP therapy for upper limb lymphedema after breast cancer surgery: A retrospective cohort study. *Medicine*. 2026-10-01. [PMID 42826302](#). DOI 10.1097/md.00000000000050648.
9. Bai X, Deng R, Yang J, et al. Graphene-Based Materials: A Multifunctional Platform for Comprehensive Perioperative Management of Cancer. *International journal of nanomedicine*. 2026-09-29. [PMID 42829697](#). DOI 10.2147/ijn.s622401.
10. Matthews T, Landy J, Ban H, et al. Flushing-Assisted Saline Immersion Endoscopic Submucosal Dissection in the Rectum: A Video-Based Feasibility Series. *DEN open*. 2027 Apr. [PMID 42824459](#). DOI 10.1002/deo2.70447.
11. Yoshio T, Fukunaga S, Nakane T, et al. Synchronous and Metachronous Multiple Gastric Epithelial Neoplasms Detected During Index Evaluation and Post-Endoscopic Submucosal Dissection Surveillance: A Descriptive Comparison. *DEN open*. 2027 Apr. [PMID 42781370](#). DOI 10.1002/deo2.70437.
12. Uyama K, Iwagami H, Akamatsu T, et al. Clinical Outcomes of Rubber-clip-assisted Versus Conventional Colorectal Endoscopic Submucosal Dissection: A Retrospective Study. *DEN open*. 2027 Apr. [PMID 42781356](#). DOI 10.1002/deo2.70415.
13. Miyashiro K, Sawada Y, Kikuchi H, et al. Submucosal Invasion and Ulceration in Early Gastric Cancer Affect Mucosal Impedance. *DEN open*. 2027 Apr. [PMID 42781318](#). DOI 10.1002/deo2.70434.
14. Kishi Y, Tanabe M, Uragami N, et al. Feasibility and Safety Profile of Non-anesthesiologist-administered Propofol During Colorectal Endoscopic Submucosal Dissection: A Single-center Study of 454 Procedures. *DEN open*. 2027 Apr. [PMID 42756095](#). DOI 10.1002/deo2.70435.

15. Sakamoto T, Takamaru H, Hirata D, et al. Feature-Based Patterns Associated With Japan NBI Expert Team Type 1 Classification of Serrated Colorectal Lesions: A Post Hoc Decision Tree Analysis. *DEN open*. 2027 Apr. [PMID 42732378](#). DOI 10.1002/deo2.70428.
16. Kawamura R, Yamada M, Takamaru H, et al. Intensive Endoscopic Resection for Downstaging of Superficial Non-ampullary Duodenal Epithelial Tumor Burden in Familial Adenomatous Polyposis: A Single-center Retrospective Study on Long-term Clinical Outcome. *DEN open*. 2027 Apr. [PMID 42732135](#). DOI 10.1002/deo2.70419.
17. Hijioka S, Yasuda I, Irisawa A, et al. Current Status and Unmet Needs of EUS Education in Japan: A Nationwide Survey Focusing on Screening EUS, EUS-Guided Sampling, and Interventional EUS. *DEN open*. 2027 Apr. [PMID 42729693](#). DOI 10.1002/deo2.70430.

Other sources (regulators, guideline organisations, web pages, FDA labels)

- [New FDA Drug Approvals for 2026 - Drugs.com](#)
- [WebMD Drugs and Medications Reference Library](#)
- [FDA Grants Accelerated Approval to a New Breast Cancer Treatment | FDA](#)
- [FDA Permits Expanded Access for Investigational Pancreatic Cancer Drug | FDA](#)
- [FDA Approves First in Class Targeted Therapy for Metastatic Pancreatic Cancer | FDA](#)
- [FDA Approves First-of-Its-Kind Device to Treat Pancreatic Cancer | FDA](#)
- [FDA drug label: Avobenzone, Homosalate, Octisalate, Octocrylene \(label effective 2026-03-02\)](#)
- [FDA drug label: Titanium Dioxide, Zinc Oxide \(label effective 2025-07-28\)](#)
- [FDA drug label: Prednisone \(label effective 2023-08-31\)](#)
- [FDA drug label: Ondansetron \(label effective 2026-07-29\)](#)
- [World Health Organization: The Global Initiative for Childhood Cancer](#)

Research support, not a substitute for clinical judgement. Some items could not be fully verified; the detail is in the saved verification record.