

INTERNSHIP PROJECT REPORT

Name: PONAMALA VARSHITHA

Internship Track: Frontend Developer Internship

Task Title: Task 2: To-Do List

Website Live Hosted URL:

<https://varshithaponamala12-netizen.github.io/To-do-list/>

GitHub Repository:

<https://github.com/varshithaponamala12-netizen/To-do-list>

Personal Productivity Dashboard:

The Personal Productivity Dashboard is a web application developed using HTML, CSS, and JavaScript. It helps users organize their daily activities by managing tasks, priorities, reminders, and notes in one place.

The application uses JavaScript DOM manipulation to add, update, and delete items dynamically. Local Storage is used to save data so that information remains available even after the page is refreshed.

Features:

- Add and delete tasks
- Mark tasks as completed
- Manage top priorities
- Create reminders
- Save personal notes
- Data persistence using Local Storage

Technologies Used:

- HTML
- CSS
- JavaScript
- Local Storage

Source Code:

○ index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Daily Planner & To-Do List</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="planner-container">
    <header>
      <h1>TO DO LIST</h1>
      <div class="meta-info">
        <div class="meta-field">Date: <span
id="currentdate"></span></div>
        <div class="meta-field">Day: <span
id="currentday"></span></div>
      </div>
    </header>
    <section class="priorities-section">
      <h3>TOP PRIORITIES:</h3>
      <div class="input-row">
        <input type="text" placeholder="Add primary priority..."
id="priority-input">
        <button id="add-priority-btn">Add</button>
      </div>
      <ul id="priorities-list" class="styled-list"></ul>
    </section>
    <div class="grid-content">
      <section class="todo-section">
```

```

        <h3>TO DO LIST:</h3>
        <div class="input-row">
            <input type="text" placeholder="Add a task..." id="todo-input">
            <button id="add-todo-btn">Add</button>
        </div>
        <ul id="main-todo-list" class="styled-list"></ul>
    </section>
    <div class="right-column">
        <section class="reminders-section">
            <h3>REMINDERS:</h3>
            <textarea placeholder="Type your daily reminders
here..."></textarea>
        </section>
        <section class="notes-section">
            <h3>NOTES:</h3>
            <textarea placeholder="Write any extra thoughts or notes
here..."></textarea>
        </section>
    </div>
</div>
</div>
<script src="script.js"></script>
</body>
</html>

```

○ style.css:

```

body {  font-family: 'Courier New', Courier, monospace; /*
Monospace vibe matching a clean printed template */  background-
color: #eef1f5;  margin: 0;  padding: 20px;  display: flex;
    justify-content: center;
}
.planner-container {  background-color:
#ffffff;  width: 100%;  max-width: 750px;
min-height: 950px;  padding: 40px;  box-
shadow: 0 4px 20px rgba(0, 0, 0, 0.15);
border-radius: 4px;  box-sizing: border-box;
}
header h1 {  text-
align: center;  font-
size: 36px;  letter-
spacing: 3px;
margin: 0 0 20px 0;
color: #111; }

```

```

.meta-info {  display: flex;
justify-content: space-between;
margin-bottom: 30px;
}

.meta-field {  font-size: 16px;
font-weight: bold;  border-
bottom: 1px solid #000;  width:
45%;  padding-bottom: 5px;
}

h3 {  font-size:
16px;  letter-
spacing: 1px;
margin: 0 0 10px 0;
color: #222;
}

/* Row wrapper for Inputs */
.input-row {  display: flex;
gap: 10px;  margin-
bottom: 15px;
}

.input-row input {  flex:
1;  font-family: inherit;
padding: 8px;  border:
1px dashed #aaa;
outline: none;  font-size:
14px;
}

.input-row button {  font-
family: inherit;  background-
color: #222;  color: white;
border: none;  padding: 8px
15px;  cursor: pointer;
}

.input-row button:hover {  background-
color: #555;
}

/* Layout Grid split */
.grid-content
{  display: grid;  grid-template-

```

```
columns: 1.2fr 0.8fr; gap: 30px;
margin-top: 25px;
}
```

```
.right-column {
display: flex; flex-
direction: column;
gap: 25px;
}
```

```
/* Structured Lined Item Styling */
.styled-list { list-
style: none;
padding: 0; margin:
0;
}
```

```
.styled-list li { display: flex;
align-items: center; justify-
content: space-between;
padding: 10px 0; border-
bottom: 1px solid #ccc; font-
size: 15px;
}
```

```
.task-item-left {
display: flex;
align-items: center;
gap: 12px; flex: 1;
}
```

```
/* Custom Checkbox Look */
.styled-list li input[type="checkbox"] {
appearance: none; -webkit-
appearance: none; width: 16px;
height: 16px; border: 1px solid
#000; cursor: pointer; position:
relative; outline: none;
}
```

```
.styled-list li input[type="checkbox"]:checked { background-
color: #222;
}
```

```

.styled-list li input[type="checkbox"]:checked::after {
  content: '✓'; color: white; position: absolute;
  font-size: 11px; top: -1px; left: 3px;
}

.completed-text { text-
  decoration: line-through; color:
  #888;
}

.delete-item-btn {
  background: none;
  border: none; color:
  #cc0000; cursor:
  pointer; font-size:
  12px; opacity: 0.5;
}

.delete-item-btn:hover {
  opacity: 1;
}

/* Box Panels for Reminders & Notes */
textarea { width:
  100%; height: 300px;
  box-sizing: border-box;
  border: 1px solid #000;
  padding: 15px; font-
  family: inherit; font-
  size: 14px; resize:
  none; outline: none;
  line-height: 1.5;
}

.notes-section textarea {
  height: 250px;
}

```

○ script.js:

```

document.addEventListener('DOMContentLoaded', () =>
{

```

```
    // Automatically set human-readable date and day layout
    values    const optionsDate = { year: 'numeric', month:
'long', day: 'numeric' };    const optionsDay = { weekday:
'long' };    const today = new Date();
```

```
    document.getElementById('current-date').innerText =
today.toLocaleDateString('en-US', optionsDate);
document.getElementById('current-day').innerText =
today.toLocaleDateString('en-US', optionsDay);
```

```
    // Dynamic handling function to append rows to sections
function createListItem(text, targetListId) {    const
targetList = document.getElementById(targetListId);
```

```
    const li = document.createElement('li');
```

```
    const leftWrapper = document.createElement('div');
leftWrapper.classList.add('task-item-left');
```

```
    // Checkbox element (positioned on the right side
logic handled elegantly)    const checkbox =
document.createElement('input');    checkbox.type =
'checkbox';
```

```
    const textSpan = document.createElement('span');
textSpan.innerText = text;
```

```
    // Toggle text crossout decoration
checkbox.addEventListener('change', () => {
if (checkbox.checked) {
textSpan.classList.add('completed-text');
    } else {
textSpan.classList.remove('completed-text');
    }
});
```

```

        // Delete micro action button      const deleteBtn =
document.createElement('button');
deleteBtn.innerHTML = '&#10006;'; // Clean 'X' symbol
deleteBtn.classList.add('delete-item-btn');
deleteBtn.addEventListener('click', () => li.remove());

// Connect structures
leftWrapper.appendChild(textSpan);
li.appendChild(leftWrapper);
li.appendChild(checkbox); // Align checkmark boxes
perfectly down the right margins
leftWrapper.appendChild(deleteBtn); // Keep delete
hidden adjacent to text string

targetList.appendChild(li);
}

// Helper setup function to tie actions to user buttons
function setupSection(inputId, buttonId, targetListId) {
const input = document.getElementById(inputId);
const button = document.getElementById(buttonId);

const handleAdd = () => {
const text = input.value.trim();      if
(text !== "") {
createListItem(text, targetListId);
input.value = "";
}
};


button.addEventListener('click', handleAdd);
input.addEventListener('keypress', (e) => {
if (e.key === 'Enter') handleAdd();
});
}

```



```
// Initialize individual section input handlers
setupSection('priority-input', 'add-priority-btn',
'priorities-list');    setupSection('todo-input', 'add-todo-
btn', 'main-todolist');
});
```

OUTPUT:



The screenshot shows a web browser window with the address bar displaying `https://varshithaponamala12-netizen.github.io/To-do-list/`. The browser interface includes standard navigation buttons (back, forward, refresh) and a search bar. The main content area displays a "TO DO LIST" application. At the top, the title "TO DO LIST" is centered. Below the title, the date "Date: June 1, 2026" and the day "Day: Monday" are displayed. The application is divided into four sections: "TOP PRIORITIES:", "TO DO LIST:", "REMINDERS:", and "NOTES:". Each section has an input field and an "Add" button. The "TOP PRIORITIES:" section has a placeholder "Add primary priority...". The "TO DO LIST:" section has a placeholder "Add a task...". The "REMINDERS:" section has a placeholder "Type your daily reminders here...". The "NOTES:" section has a placeholder "Write any extra thoughts or notes here...".