

# TABLES

```
<body>
  <table class="table">
    <thead>
      <tr>
        <th>#</th>
        <th>First</th>
        <th>Last</th>
        <th>Handle</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <th>1</th>
        <td>Mark</td>
        <td>Otto</td>
        <td>@mdo</td>
      </tr>
      <tr>
        <th>2</th>
        <td>Jacob</td>
        <td>Thornton</td>
        <td>@fat</td>
      </tr>
    </tbody>
  </table>
</body>
```

| # | First | Last     | Handle |
|---|-------|----------|--------|
| 1 | Mark  | Otto     | @mdo   |
| 2 | Jacob | Thornton | @fat   |

## TO GET FULL TABLE COLOR

```
<body>
  <table class="table table-dark">
    <thead>
      <tr>
        <th>#</th>
        <th>First</th>
        <th>Last</th>
        <th>Handle</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <th>1</th>
        <td>Mark</td>
        <td>Otto</td>
        <td>@mdo</td>
      </tr>
      <tr>
        <th>2</th>
        <td>Jacob</td>
        <td>Thornton</td>
        <td>@fat</td>
      </tr>
    </tbody>
  </table>
```

| # | First | Last     | Handle |
|---|-------|----------|--------|
| 1 | Mark  | Otto     | @mdo   |
| 2 | Jacob | Thornton | @fat   |

## GET thead and tbody color

```
<body>
  <table class="table">
    <thead class="table-dark">
      <tr>
        <th>#</th>
        <th>First</th>
        <th>Last</th>
        <th>Handle</th>
      </tr>
    </thead>
    <tbody class="table-info">
      <tr>
        <th>1</th>
        <td>Mark</td>
        <td>Otto</td>
        <td>@mdo</td>
      </tr>
      <tr>
        <th>2</th>
        <td>Jacob</td>
        <td>Thornton</td>
        <td>@fat</td>
      </tr>
    </tbody>
  </table>
</body>
```

| # | First | Last     | Handle |
|---|-------|----------|--------|
| 1 | Mark  | Otto     | @mdo   |
| 2 | Jacob | Thornton | @fat   |

TO GET ALTERNATIVE ROWS COLOR →

```
<body>
  <table class="table table-striped">
    <thead>
      <tr>
        <th>#</th>
        <th>First</th>
        <th>Last</th>
        <th>Handle</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <th>1</th>
        <td>Mark</td>
        <td>Otto</td>
        <td>@mdo</td>
      </tr>
      <tr>
        <th>2</th>
        <td>Jacob</td>
        <td>Thornton</td>
        <td>@fat</td>
      </tr>
    </tbody>
  </table>
</body>
```

| #   | First | Last     | Handle |
|-----|-------|----------|--------|
| ➔ 1 | Mark  | Otto     | @mdo   |
| 2   | Jacob | Thornton | @fat   |

To do any particular row or cell

```
<table class="table table-striped">
  <thead>
    <tr>
      <th>#</th>
      <th>First</th>
      <th>Last</th>
      <th>Handle</th>
    </tr>
  </thead>
  <tbody>
    <tr class="table-info">
      <th>1</th>
      <td>Mark</td>
      <td class="table-danger">Otto</td>
      <td>@mdo</td>
    </tr>
    <tr>
      <th>2</th>
      <td>Jacob</td>
      <td>Thornton</td>
      <td>@fat</td>
    </tr>
  </tbody>
</table>
```

| # | First | Last     | Handle |
|---|-------|----------|--------|
| 1 | Mark  | Otto     | @mdo   |
| 2 | Jacob | Thornton | @fat   |

To get border for table →

```
<body>
  <table class="table table-bordered">
    <thead>
      <tr>
        <th>#</th>
        <th>First</th>
        <th>Last</th>
        <th>Handle</th>
      </tr>
    </thead>
    <tbody>
      <tr class="table-info">
        <th>1</th>
        <td>Mark</td>
        <td class="table-danger">Otto</td>
        <td>@mdo</td>
      </tr>
      <tr>
        <th>2</th>
        <td>Jacob</td>
        <td>Thornton</td>
        <td>@fat</td>
      </tr>
    </tbody>
  </table>
```

| # | First | Last     | Handle |
|---|-------|----------|--------|
| 1 | Mark  | Otto     | @mdo   |
| 2 | Jacob | Thornton | @fat   |

Hover effect to row -> while touching row

```
<table class="table table-bordered table-hover">
  <thead>
    <tr>
      <th>#</th>
      <th>First</th>
      <th>Last</th>
      <th>Handle</th>
    </tr>
  </thead>
  <tbody>
    <tr class="table-info">
      <th>1</th>
      <td>Mark</td>
      <td class="table-danger">Otto</td>
      <td>@mdo</td>
    </tr>
    <tr>
      <th>2</th>
      <td>Jacob</td>
      <td>Thornton</td>
      <td>@fat</td>
    </tr>
  </tbody>
</table>
```

| # | First | Last     | Handle |
|---|-------|----------|--------|
| 1 | Mark  | Otto     | @mdo   |
| 2 | Jacob | Thornton | @fat   |