1. Border Width

The CSS border-width property specifies the width of the border for all four sides of an HTML element.

```
1. .button {
2. border-width: 2px;
3. }
```

The CSS Property and value pair border-width: Opx; removes the border of an HTML element.

A Warning

Specifying the CSS border-style property for an HTML element is mandatory. Otherwise, the CSS properties like border-color , border-width will not appear in the browser. The HTML button element is an exception as it appears with a border in the browser by default.

2. Border Radius

The CSS border-radius property specifies the roundness of the corners of an HTML element.

```
1 · .button {
2    border-radius: 20px;
3 }
```

You can use the below CSS properties to round a specific corner of an HTML element.

Property
border-top-left-radius
border-top-right-radius
border-bottom-left-radius
border-bottom-right-radius



Specifying the background color for an HTML element makes the border radius more visible.

3. Border Color

The CSS border-color property specifies the color of the border for all four sides of an HTML element.

```
1 · .button {
2 border-color: orange;
3 }
```

▲ Warning


Specifying the CSS border-style property for an HTML element is mandatory. Otherwise, the CSS properties like border-color , border-width will not appear in the browser. The HTML button element is an exception as it appears with a border in the browser by default.

4. Border Style

The CSS border-style property specifies the style of the border for all four sides of an HTML element.

```
1 · .button {
2   border-style: dashed;
3 }
```

You can use one of the below values of the CSS border-style property.



5. Padding

The CSS padding property specifies the space around the content of an HTML element.

```
1 · .card {
2    padding: 10px;
3  }
```

CSS has properties for specifying the padding for each side of an element:

- padding-top
- padding-right
- padding-bottom
- padding-left

```
🗘 6.1.CssBoxModel2.html > 🛠 html > 🛠 head > 🛠 style > 😘 .div1
      <!DOCTYPE html>
      <html>
          <style>
            .button1 {
              border-width: 3px;
              border-radius: 15px;
              border-color: ■red;
              background-color: ■aqua;
            .div1 {
              padding-top: 15px;
12
              padding-left: 25px;
13
          </style>
        </head>
        <body>
          <div class="div1">
            <h1>Tourism</h1>
            Where do you wanted to go for vaction
            <button class="button1">Get Started
21
          </div>
        </body>
      </html>
24
```

← → **C (i)** File file:///G:/WEB/6.1.CssBoxModel2.html

Tourism

Where do you wanted to go for vaction



```
6.2.CssBoxModel2.html > ♦ html > ♦ head > ♦ style > ♦ .bg1
    <!DOCTYPE html>
    <html>
         <style>
           .bg1 {
             padding-top: 25px;
            padding-left: 25px;
            background-image: url("ocean.jpg");
            height: 75vh;
            width: 75vw;
            background-size: cover;
            border-style: dotted;
            border-width: 4px;
L3
            border-radius: 15px;
            border-color: ■ red;
        <h1 class="bg1">Tourism</h1>
      </body>
```

 \leftarrow \rightarrow \mathbf{C} \bigcirc File file:///G:/WEB/6.2.CssBoxModel2.html

