WICKSTREET · CHARTING-PARITY MILESTONES · 2026-10-20

Phase B sign-off

B1–B4 are built, tested and committed locally. B5 (Volume Profile) is deferred, as you decided. Phase C has not started. Every screen below was captured from the running app against the synthetic `*_e2e` database, so the numbers in the screenshots are fixture data, not market data.

B1 screener filters + saved screens | B2 EOD bar replay | B3 nine drawing tools | B4 line alerts | B5 Volume Profile · deferred

Phase C · not started

REGRESSION AND PERFORMANCE

Results

SUITE	RESULT
Full serial E2E, Playwright (on `0d9ceb1`)	**208 passed** · 0 failed · 6 skipped
Backend, full pytest (`*_test` DB)	**920 passed**
Web unit tests (vitest)	**141 passed**
Lint, types, build; mypy strict, Ruff, import contracts	**clean**
Alert specs after the last UI fix (`c22be94`)	**6 passed**

NFR-11 CHART OPEN	P50	P95	TARGET
Warm, 30 runs	148 ms	**165 ms**	≤ 1,000 ms
Cold, API restarted each run	469 ms	**479 ms**	≤ 3,000 ms

MULTI-CHART LAYOUT, MAX RANGE, 2,610 BARS EACH	WARM OPEN P95	COLD OPEN P95	PAN P5	JS HEAP	PHASE A WARM P95
1 chart	151 ms	205 ms	62 fps	13 MB	—
4 charts (2×2)	412 ms	436 ms	61 fps	27 MB	—
16 charts (4×4)	1,351 ms	1,380 ms	61 fps	85 MB	1,288 ms

The 6 skips are the opt-in layout benchmark, which I ran separately on the same commit (table above). The 16-chart warm open is 63 ms (4.9%) slower than at Phase A. It has no hard target; pan stays at 61 fps. Hardware: Apple M4 Pro, 48 GB, headless Chromium 153, 1280 × 720.


B1

Richer screener filters and saved screens


Workflow

1. Open a range pill (Momentum, Buy setup, RS, Rank, Δ Rank) and set inclusive bounds; pick a sector; combine with the existing pills.
2. "Matches: N of M" counts the whole run. Both screeners now read every row, 200 at a time, not the first 100.
3. Save the screen. It is a `saved_screens` document with ETag/412, reopens after a reload, and the chart's bottom panel opens the same screen.


```
b1-screener: reference filter over the whole run (paged 50 at a
time) equals the screen · saved-screen round trip · duplicate name
refused · test_user_documents_api: 412, validation, cap · rankings
tie-break regression test
```




Range popover. RS ≥ 60 narrows the run to 9 of 22.



Saved screen menu. "Qualified leaders": Qualified + RS ≥ 60 + Scores columns.



After a reload, dark theme. The screen reopens with its filters and columns.



390 px. Pills wrap; no sideways scroll.


B2

EOD bar replay with no look-ahead


Workflow

1. Replay in the chart toolbar (⋯ menu on phones) opens the replay row: date, Play/Pause, Step forward (Shift+→), 1×/3×/10×, Exit.
2. The server serves bars and RSI/MACD/ADX/ATR panes `as_of` the date. Later bars are dropped, and corporate actions after the date are not applied. A weekly bar holds only its sessions to the date. Compare lines, benchmark and browser studies read the cut series.
3. Momentum25 context uses the newest live or historical run dated on or before the date, otherwise "Not available in replay". The watchlist hides prices and ranks; alerts are paused.
4. Drawings anchored after the date hide; ones drawn in replay save normally. Exit restores the viewport.


```
b2-replay: bar count and last date at each step · as_of on every
series request · weekly bar · exit restores the visible range ·
hidden drawings preserved · run-dated Assessment, chip, bottom
screener · test_period_bars: as-of factors and a no-look-ahead
property for 1D/1W/1M
```



Replay to 2026-05-18. 2,551 bars, RSI pane and INFY compare cut at the date. No run exists that early, so the Assessment says "Not available in replay".




Replay to the run's date. The Assessment shows run #1 with its provenance, labelled "Replay — newest run on or before 2026-08-07".



Bottom screener in replay. It screens the same run-on-or-before, never the latest.



Dark theme. The replay row keeps the sea-green accent.



390 px. The row wraps, so Exit stays in reach.


B3

Nine drawing tools in the grouped rail


Workflow

1. Each tool sits in its TradingView group's flyout. Lines: Pitchfork. Fibonacci: Trend-based extension. Shapes: Ellipse, Triangle. Annotation: Callout, Price label, Arrow. Measure: Date range, Date and price range.
2. Every tool passes the same checklist: create, round trip, drag, resize by an anchor, colour, undo and redo, lock and hide, and the last-used group button.
3. Anchors save at traded prices, so each tool stays on its bars across the GOLDIAM 1:5 split.


```
b3-drawing-tools: 9 per-tool checklists + 1 split test · chart-
drawings.test: hit tests, extension levels, pitchfork median and
tines · the new kinds are additive, so old documents load unchanged
```




All nine on TCS. Arrow, date ranges with "N bars, Dd" labels, ellipse, triangle, Fib extension, pitchfork, callout and price label.




Dark theme. The same saved drawings after a reload.




Lines




Fibonacci



Shapes



Annotation



Measure

B4

Alerts on a trendline, ray or extended line

Workflow


1. Right-click a line (or Shift+F10, or its Object tree name) and choose "Alert on this line...". Alerts opens with the drawing picked.
2. The server freezes the anchors. Each close is compared with the line's value on that session; each anchor takes its own date's factor. A trendline watches its span, a ray watches forward, an extended line watches every session.
3. Moving the drawing later never changes the armed rule. The first close cross after arming fires once.

```
b4-line-alerts: created from the menu; the drawing was moved; it
fired on the session a test oracle predicts ·
test_line_alert_evaluation: split and bonus between anchors, action
after arming, ex-date on the crossing session, each kind's domain,
```

idempotency, stale revision, every stored prefix · test_alerts_api:
capture, freeze, a second evaluation fires nothing, rejections



Drawing menu. "Alert on this line..." on the saved ray.



Alert form. The ray is picked; the note explains the session-by-session rule and the snapshot.



Fired. "TCS Close crosses above the ray · Daily", fired on 2026-07-21 at 284.39, drawing snapshot revision 1.

DECISIONS AND LIMITS

What was decided, and what is out of scope

> **B4 trigger basis: approved**
>
> Each anchor uses its own date's adjustment factor, so the alert evaluates the line the chart draws, with closes and levels in one basis. Recorded as accepted in `ADR-013-line-alert-amendment.md`.

- **Defects fixed along the way.** The screeners read only the first 100 rows. The rankings query had no tie-break for unqualified rows, so pages could overlap. A sloped alert would have drawn two false "zone" price lines. The alert form showed a rectangle note on line alerts.
- **Replay.** It runs on /chart only and ends when you leave. Step forward moves one daily session at every interval, so a weekly bar forms day by day. The server still evaluates real alerts in the background; replay only hides and pauses them.
- **Drawing tools.** The new tools have no keyboard shortcuts, matching TradingView's defaults. Fibonacci levels are spaced on screen, so on a log scale they are not exact price ratios.
- **Line alerts.** Close-to-close, daily only. No intrabar, high or low touch.
- **Not done.** B5 Volume Profile (deferred by you). Phase C (not started).

Local commits since Phase A was accepted: `d942051` `2e2bc99` `e081d8c` `3d34922` `0d9ceb1` `f096944` `c22be94`. Nothing is pushed. Capability ledger: `docs/current/tradingview-correspondence.md`, rows B1a–B4b.