

WEB CURATOR TOOL

Upgrade Guide (WCT 1.5)

12 August 2009



Contents

Introduction	3
Upgrade Requirements	
Prerequisites	4
Shut Down the WCT	
Upgrading WCT Database Schema	
Upgrading on Oracle 10g	
Upgrading on PostgreSQL 8.1	
Upgrading on MySQL 5.0	
Upgrading the Application	
Deploying WCT to Tomcat	
Configuration	
Post-upgrade Notes	
Notes on the Upgrade Effects	
10	



This guide, designed for a System Administrator, covers upgrade of the Web Curator Tool from version 1.4 to version 1.5. **Please note that if you have already upgraded to version 1.4.1, then no further upgrade of the database is necessary.** If you are on an earlier version then please consult the previous version of this document called 'Web Curator Tool Upgrade Guide (WCT 1.4).doc' (or .pdf) to upgrade your system to 1.4 first.

For information on using the Web Curator Tool, see the Web Curator Tool Quick Start Guide and the Web Curator Tool online help.



Upgrade Requirements

The following section explains the requirements for upgrading to version 1.4.1 of the Web Curator Tool.

Prerequisites

The following are required to successfully upgrade the Web Curator Tool to version 1.5:

- Installed and running version of the Web Curator Tool version 1.4 running against Oracle 10g, PostgreSQL 8.1 or MySQL 5.0.
- Access to the database to run scripts that add/modify tables in the DB_WCT schema.
- Access to the Tomcat servers for the Core, Digital Asset Store, and Harvest Agent components.

Other versions of the required products may be compatible with the Web Curator Tool but they have not been tested. Due to the products use of Hibernate for database persistence other database platforms should work, if the product is rebuilt with the correct database dialect. However only MySQL 5.0, PostgreSQL 8.1 and Oracle 10g have been tested.



Shut Down the WCT

There are three major components to the deployment of the Web Curator Tool:

- the web curator core (wct.war)
- the web curator harvest agent (wct-harvest-agent.war)
- the web curator digital asset store (wct-store.war).

This document assumes that v1.4 is currently deployed to your Tomcat instance.

To begin the upgrade of the WCT to version 1.5:

- **1** Make sure that all target instances have completed.
- 2 Shut down the Tomcat instance(s) running the Harvest Agents, WCT Core, and Digital Asset Store.



Upgrading WCT Database Schema

Version 1.5 of the Web Curator Tool is supported under MySQL 5.0, Oracle 10g and PostgreSQL 8.1. Database schema upgrade scripts have been provided for all three databases.

Upgrading on Oracle 10g

This guide assumes that the WCT v1.4 schema is already configured on your Oracle 10g database under the schema DB_WCT .

- 1. Log on to the database using the DB_WCT user.
- 2. Run the following SQL to upgrade the database:

```
db\upgrade\upgrade-oracle-1_4-to-1_4_1.sql

SQL> conn db_wct@<sid-name>
   SQL> @upgrade-oracle-1_4-to-1_4_1.sql
   SQL> exit;
```

Upgrading on PostgreSQL 8.1

This guide assumes that the WCT v1.4 schema is already configured on your PostgreSQL 8.1 database under the schema DB_WCT.

- 1. Log on to the database using the DB_WCT user.
- 2. Run the following SQL to upgrade the database:

```
db\upgrade\upgrade-postgres-1_4-to-1_4_1.sql
postgres=# \c Dwct
postgres=# \i upgrade-postgres-1_4-to-1_4_1.sql
postgres=# \q
```

Upgrading on MySQL 5.0

This guide assumes that the WCT v1.4 schema is already configured on your MySQL 5.0 database under the schema DB_WCT.

- 1. Log on to the database using the DB WCT user.
- 2. Run the following SQL to upgrade the database:

```
db\upgrade\upgrade-mysql-1_4-to-1_4_1.sql
mysql> use db_wct
mysql> source upgrade-mysql-1_4-to-1_4_1.sql
mysql> quit
```



Upgrading the Application

Deploying WCT to Tomcat

- Remove the applications from the Apache Tomcat webapps directory, including the expanded directory and WAR files.
- **4** Copy the version 1.5 WAR files into the Apache Tomcat webapps folder.
- **5** Expand the WAR files as follows:

```
cd $TOMCAT/webapps
mkdir wct
cd wct
$JAVA_HOME/bin/jar xvf ../wct.war

cd $TOMCAT/webapps
mkdir wct-harvest-agent
cd wct-harvest-agent
$JAVA_HOME/bin/jar xvf ../wct-harvest-agent.war

cd $TOMCAT/webapps
mkdir wct-store
cd wct-store
$JAVA_HOME/bin/jar xvf ../wct-store.war
```



See the WCT System Administrator Guide for information about configuring the Web Curator Tool.

Of note, please ensure that the TOMCAT/webapps/META-INF/context.xml is updated to correctly identify your database.

The Spring and Log4J XML files should also be checked as per the WCT System Administrator Guide to ensure their values are appropriate for your deployment.



Once the Web Curator Tool has been upgraded you will be able to start the Tomcat instances and log in as any of the users that existed prior to the upgrade.

Notes on the Upgrade Effects

Please see the release notes and readme files for further information regarding the changes introduced in WCT 1.5.