

## Index.html

```
<html>
  <head>
    <title>Implement Bank Application using EJB</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
  <body>
    <form method="post" action="transact">
      <h1>Bank Application using EJB </h1>
      Enter Amount : <input type="text" name="t1" />
      <h3>Select option</h3>
      <input type="radio" name="transaction" value="deposit" />Deposit<br/>
      <input type="radio" name="transaction" value="withdraw" />Withdraw<br/>
      <input type="submit" value="Submit" />
    </form>
  </body>
</html>
```

### transact.java

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
public class transact extends HttpServlet {
    protected void processRequest(HttpServletRequest request, HttpServletResponse response) throws
        ServletException, IOException {
        response.setContentType("text/html;charset=UTF-8");
        try
        {
            PrintWriter out = response.getWriter();
            String selectdType=request.getParameter("transact");
            int amount=Integer.parseInt(request.getParameter("t1"));
            if(selectdType.equals("deposit"))
            {
                bankTransact.deposit(amount);
            }
            if(selectdType.equals("withdraw"))
            {
                int amt=bankTransact.withdraw(amount);
                out.println(amount+"successfully withdraw. Your Balance is: Rs"+ amt)
            }
        }
    }
    private BankTransactLocal lookupBankTransactLocal()
    {
        try
        {
```

```

        Context c= New initialContext();
return(BankTransactLocal)c.Lookup("java.global/Bank/Bank-ejb/BankTransact!Bankexamp.Bank/Bank
        ejb/BankTransactLocal")
    }
    catch (NamingException ne){
Logger.getLogger(getClass().getName()).log(Level.SEVERE,"exception
caught",ne)) throw new RuntimeException(ne);
    }
}

```

#### BankTransact.java

```

package bankexamp;
import javax.ejb.Stateful;
@Stateful
public class BankTransact implements BankTransactLocal{ int
    balance=10000;
    @override
    public int deposit (int amount){
        balance=balance+amount;
        return balance;
    }
    @override
    public int withdraw (int amount){
        balance=balance-amount
        return balance;
    }
}

```

#### Output:



