FIXPROOF
Judge Testing Guide

A guided evaluation of reference-vault indexing, visual candidate retrieval, Meta Muse-assisted analysis, and investigation outputs.

Live demo: https://fixproof-frontend-1097663016023.europe-west1.run.app
Source code: https://github.com/varunchauhan12/fixproof-muse-hackathon

The expected results below are test hypotheses until confirmed in the live deployment. Button labels may vary. Record actual results and errors.

Quick start

Open the live demo in a desktop browser. Use the supplied sample videos. Files ending in _asset are intended to be reference assets; verify current vault contents before testing.

Keep the same suspect file and settings when comparing before and after ingestion. Record the status, candidate reference, displayed scores, and errors.

Sample files supplied

Filename	Intended role	Use
sample1_asset.mp4	Reference asset	Known-asset test
sample2.mp4	Not marked as an asset	Baseline, then ingest
sample3.mp4	Not marked as an asset	Second ingestion test
sample4_asset.mp4, sample5_asset.mp4, sample9_asset.mp4	Reference assets	Alternative known-asset tests
sample8.mp4, sample10.mp4, sample11.mov, sample12.mp4, sample13.mp4, sample14.mp4	Not marked as assets	Optional controls; verify status and format

Test 1 Existing asset

Objective: check whether Threat Hunter retrieves a video already represented in the reference vault.

1. Open Threat Hunter and select sample1_asset.mp4, or another verified known-good asset. Run the investigation.

2. Inspect the returned candidate and verify whether the reference is the expected asset. Open its case details.

Expected result: the indexed reference should be returned if recognized. Record the actual output; if it fails, check indexing, provenance and format.

[SCREENSHOT PLACEHOLDER: Threat Hunter input]

[SCREENSHOT PLACEHOLDER: Matched result]

Follow the investigation workflow

Open the case details. Review the summary, frame comparisons, candidate details, and any available visual verification. Generate and inspect the report PDF if available.

Inspect draft notice and offer controls where available. Treat the result as a draft for human review; do not send externally unless explicitly intended and authorized.

Open Muse Center and inspect any available model-assisted analysis or visual verification. Record the actual output and displayed model or action.

[SCREENSHOT PLACEHOLDER: Summary and generated PDF]

[SCREENSHOT PLACEHOLDER: Draft notice or offer]

[SCREENSHOT PLACEHOLDER: Muse analysis]

Test 2 Non-asset baseline

Confirm sample2.mp4 is absent from the vault, or choose another verified-absent file. Run Threat Hunter using the same settings as Test 1 and record its status, candidates and scores.

A file absent from the vault can still return visually similar candidates. Treat these as leads, not proof of identical footage.

[SCREENSHOT PLACEHOLDER: Non-asset baseline]

Test 3 Ingest new references

Open Asset Vault. Select sample2.mp4 and sample3.mp4 after verifying they are absent. Submit both together if supported; otherwise ingest sequentially.

Wait for processing and inspect asset lists, indexing status, vector counts and errors. Both should show successful indexing; upload alone does not establish that processing completed.

[SCREENSHOT PLACEHOLDER: Asset Vault ingestion]

[SCREENSHOT PLACEHOLDER: Data stacks and ingestion result]

Test 4 Repeat after ingestion

Return to Threat Hunter and scan the exact same sample2.mp4 with unchanged settings. Repeat for sample3.mp4 if ingested. Compare before and after results.

The corresponding indexed reference should be retrieved. If not, record the failure and check indexing, environment and exact file identity.

[SCREENSHOT PLACEHOLDER: Post-ingestion match]

Optional test Public video URL

Use a public video you are authorized to test. Paste its URL into the supported Threat Hunter URL input and run the available action. Record what source content the application actually processed. Do not assume full-video ingestion or DRM bypass.

[SCREENSHOT PLACEHOLDER: Optional URL input]

Test results checklist

□ Known asset: was the expected reference returned?

□ Investigation: were evidence, Muse analysis, report and draft controls available?

□ Baseline: was the file absent and what result appeared?

□ Ingestion: did both files show successful indexing?

□ Rerun: were the newly indexed references retrieved?

□ Optional URL: what content was actually processed?

Troubleshooting and interpretation

If reference data is missing, check the vault and environment. If a match is missing, check file identity, supported format and indexing status. An unexpected candidate may reflect visual similarity.

If Muse analysis fails, record the visible status; do not claim verification succeeded without an output. Review drafts before any authorized dispatch.

A candidate is not proof of infringement, and a missing match does not prove footage is unrelated. Hashes and signatures can help verify covered file integrity but do not establish ownership, source authenticity or legal conclusions.