

NEET (UG) 2026 — HARDCORE FULL-LENGTH MOCK TEST 2

MADIHA • YOU'VE GOT THIS!

180 Questions • Physics 45 • Chemistry 45 • Botany 45 • Zoology 45

Maximum Marks: 720 Time: 180 minutes Marking: +4 / –1 / 0

Original practice paper; not an official NTA question paper.

SECTION I — PHYSICS

1. A particle moves according to $x = t^3 - 6t^2 + 9t$ m. Its velocity is zero at:
A. 1 s only
B. 3 s only
C. 1 s and 3 s
D. 2 s and 3 s
2. A car moving at 20 m/s is brought to rest uniformly in 5 s. Distance travelled is:
A. 25 m
B. 40 m
C. 50 m
D. 100 m
3. Two forces 3 N and 4 N act at right angles. Their resultant is:
A. 1 N
B. 5 N
C. 7 N
D. 12 N
4. A 5 kg block is pulled by 20 N on a rough horizontal surface. If $\mu = 0.2$ and $g = 10 \text{ m/s}^2$, acceleration is:
A. 0
B. 2 m/s^2
C. 4 m/s^2
D. 6 m/s^2
5. A body of mass m is lifted vertically through height h at constant speed. Work done by the lifting force is:
A. mgh
B. $-mgh$
C. 0
D. $2mgh$
6. A stone is thrown upward with kinetic energy K . At its maximum height, its potential energy increase is:
A. $K/2$
B. K
C. $2K$
D. zero
7. A particle of mass m moves in a circle of radius r with speed v . If speed doubles while radius remains same, centripetal force becomes:
A. $F/2$
B. F
C. $2F$
D. $4F$
8. A disc and ring of same mass and radius roll down an incline. The one reaching first is:
A. ring
B. disc
C. both
D. cannot compare
9. A torque τ acts on a body with angular acceleration α . Its moment of inertia is:
A. $\tau\alpha$
B. τ/α
C. α/τ
D. $\tau + \alpha$
10. A 2 kg body moving at 5 m/s has momentum:
A. 2.5 kg m/s
B. 5 kg m/s
C. 10 kg m/s
D. 25 kg m/s

11. A planet's gravitational acceleration at surface is g . At a height equal to Earth's radius above surface, it is:
- g
 - $g/2$
 - $g/4$
 - $2g$
12. Escape velocity from a planet is 11.2 km/s . If its radius doubles with same mass, escape velocity becomes:
- 5.6 km/s
 - 11.2 km/s
 - 15.8 km/s
 - 22.4 km/s
13. A satellite's orbital period is T at radius R . At radius $4R$ its period is:
- $2T$
 - $4T$
 - $8T$
 - $16T$
14. A spring obeys Hooke's law. If extension is doubled, elastic potential energy becomes:
- double
 - four times
 - half
 - unchanged
15. A simple pendulum has period T . If its length is reduced to $L/4$, period is:
- $T/4$
 - $T/2$
 - $2T$
 - $4T$
16. In SHM, acceleration at the mean position is:
- maximum
 - minimum but non-zero
 - zero
 - infinite
17. A wave has frequency 500 Hz and wavelength 0.68 m . Its speed is:
- 170 m/s
 - 340 m/s
 - 680 m/s
 - 1000 m/s
18. Two coherent sources have equal amplitudes and phase difference π . Intensity at a point is:
- maximum
 - zero
 - half maximum
 - four times
19. A gas is compressed adiabatically. Its temperature:
- decreases
 - remains constant
 - increases
 - becomes zero
20. For an ideal gas, internal energy depends only on:
- pressure
 - volume
 - temperature
 - density
21. A heat engine absorbs 1000 J and rejects 600 J . Efficiency is:
- 20%
 - 30%
 - 40%
 - 60%
22. At constant pressure, volume of an ideal gas is directly proportional to:
- $1/T$
 - T
 - T^2
 - pressure
23. Electric field inside an ideal conductor in electrostatic equilibrium is:
- maximum

- B. zero
C. uniform non-zero
D. infinite
24. Potential due to a point charge q at distance r is:
A. kq/r
B. kq/r^2
C. kr/q
D. q/r^2
25. Two capacitors C and C connected in parallel have equivalent capacitance:
A. $C/2$
B. C
C. $2C$
D. $4C$
26. Energy stored in a capacitor is:
A. CV
B. CV^2
C. $1/2 CV^2$
D. $2CV^2$
27. A 12 V battery is connected across $6\ \Omega$. Current is:
A. 0.5 A
B. 2 A
C. 6 A
D. 72 A
28. A metal wire's resistance increases with temperature because:
A. length always decreases
B. resistivity generally increases
C. charge disappears
D. current creates mass
29. Kirchhoff's junction rule follows conservation of:
A. energy
B. charge
C. momentum
D. mass only
30. Magnetic force on a moving charge is zero when velocity is:
A. perpendicular to B
B. parallel to B
C. at 45°
D. opposite to E
31. A current loop behaves like a:
A. electric monopole
B. magnetic dipole
C. gravitational dipole
D. capacitor
32. Lenz's law is a consequence of conservation of:
A. charge
B. energy
C. mass
D. momentum
33. A transformer cannot operate with steady DC because:
A. resistance is infinite
B. no changing magnetic flux induces emf
C. current is zero
D. turns become equal
34. In a pure inductor, current:
A. leads voltage by 90°
B. lags voltage by 90°
C. is in phase
D. lags by 180°
35. The power factor of a pure resistor is:
A. 0
B. $1/2$
C. 1

- D. infinity
36. In an electromagnetic wave, E and B fields are:
- A. parallel
 - B. perpendicular and in phase
 - C. perpendicular and out of phase
 - D. antiparallel
37. Critical angle for a denser-to-rarer interface depends on:
- A. only density
 - B. refractive indices
 - C. only wavelength in vacuum
 - D. source intensity
38. A concave mirror has focal length 15 cm. Its radius of curvature is:
- A. 7.5 cm
 - B. 15 cm
 - C. 30 cm
 - D. 45 cm
39. In Young's experiment, fringe width increases if:
- A. slit separation increases
 - B. wavelength decreases
 - C. screen distance increases
 - D. both wavelength and screen distance decrease
40. Photoelectric emission occurs only when incident frequency is:
- A. below threshold
 - B. equal to or above threshold
 - C. independent of frequency
 - D. zero
41. The maximum kinetic energy of photoelectrons is proportional to:
- A. intensity only
 - B. frequency above threshold
 - C. area only
 - D. exposure time
42. Bohr angular momentum of nth orbit is:
- A. nh
 - B. $nh/2\pi$
 - C. h/n
 - D. $2\pi nh$
43. If an electron jumps from $n=3$ to $n=2$ in hydrogen, it emits:
- A. photon
 - B. proton
 - C. neutron
 - D. alpha particle
44. A nucleus has mass defect Δm . Binding energy is:
- A. $\Delta m/c^2$
 - B. Δmc^2
 - C. Δmc
 - D. Δm^2c^2
45. In α -decay, mass number changes by:
- A. -1
 - B. -2
 - C. -4
 - D. $+4$

SECTION II — CHEMISTRY

46. The empirical formula of a compound containing 40% C, 6.67% H and 53.33% O is:
- CH₂O
 - C₂H₄O₂
 - CHO
 - C₂H₆O
47. At STP, 11.2 L of an ideal gas corresponds to:
- 0.25 mol
 - 0.5 mol
 - 1 mol
 - 2 mol
48. The limiting reagent is the reactant that:
- remains in excess
 - is completely consumed first
 - has highest molar mass
 - has lowest coefficient
49. For an exothermic reaction, increasing temperature generally shifts equilibrium:
- toward products
 - toward reactants
 - no shift
 - first right then left
50. For K_c of a reaction, pure solids are:
- included with concentration 1
 - omitted
 - always numerator
 - always denominator
51. If K_c is very large, equilibrium mixture contains predominantly:
- reactants
 - products
 - catalyst
 - solvent
52. A strong acid solution of pH 2 has [H⁺] approximately:
- 10⁻² M
 - 10⁻⁷ M
 - 2 M
 - 10² M
53. A buffer contains CH₃COOH and CH₃COONa. Addition of small HCl is resisted mainly by:
- CH₃COOH
 - CH₃COO⁻
 - Na⁺
 - water only
54. The solubility product of AgCl is:
- [Ag⁺][Cl⁻]
 - [Ag⁺][Cl⁻]
 - [AgCl]
 - [Ag⁺][Cl⁻]
55. A salt of weak acid and strong base generally gives an aqueous solution that is:
- acidic
 - basic
 - neutral
 - always pH 7
56. Osmotic pressure is a colligative property because it depends on:
- particle number
 - particle identity only
 - colour
 - atomic number
57. For an ideal dilute solution, relative lowering of vapour pressure equals:
- mole fraction of solute
 - mole fraction of solvent
 - molarity of solvent
 - molality of solvent

58. During electrolysis of molten NaCl, sodium is formed at:
A. anode
B. cathode
C. salt bridge
D. diaphragm
59. At the anode in an electrolytic cell, there is:
A. reduction
B. oxidation
C. neutralization
D. no reaction
60. Nernst equation relates cell potential to:
A. concentration/activity
B. atomic mass only
C. melting point
D. viscosity
61. Molar conductivity of a strong electrolyte on dilution:
A. decreases sharply
B. increases gradually
C. remains exactly constant
D. becomes zero
62. Which has the highest first ionization energy among Na, Mg, Al and Si?
A. Na
B. Mg
C. Al
D. Si
63. The anomalous electronic configuration of Cr is:
A. [Ar]3d⁴ 4s²
B. [Ar]3d⁵ 4s¹
C. [Ar]3d⁶
D. [Ar]3d³ 4s³
64. Transition elements show variable oxidation states mainly because:
A. ns and (n–1)d energies are comparable
B. they have no d electrons
C. their nuclei are unstable
D. they are all gases
65. KMnO₄ in acidic medium is a strong:
A. reducing agent
B. oxidizing agent
C. acid-base indicator only
D. ligand
66. Which ion is diamagnetic?
A. Fe³⁺ (high spin d⁵)
B. Mn²⁺ (d⁵)
C. Zn²⁺ (d¹⁰)
D. Cu²⁺ (d⁹)
67. The oxidation state of sulfur in H₂SO₄ is:
A. +4
B. +6
C. –2
D. +2
68. BF₃ is electron deficient because boron has:
A. complete octet
B. six electrons around it
C. ten electrons
D. no valence electrons
69. The shape of NH₃ is:
A. trigonal planar
B. trigonal pyramidal
C. tetrahedral
D. linear
70. The bond angle in H₂O is approximately:
A. 180°

- B. 120°
C. 104.5°
D. 90°
71. Which molecule has zero dipole moment?
A. H_2O
B. NH_3
C. CO_2
D. SO_2
72. Hydrogen bonding is strongest among:
A. HF
B. HCl
C. HBr
D. HI
73. The strongest intermolecular force in liquid water is:
A. London force only
B. hydrogen bonding
C. ionic bonding
D. metallic bonding
74. For an ideal gas, compressibility factor Z is:
A. 0
B. 1
C. 2
D. variable only with colour
75. Real gases approach ideal behaviour at:
A. high pressure, low temperature
B. low pressure, high temperature
C. high pressure, high temperature only
D. low pressure, low temperature
76. The major product of dehydration of 2-butanol generally follows:
A. anti-Markovnikov rule
B. Saytzeff rule
C. Hofmann rule always
D. Markovnikov rule
77. Alkenes decolourize bromine water due to:
A. substitution
B. addition across $\text{C}=\text{C}$
C. oxidation to CO_2 only
D. polymer cleavage
78. Ozonolysis of an alkene is useful for locating:
A. $\text{C}=\text{C}$ bond
B. $\text{O}-\text{H}$ bond only
C. $\text{C}-\text{Cl}$ bond
D. $\text{N}-\text{H}$ bond
79. Aldehydes are generally more reactive than ketones toward nucleophilic addition because:
A. aldehydes have greater steric/electronic accessibility
B. aldehydes lack carbonyl
C. ketones are gases
D. aldehydes are ionic
80. Tollens' reagent gives a silver mirror with:
A. most aldehydes
B. all ketones
C. alkanes
D. ethers
81. Amines are basic because nitrogen has:
A. vacant d orbital
B. a lone pair
C. no electrons
D. positive charge necessarily
82. Primary amines with nitrous acid can form:
A. alcohols with evolution of N_2 for aliphatic primary amines
B. alkenes only
C. ketones only

D. ethers only

83. Sucrose is non-reducing because:

- A. it has no oxygen
- B. both anomeric carbons participate in glycosidic linkage
- C. it is a protein
- D. it contains nitrogen

84. DNA contains the sugar:

- A. ribose
- B. deoxyribose
- C. fructose
- D. glucose

85. RNA normally contains:

- A. thymine
- B. uracil
- C. deoxyribose
- D. no phosphate

86. The monomer units of proteins are:

- A. nucleotides
- B. amino acids
- C. monosaccharides
- D. fatty acids

87. A catalyst changes:

- A. equilibrium constant
- B. activation energy of forward and reverse reactions
- C. ΔG° of reaction
- D. composition at equilibrium

88. The half-life of a zero-order reaction is:

- A. independent of initial concentration
- B. proportional to initial concentration
- C. always $1/k$
- D. always $\ln 2/k$

89. For a weak acid HA, degree of ionization on dilution generally:

- A. decreases
- B. increases
- C. remains zero
- D. becomes independent of concentration

90. The conjugate acid of NH_3 is:

- A. NH_2^-
- B. NH_4^+
- C. N_2H_4
- D. NO_3^-

SECTION III — BOTANY

91. The main site of photosynthesis in a leaf is:
- A. epidermis
 - B. mesophyll
 - C. xylem
 - D. phloem
92. The light reaction of photosynthesis occurs mainly in:
- A. stroma
 - B. thylakoid membranes
 - C. cytosol
 - D. nucleus
93. The Calvin cycle occurs in:
- A. thylakoid lumen
 - B. stroma of chloroplast
 - C. mitochondrial matrix
 - D. cytoplasm
94. RuBisCO catalyses carboxylation of:
- A. PEP
 - B. RuBP
 - C. OAA
 - D. pyruvate
95. The enzyme PEP carboxylase is characteristic of initial CO₂ fixation in:
- A. C₃ plants
 - B. C₄ plants
 - C. CAM only and no C₄
 - D. all fungi
96. Kranz anatomy is associated with:
- A. C₄ leaves
 - B. gymnosperms only
 - C. roots
 - D. bryophyte gametophytes
97. In CAM plants, stomata generally open:
- A. during daytime
 - B. at night
 - C. only at noon
 - D. never
98. The respiratory quotient for carbohydrates is approximately:
- A. 0.7
 - B. 1
 - C. 1.5
 - D. 2
99. The respiratory quotient for fats is generally:
- A. less than 1
 - B. exactly 1
 - C. greater than 2
 - D. infinite
100. The Krebs cycle occurs in the:
- A. cytoplasm
 - B. mitochondrial matrix
 - C. thylakoid
 - D. nucleus
101. ATP synthesis in oxidative phosphorylation is driven by:
- A. proton gradient
 - B. DNA replication
 - C. CO₂ fixation
 - D. cell wall pressure
102. The final electron acceptor of the mitochondrial electron transport chain is:
- A. NAD⁺
 - B. O₂
 - C. CO₂
 - D. pyruvate

103. Water potential of pure water at standard conditions is conventionally:

- A. +1 MPa
- B. 0 MPa
- C. –1 MPa
- D. infinite

104. Water moves spontaneously from higher to lower:

- A. solute potential only
- B. water potential
- C. pressure only
- D. temperature only

105. Stomata are usually surrounded by:

- A. companion cells
- B. subsidiary cells
- C. sieve tubes
- D. tracheids

106. Guard cells in most dicots are:

- A. dumbbell shaped
- B. kidney shaped
- C. spherical only
- D. rectangular only

107. Xylem mainly conducts:

- A. organic food
- B. water and minerals
- C. hormones only
- D. amino acids only

108. Phloem mainly translocates:

- A. water only
- B. organic solutes
- C. oxygen only
- D. lignin

109. The living component of xylem is mainly:

- A. vessels
- B. xylem parenchyma
- C. tracheids only
- D. fibres only

110. Sieve tube elements are associated with:

- A. guard cells
- B. companion cells
- C. tracheids
- D. cork cells

111. The primary growth of plant occurs due to:

- A. lateral meristem
- B. apical meristem
- C. cork cambium only
- D. vascular cambium only

112. The vascular cambium produces secondary:

- A. epidermis only
- B. xylem inward and phloem outward
- C. roots only
- D. stomata only

113. Secondary growth is usually prominent in:

- A. monocot stems
- B. dicot stems
- C. algae
- D. moss leaves

114. Auxin promotes:

- A. cell elongation in shoots
- B. stomatal closure exclusively
- C. fruit abscission only
- D. seed dormancy only

115. Cytokinins generally promote:

- A. cell division

- B. senescence only
 - C. stomatal closure
 - D. leaf fall only
- 116.** Absciscic acid is associated with:
- A. drought response and stomatal closure
 - B. fruit ripening only
 - C. bolting only
 - D. cell division only
- 117.** Ethylene is a:
- A. gaseous plant hormone
 - B. protein hormone
 - C. steroid only
 - D. mineral nutrient
- 118.** Gibberellins can promote:
- A. bolting
 - B. stomatal closure
 - C. dormancy induction only
 - D. leaf abscission exclusively
- 119.** The law of segregation is demonstrated during formation of:
- A. gametes
 - B. zygote only
 - C. endosperm only
 - D. somatic cells only
- 120.** A test cross is between an individual of unknown genotype and:
- A. homozygous dominant
 - B. homozygous recessive
 - C. heterozygote
 - D. any phenotype
- 121.** A heterozygous individual is represented as:
- A. AA
 - B. aa
 - C. Aa
 - D. A0 only
- 122.** In Mendelian dihybrid cross, independent assortment applies to genes that are:
- A. tightly linked
 - B. on different chromosomes or sufficiently far apart
 - C. identical
 - D. mitochondrial only
- 123.** Crossing over produces:
- A. parental-only gametes
 - B. recombinant chromosomes
 - C. identical DNA only
 - D. polyploidy directly
- 124.** Crossing over frequency is used to estimate:
- A. blood pressure
 - B. gene distance
 - C. chromosome number only
 - D. protein mass
- 125.** DNA polymerase adds nucleotides to:
- A. 5' end only
 - B. 3'-OH end
 - C. phosphate-free end only
 - D. both ends equally
- 126.** Transcription produces:
- A. DNA from DNA
 - B. RNA from DNA template
 - C. protein from RNA directly in nucleus
 - D. lipid from RNA
- 127.** Translation occurs on:
- A. ribosomes
 - B. lysosomes
 - C. centrosomes

D. Golgi only

128. The start codon in standard genetic code is:

- A. UAA
- B. AUG
- C. UGA
- D. UAG

129. A stop codon is:

- A. AUG
- B. UAA
- C. GGU
- D. AAG

130. The genetic code is degenerate because:

- A. one codon codes many amino acids
- B. several codons can specify one amino acid
- C. it contains no stop codons
- D. it is made of proteins

131. PCR amplification requires primers because they provide:

- A. a free 3'-OH for DNA synthesis
- B. ATP only
- C. amino acids
- D. ribosomes

132. A plasmid used as a cloning vector is generally:

- A. linear human chromosome
- B. small circular DNA
- C. protein
- D. RNA virus only

133. *Agrobacterium tumefaciens* is widely used in:

- A. plant genetic transformation
- B. animal digestion
- C. PCR heating
- D. vaccine production only

134. The Bt toxin becomes active in insect gut mainly because of:

- A. acidic human stomach
- B. alkaline gut conditions and proteolytic activation
- C. low temperature
- D. oxygen absence only

135. Plant tissue culture is based on:

- A. totipotency
- B. mutation only
- C. meiosis only
- D. transpiration

SECTION IV — ZOOLOGY

- 136.** The functional unit of kidney is:
- A. nephron
 - B. alveolus
 - C. sarcomere
 - D. neuron
- 137.** Filtration of blood in nephron occurs at:
- A. collecting duct
 - B. glomerulus
 - C. loop of Henle only
 - D. ureter
- 138.** Glomerular filtrate normally contains:
- A. large plasma proteins
 - B. small solutes and water but essentially no cells
 - C. RBCs
 - D. platelets
- 139.** The juxtaglomerular apparatus helps regulate:
- A. blood pressure and GFR
 - B. vision
 - C. digestion
 - D. hearing
- 140.** Renin ultimately contributes to formation of:
- A. angiotensin II
 - B. insulin
 - C. thyroxine
 - D. melatonin
- 141.** Aldosterone promotes:
- A. Na⁺ reabsorption and K⁺ secretion
 - B. glucose excretion
 - C. Ca²⁺ loss only
 - D. water loss only
- 142.** ADH secretion increases when:
- A. plasma osmolarity rises
 - B. plasma osmolarity falls
 - C. blood glucose is zero
 - D. body temperature is zero
- 143.** Normal urine formation involves:
- A. filtration, reabsorption and secretion
 - B. digestion only
 - C. photosynthesis
 - D. clotting
- 144.** The main nitrogenous waste in humans is:
- A. uric acid
 - B. urea
 - C. ammonia only
 - D. creatine only
- 145.** The respiratory membrane is extremely thin to facilitate:
- A. gas exchange
 - B. blood clotting
 - C. urine formation
 - D. digestion
- 146.** Surfactant in alveoli primarily:
- A. increases surface tension
 - B. reduces surface tension
 - C. blocks oxygen
 - D. increases mucus only
- 147.** The majority of oxygen is transported as:
- A. bicarbonate
 - B. oxyhaemoglobin
 - C. dissolved oxygen only
 - D. carbonic acid

- 148.** The chloride shift is associated with transport of:
- A. CO₂
 - B. glucose
 - C. urea
 - D. cholesterol
- 149.** During inspiration, diaphragm:
- A. relaxes and domes
 - B. contracts and flattens
 - C. remains fixed
 - D. contracts upward
- 150.** A normal adult tidal volume is approximately:
- A. 50 mL
 - B. 500 mL
 - C. 5 L
 - D. 10 L
- 151.** The SA node is located in:
- A. left ventricle
 - B. right atrium
 - C. left atrium
 - D. right ventricle
- 152.** The AV node delays impulse transmission to allow:
- A. ventricular filling
 - B. atrial relaxation only
 - C. blood clotting
 - D. lung expansion
- 153.** The first heart sound is mainly due to closure of:
- A. semilunar valves
 - B. AV valves
 - C. vena cava
 - D. coronary arteries
- 154.** The second heart sound is mainly due to closure of:
- A. AV valves
 - B. semilunar valves
 - C. mitral only
 - D. tricuspid only
- 155.** Normal adult arterial blood pressure is approximately:
- A. 80/40 mmHg
 - B. 120/80 mmHg
 - C. 200/120 mmHg
 - D. 40/20 mmHg
- 156.** Platelets are important for:
- A. oxygen transport
 - B. haemostasis
 - C. antibody secretion
 - D. hormone synthesis
- 157.** Fibrin is formed from:
- A. fibrinogen
 - B. haemoglobin
 - C. albumin
 - D. globulin
- 158.** The universal donor for RBC transfusion is classically:
- A. AB+
 - B. O–
 - C. A+
 - D. B–
- 159.** The universal recipient for RBC transfusion is classically:
- A. O–
 - B. AB+
 - C. A–
 - D. B+
- 160.** Insulin promotes:
- A. glycogen formation and glucose uptake

- B. glycogen breakdown only
 - C. hyperglycaemia
 - D. ketone production only
- 161.** Thyroxine synthesis requires:
- A. iodine
 - B. iron only
 - C. calcium only
 - D. sodium only
- 162.** TSH is secreted by:
- A. posterior pituitary
 - B. anterior pituitary
 - C. thyroid
 - D. adrenal medulla
- 163.** Growth hormone is secreted by:
- A. anterior pituitary
 - B. posterior pituitary
 - C. pancreas
 - D. ovary
- 164.** ADH is released from:
- A. posterior pituitary
 - B. anterior pituitary
 - C. adrenal cortex
 - D. thyroid
- 165.** Acetylcholine at neuromuscular junction causes:
- A. muscle fibre depolarization
 - B. permanent hyperpolarization
 - C. DNA replication
 - D. calcium removal only
- 166.** Calcium binds to which protein during skeletal muscle contraction?
- A. myosin
 - B. troponin
 - C. actin directly
 - D. collagen
- 167.** The sliding filament mechanism involves:
- A. actin sliding over myosin
 - B. myosin disappearing
 - C. actin shortening chemically
 - D. sarcomere proteins dissolving
- 168.** During muscle contraction, the A band:
- A. shortens greatly
 - B. remains approximately constant
 - C. disappears
 - D. doubles
- 169.** During contraction, the I band:
- A. increases
 - B. decreases
 - C. remains constant
 - D. becomes zero always
- 170.** Spermatogenesis begins at:
- A. birth
 - B. puberty
 - C. fertilization
 - D. old age
- 171.** The secondary oocyte is arrested at:
- A. prophase I
 - B. metaphase II
 - C. anaphase I
 - D. metaphase I
- 172.** The hormone that maintains corpus luteum in early pregnancy is:
- A. hCG
 - B. FSH
 - C. LH only

D. oxytocin

173. The placenta functions as:

- A. endocrine and exchange organ
- B. digestive organ only
- C. lymph node
- D. kidney only

174. The acrosome reaction helps sperm:

- A. penetrate zona pellucida
- B. form RBCs
- C. produce insulin
- D. implant embryo

175. Cleavage of zygote produces:

- A. blastomeres
- B. gametes
- C. sperm only
- D. ova only

176. The blastocyst implants in:

- A. endometrium
- B. myometrium
- C. peritoneum
- D. cervix

177. HIV is a:

- A. retrovirus
- B. bacterium
- C. protozoan
- D. fungus

178. AIDS causes severe impairment of:

- A. immune function
- B. bone mineralization only
- C. RBC production only
- D. digestion only

179. IgA is especially abundant in:

- A. mucosal secretions
- B. bone
- C. RBCs
- D. synovial fluid only

180. IgE is associated strongly with:

- A. allergic reactions
- B. oxygen transport
- C. blood clotting
- D. placental crossing

ANSWER KEY

	6. B	7. D	8. B	9. B	10. C	11. C
	21. C	22. B	23. B	24. A	25. C	26. C
	36. B	37. B	38. C	39. C	40. B	41. B
	51. B	52. A	53. B	54. B	55. B	56. A
	66. C	67. B	68. B	69. B	70. C	71. C
	81. B	82. A	83. B	84. B	85. B	86. B
	96. A	97. B	98. B	99. A	100. B	101. A
	111. B	112. B	113. B	114. A	115. A	116. A
	126. B	127. A	128. B	129. B	130. B	131. A
	141. A	142. A	143. A	144. B	145. A	146. B
	156. B	157. A	158. B	159. B	160. A	161. A
	171. B	172. A	173. A	174. A	175. A	176. A

Physics Q1–45 • Chemistry Q46–90 • Botany Q91–135 • Zoology Q136–180