MySQL 8.0 Command Line Cli

```
mysql> -- Q1: Write a query to display the names (first_name, last_name) using alias name "First Name", "Last Name"
mysql> select first_name as `First Name`, last_name as `Last Name` from employees;
+------------+-------------+
| First Name | Last Name   |
+------------+-------------+
| Steven     | King        |
| Neena      | Kochhar     |
| Lex        | De Haan     |
| Alexander  | Hunold      |
| Bruce      | Ernst       |
| David      | Austin      |
| Nancy      | Greenberg   |
| Daniel     | Faviet      |
| John       | Chen        |
| Ismael     | Sciarra     |
| Jose       | Urman       |
| Matthew    | Weiss       |
| Adam       | Fripp       |
| Julia      | Nayer       |
| Irene      | Mikkilineni |
| James      | Landry      |
| Steven     | Markle      |
| John       | Russell     |
| Karen      | Partners    |
| Alberto    | Errazuriz   |
| Peter      | Tucker      |
| Allan      | McEwen      |
| Clara      | Vishney     |
| Sundar     | Ande        |
| Ellen      | Abel        |
| Kimberely  | Grant       |
| Jennifer   | Whalen      |
| Michael    | Hartstein   |
| Pat        | Fay         |
| Shelley    | Higgins     |
| William    | Gietz       |
+------------+-------------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q2: Write a query to get unique department ID from employee table.
mysql> select distinct department_id from employees;
+---------------+
| department_id |
+---------------+
|          NULL |
|            10 |
|            20 |
|            50 |
|            60 |
|            80 |
|            90 |
|           100 |
|           110 |
+---------------+
9 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q3: Write a query to get all employee details from the employee table order by first name, descending.
mysql> select * from employees order by first_name desc;
```

employee_id	first_name	last_name	email	phone_number	hire_date	job_id	salary	commission_pct	manager_id	department_id
206	William	Gietz	WGIETZ	555.0206	2002-06-07	AC_ACCOUNT	8300.00	NULL	205	110
166	Sundar	Ande	SANDE	555.0166	2008-03-24	SA_REP	6400.00	0.10	147	80
100	Steven	King	SKING	555.0100	2003-06-17	AD_PRES	24000.00	NULL	NULL	90
128	Steven	Markle	SMARKLE	555.0128	2008-03-08	ST_CLERK	2200.00	NULL	121	50
205	Shelley	Higgins	SHIGGINS	555.0205	2002-06-07	AC_MGR	12008.00	NULL	101	110
150	Peter	Tucker	PTUCKER	555.0150	2005-01-30	SA_REP	10000.00	0.30	145	80
202	Pat	Fay	PFAY	555.0202	2005-08-17	MK_REP	6000.00	NULL	201	20
101	Neena	Kochhar	NKOCHHAR	555.0101	1997-09-21	AD_VP	17000.00	NULL	100	90
108	Nancy	Greenberg	NGREENBE	555.0108	2002-08-17	FI_MGR	12008.00	NULL	101	100
201	Michael	Hartstein	MHARTSTE	555.0201	2004-02-17	MK_MAN	13000.00	NULL	100	20
120	Matthew	Weiss	MWEISS	555.0120	2004-07-18	ST_MAN	8000.00	NULL	100	50
102	Lex	De Haan	LDEHAAN	555.0102	2001-01-13	AD_VP	17000.00	NULL	100	90
178	Kimberely	Grant	KGRANT	555.0178	2007-05-24	SA_REP	7000.00	0.15	147	NULL
146	Karen	Partners	KPARTNER	555.0146	2005-01-05	SA_MAN	13500.00	0.30	100	80
125	Julia	Nayer	JNAYER	555.0125	2005-07-16	ST_CLERK	3200.00	NULL	120	50
112	Jose	Urman	JURMAN	555.0112	2006-03-07	FI_ACCOUNT	7800.00	NULL	108	100
110	John	Chen	JCHEN	555.0110	2005-09-28	FI_ACCOUNT	8200.00	NULL	108	100
145	John	Russell	JRUSSELL	555.0145	2004-10-01	SA_MAN	14000.00	0.40	100	80
200	Jennifer	Whalen	JWHALEN	555.0200	1995-09-17	AD_ASST	4400.00	NULL	101	10
127	James	Landry	JLANDRY	555.0127	2007-01-14	ST_CLERK	2400.00	NULL	121	50
111	Ismael	Sciarra	ISCIARRA	555.0111	2005-09-30	FI_ACCOUNT	7700.00	NULL	108	100
126	Irene	Mikkilineni	IMIKKILI	555.0126	2006-09-28	ST_CLERK	2700.00	NULL	120	50
174	Ellen	Abel	EABEL	555.0174	2004-05-11	SA_REP	11000.00	0.30	147	80
105	David	Austin	DAUSTIN	555.0105	2005-06-25	IT_PROG	4800.00	NULL	103	60
109	Daniel	Faviet	DFAVIET	555.0109	2002-08-16	FI_ACCOUNT	9000.00	NULL	108	100
162	Clara	Vishney	CVISHNEY	555.0162	2005-11-11	SA_REP	10500.00	0.25	147	80
104	Bruce	Ernst	BERNST	555.0104	2007-05-21	IT_PROG	6000.00	NULL	103	60
158	Allan	McEwen	AMCEWEN	555.0158	2004-08-01	SA_REP	9000.00	0.35	146	80
103	Alexander	Hunold	AHUNOLD	555.0103	2006-01-03	IT_PROG	9000.00	NULL	102	60
147	Alberto	Errazuriz	AERRAZUR	555.0147	2005-03-10	SA_MAN	12000.00	0.30	100	80
121	Adam	Fripp	AFRIPP	555.0121	2005-04-10	ST_MAN	8200.00	NULL	100	50

```
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q4: Write a query to get the names (first_name, last_name), salary, PF of all the employees (PF is calculated as 15% of salary).
mysql> select first_name, last_name, salary, salary * 0.15 as PF from employees;
+------------+-------------+----------+-----------+
| first_name | last_name   | salary   | PF        |
+------------+-------------+----------+-----------+
| Steven     | King        | 24000.00 | 3600.0000 |
| Neena      | Kochhar     | 17000.00 | 2550.0000 |
| Lex        | De Haan     | 17000.00 | 2550.0000 |
| Alexander  | Hunold      |  9000.00 | 1350.0000 |
| Bruce      | Ernst       |  6000.00 |  900.0000 |
| David      | Austin      |  4800.00 |  720.0000 |
| Nancy      | Greenberg   | 12008.00 | 1801.2000 |
| Daniel     | Faviet      |  9000.00 | 1350.0000 |
| John       | Chen        |  8200.00 | 1230.0000 |
| Ismael     | Sciarra     |  7700.00 | 1155.0000 |
| Jose       | Urman       |  7800.00 | 1170.0000 |
| Matthew    | Weiss       |  8000.00 | 1200.0000 |
| Adam       | Fripp       |  8200.00 | 1230.0000 |
| Julia      | Nayer       |  3200.00 |  480.0000 |
| Irene      | Mikkilineni |  2700.00 |  405.0000 |
| James      | Landry      |  2400.00 |  360.0000 |
| Steven     | Markle      |  2200.00 |  330.0000 |
| John       | Russell     | 14000.00 | 2100.0000 |
| Karen      | Partners    | 13500.00 | 2025.0000 |
| Alberto    | Errazuriz   | 12000.00 | 1800.0000 |
| Peter      | Tucker      | 10000.00 | 1500.0000 |
| Allan      | McEwen      |  9000.00 | 1350.0000 |
| Clara      | Vishney     | 10500.00 | 1575.0000 |
| Sundar     | Ande        |  6400.00 |  960.0000 |
| Ellen      | Abel        | 11000.00 | 1650.0000 |
| Kimberely  | Grant       |  7000.00 | 1050.0000 |
| Jennifer   | Whalen      |  4400.00 |  660.0000 |
| Michael    | Hartstein   | 13000.00 | 1950.0000 |
| Pat        | Fay         |  6000.00 |  900.0000 |
| Shelley    | Higgins     | 12008.00 | 1801.2000 |
| William    | Gietz       |  8300.00 | 1245.0000 |
+------------+-------------+----------+-----------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q5: Write a query to get the employee ID, names (first_name, last_name), salary in ascending order of salary.
mysql> select employee_id, first_name, last_name, salary from employees order by salary asc;
+-------------+------------+-------------+----------+
| employee_id | first_name | last_name   | salary   |
+-------------+------------+-------------+----------+
|         128 | Steven     | Markle      |  2200.00 |
|         127 | James      | Landry      |  2400.00 |
|         126 | Irene      | Mikkilineni |  2700.00 |
|         125 | Julia      | Nayer       |  3200.00 |
|         200 | Jennifer   | Whalen      |  4400.00 |
|         105 | David      | Austin      |  4800.00 |
|         104 | Bruce      | Ernst       |  6000.00 |
|         202 | Pat        | Fay         |  6000.00 |
|         166 | Sundar     | Ande        |  6400.00 |
|         178 | Kimberely  | Grant       |  7000.00 |
|         111 | Ismael     | Sciarra     |  7700.00 |
|         112 | Jose       | Urman       |  7800.00 |
|         120 | Matthew    | Weiss       |  8000.00 |
|         110 | John       | Chen        |  8200.00 |
|         121 | Adam       | Fripp       |  8200.00 |
|         206 | William    | Gietz       |  8300.00 |
|         103 | Alexander  | Hunold      |  9000.00 |
|         109 | Daniel     | Faviet      |  9000.00 |
|         158 | Allan      | McEwen      |  9000.00 |
|         150 | Peter      | Tucker      | 10000.00 |
|         162 | Clara      | Vishney     | 10500.00 |
|         174 | Ellen      | Abel        | 11000.00 |
|         147 | Alberto    | Errazuriz   | 12000.00 |
|         108 | Nancy      | Greenberg   | 12008.00 |
|         205 | Shelley    | Higgins     | 12008.00 |
|         201 | Michael    | Hartstein   | 13000.00 |
|         146 | Karen      | Partners    | 13500.00 |
|         145 | John       | Russell     | 14000.00 |
|         101 | Neena      | Kochhar     | 17000.00 |
|         102 | Lex        | De Haan     | 17000.00 |
|         100 | Steven     | King        | 24000.00 |
+-------------+------------+-------------+----------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q6: Write a query to get the total salaries payable to employees.
mysql> select sum(salary) as total_salary from employees;
+--------------+
| total_salary |
+--------------+
|    286316.00 |
+--------------+
1 row in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q7: Write a query to get the maximum and minimum salary from employees table.
mysql> select max(salary) as maximum_salary, min(salary) as minimum_salary from employees;
+----------------+----------------+
| maximum_salary | minimum_salary |
+----------------+----------------+
|       24000.00 |        2200.00 |
+----------------+----------------+
1 row in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q8: Write a query to get the average salary and number of employees in the employees table.
mysql> select avg(salary) as average_salary, count(*) as no_of_employees from employees;
+----------------+-----------------+
| average_salary | no_of_employees |
+----------------+-----------------+
|    9236.000000 |              31 |
+----------------+-----------------+
1 row in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q9: Write a query to get the number of employees working with the company.
mysql> select count(*) as no_of_employees from employees;
+-----------------+
| no_of_employees |
+-----------------+
|              31 |
+-----------------+
1 row in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q10: Write a query to get the number of jobs available in the employees table.
mysql> select count(distinct job_id) as no_of_jobs from employees;
+------------+
| no_of_jobs |
+------------+
|         14 |
+------------+
1 row in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q11: Write a query get all first name from employees table in upper case.
mysql> select upper(first_name) as first_name_upper from employees;
+------------------+
| first_name_upper |
+------------------+
| STEVEN           |
| NEENA            |
| LEX              |
| ALEXANDER        |
| BRUCE            |
| DAVID            |
| NANCY            |
| DANIEL           |
| JOHN             |
| ISMAEL           |
| JOSE             |
| MATTHEW          |
| ADAM             |
| JULIA            |
| IRENE            |
| JAMES            |
| STEVEN           |
| JOHN             |
| KAREN            |
| ALBERTO          |
| PETER            |
| ALLAN            |
| CLARA            |
| SUNDAR           |
| ELLEN            |
| KIMBERELY        |
| JENNIFER         |
| MICHAEL          |
| PAT              |
| SHELLEY          |
| WILLIAM          |
+------------------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q12: Write a query to get the first 3 characters of first name from employees table.
mysql> select substr(first_name, 1, 3) as first_3_chars from employees;
+---------------+
| first_3_chars |
+---------------+
| Ste           |
| Nee           |
| Lex           |
| Ale           |
| Bru           |
| Dav           |
| Nan           |
| Dan           |
| Joh           |
| Ism           |
| Jos           |
| Mat           |
| Ada           |
| Jul           |
| Ire           |
| Jam           |
| Ste           |
| Joh           |
| Kar           |
| Alb           |
| Pet           |
| All           |
| Cla           |
| Sun           |
| Ell           |
| Kim           |
| Jen           |
| Mic           |
| Pat           |
| She           |
| Wil           |
+---------------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q13: Write a query to calculate 171*214+625.
mysql> select 171 * 214 + 625 as result;
+--------+
| result |
+--------+
|  37219 |
+--------+
1 row in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q14: Write a query to get the names (for example Ellen Abel, Sundar Ande etc.) of all the employees from employees table.
mysql> select concat(first_name, ' ', last_name) as employee_name from employees;
+-------------------+
| employee_name     |
+-------------------+
| Steven King       |
| Neena Kochhar     |
| Lex De Haan       |
| Alexander Hunold  |
| Bruce Ernst       |
| David Austin      |
| Nancy Greenberg   |
| Daniel Faviet     |
| John Chen         |
| Ismael Sciarra    |
| Jose Urman        |
| Matthew Weiss     |
| Adam Fripp        |
| Julia Nayer       |
| Irene Mikkilineni |
| James Landry      |
| Steven Markle     |
| John Russell      |
| Karen Partners    |
| Alberto Errazuriz |
| Peter Tucker      |
| Allan McEwen      |
| Clara Vishney     |
| Sundar Ande       |
| Ellen Abel        |
| Kimberely Grant   |
| Jennifer Whalen   |
| Michael Hartstein |
| Pat Fay           |
| Shelley Higgins   |
| William Gietz     |
+-------------------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q15: Write a query to get first name from employees table after removing white spaces from both side.
mysql> select trim(first_name) as first_name_trimmed from employees;
+--------------------+
| first_name_trimmed |
+--------------------+
| Steven             |
| Neena              |
| Lex                |
| Alexander          |
| Bruce              |
| David              |
| Nancy              |
| Daniel             |
| John               |
| Ismael             |
| Jose               |
| Matthew            |
| Adam               |
| Julia              |
| Irene              |
| James              |
| Steven             |
| John               |
| Karen              |
| Alberto            |
| Peter              |
| Allan              |
| Clara              |
| Sundar             |
| Ellen              |
| Kimberely          |
| Jennifer           |
| Michael            |
| Pat                |
| Shelley            |
| William            |
+--------------------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q16: Write a query to get the length of the employee names (first_name, last_name) from employees table.
mysql> select first_name, last_name, length(first_name) + length(last_name) as `Length of Names` from employees;
+------------+-------------+-----------------+
| first_name | last_name   | Length of Names |
+------------+-------------+-----------------+
| Steven     | King        |              10 |
| Neena      | Kochhar     |              12 |
| Lex        | De Haan     |              10 |
| Alexander  | Hunold      |              15 |
| Bruce      | Ernst       |              10 |
| David      | Austin      |              11 |
| Nancy      | Greenberg   |              14 |
| Daniel     | Faviet      |              12 |
| John       | Chen        |               8 |
| Ismael     | Sciarra     |              13 |
| Jose       | Urman       |               9 |
| Matthew    | Weiss       |              12 |
| Adam       | Fripp       |               9 |
| Julia      | Nayer       |              10 |
| Irene      | Mikkilineni |              16 |
| James      | Landry      |              11 |
| Steven     | Markle      |              12 |
| John       | Russell     |              11 |
| Karen      | Partners    |              13 |
| Alberto    | Errazuriz   |              16 |
| Peter      | Tucker      |              11 |
| Allan      | McEwen      |              11 |
| Clara      | Vishney     |              12 |
| Sundar     | Ande        |              10 |
| Ellen      | Abel        |               9 |
| Kimberely  | Grant       |              14 |
| Jennifer   | Whalen      |              14 |
| Michael    | Hartstein   |              16 |
| Pat        | Fay         |               6 |
| Shelley    | Higgins     |              14 |
| William    | Gietz       |              12 |
+------------+-------------+-----------------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q17: Write a query to check if the first_name fields of the employees table contains numbers.
mysql> select * from employees where first_name regexp '[0-9]';
Empty set (0.01 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q18: Write a query to select first 10 records from a table.
mysql> select * from employees limit 10;
+-------------+------------+-----------+----------+--------------+------------+------------+----------+----------------+------------+---------------+
| employee_id | first_name | last_name | email    | phone_number | hire_date  | job_id     | salary   | commission_pct | manager_id | department_id |
+-------------+------------+-----------+----------+--------------+------------+------------+----------+----------------+------------+---------------+
|         100 | Steven     | King      | SKING    | 555.0100     | 2003-06-17 | AD_PRES    | 24000.00 |           NULL |       NULL |            90 |
|         101 | Neena      | Kochhar   | NKOCHHAR | 555.0101     | 1997-09-21 | AD_VP      | 17000.00 |           NULL |        100 |            90 |
|         102 | Lex        | De Haan   | LDEHAAN  | 555.0102     | 2001-01-13 | AD_VP      | 17000.00 |           NULL |        100 |            90 |
|         103 | Alexander  | Hunold    | AHUNOLD  | 555.0103     | 2006-01-03 | IT_PROG    |  9000.00 |           NULL |        102 |            60 |
|         104 | Bruce      | Ernst     | BERNST   | 555.0104     | 2007-05-21 | IT_PROG    |  6000.00 |           NULL |        103 |            60 |
|         105 | David      | Austin    | DAUSTIN  | 555.0105     | 2005-06-25 | IT_PROG    |  4800.00 |           NULL |        103 |            60 |
|         108 | Nancy      | Greenberg | NGREENBE | 555.0108     | 2002-08-17 | FI_MGR     | 12008.00 |           NULL |        101 |           100 |
|         109 | Daniel     | Faviet    | DFAVIET  | 555.0109     | 2002-08-16 | FI_ACCOUNT |  9000.00 |           NULL |        108 |           100 |
|         110 | John       | Chen      | JCHEN    | 555.0110     | 2005-09-28 | FI_ACCOUNT |  8200.00 |           NULL |        108 |           100 |
|         111 | Ismael     | Sciarra   | ISCIARRA | 555.0111     | 2005-09-30 | FI_ACCOUNT |  7700.00 |           NULL |        108 |           100 |
+-------------+------------+-----------+----------+--------------+------------+------------+----------+----------------+------------+---------------+
10 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q19: Write a query to get monthly salary (round 2 decimal places) of each and every employee. Note : Assume the salary field provides the 'annual
salary' information.
mysql> select first_name, last_name, round(salary / 12, 2) as monthly_salary from employees;
+------------+-------------+----------------+
| first_name | last_name   | monthly_salary |
+------------+-------------+----------------+
| Steven     | King        |        2000.00 |
| Neena      | Kochhar     |        1416.67 |
| Lex        | De Haan     |        1416.67 |
| Alexander  | Hunold      |         750.00 |
| Bruce      | Ernst       |         500.00 |
| David      | Austin      |         400.00 |
| Nancy      | Greenberg   |        1000.67 |
| Daniel     | Faviet      |         750.00 |
| John       | Chen        |         683.33 |
| Ismael     | Sciarra     |         641.67 |
| Jose       | Urman       |         650.00 |
| Matthew    | Weiss       |         666.67 |
| Adam       | Fripp       |         683.33 |
| Julia      | Nayer       |         266.67 |
| Irene      | Mikkilineni |         225.00 |
| James      | Landry      |         200.00 |
| Steven     | Markle      |         183.33 |
| John       | Russell     |        1166.67 |
| Karen      | Partners    |        1125.00 |
| Alberto    | Errazuriz   |        1000.00 |
| Peter      | Tucker      |         833.33 |
| Allan      | McEwen      |         750.00 |
| Clara      | Vishney     |         875.00 |
| Sundar     | Ande        |         533.33 |
| Ellen      | Abel        |         916.67 |
| Kimberely  | Grant       |         583.33 |
| Jennifer   | Whalen      |         366.67 |
| Michael    | Hartstein   |        1083.33 |
| Pat        | Fay         |         500.00 |
| Shelley    | Higgins     |        1000.67 |
| William    | Gietz       |         691.67 |
+------------+-------------+----------------+
31 rows in set (0.00 sec)

mysql>
```