MySQL 8.0 Command Line Cli

```
mysql> -- Q1: Write a query to display the name (first_name, last_name) and salary for all employees whose salary is not in the range $10,000 through $15,00
0.
mysql> select first_name, last_name, salary from employees where salary not between 10000 and 15000;
+------------+-------------+----------+
| first_name | last_name   | salary   |
+------------+-------------+----------+
| Steven     | King        | 24000.00 |
| Neena      | Kochhar     | 17000.00 |
| Lex        | De Haan     | 17000.00 |
| Alexander  | Hunold      |  9000.00 |
| Bruce      | Ernst       |  6000.00 |
| David      | Austin      |  4800.00 |
| Daniel     | Faviet      |  9000.00 |
| John       | Chen        |  8200.00 |
| Ismael     | Sciarra     |  7700.00 |
| Jose       | Urman       |  7800.00 |
| Matthew    | Weiss       |  8000.00 |
| Adam       | Fripp       |  8200.00 |
| Julia      | Nayer       |  3200.00 |
| Irene      | Mikkilineni |  2700.00 |
| James      | Landry      |  2400.00 |
| Steven     | Markle      |  2200.00 |
| Allan      | McEwen      |  9000.00 |
| Sundar     | Ande        |  6400.00 |
| Kimberely  | Grant       |  7000.00 |
| Jennifer   | Whalen      |  4400.00 |
| Pat        | Fay         |  6000.00 |
| William    | Gietz       |  8300.00 |
+------------+-------------+----------+
22 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q2: Write a query to display the name (first_name, last_name) and department ID of all employees in departments 30 or 100 in ascending order.
mysql> select first_name, last_name, department_id from employees where department_id in (30, 100) order by first_name asc, last_name asc;
+------------+-----------+---------------+
| first_name | last_name | department_id |
+------------+-----------+---------------+
| Daniel     | Faviet    |           100 |
| Ismael     | Sciarra   |           100 |
| John       | Chen      |           100 |
| Jose       | Urman     |           100 |
| Nancy      | Greenberg |           100 |
+------------+-----------+---------------+
5 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q3: Write a query to display the name (first_name, last_name) and salary for all employees whose salary is not in the range $10,000 through $15,00
0 and are in department 30 or 100.
mysql> select first_name, last_name, salary from employees where salary not between 10000 and 15000 and department_id in (30, 100);
+------------+-----------+---------+
| first_name | last_name | salary  |
+------------+-----------+---------+
| Daniel     | Faviet    | 9000.00 |
| John       | Chen      | 8200.00 |
| Ismael     | Sciarra   | 7700.00 |
| Jose       | Urman     | 7800.00 |
+------------+-----------+---------+
4 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q4: Write a query to display the name (first_name, last_name) and hire date for all employees who were hired in 1987.
mysql> select first_name, last_name, hire_date from employees where year(hire_date) = 1987;
Empty set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q5: Write a query to display the first_name of all employees who have both "b" and "c" in their first name.
mysql> select first_name from employees where first_name like '%b%' and first_name like '%c%';
+------------+
| first_name |
+------------+
| Bruce      |
+------------+
1 row in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q6: Write a query to display the last name, job, and salary for all employees whose job is that of a Programmer or a Shipping Clerk, and whose sal
ary is not equal to $4,500, $10,000, or $15,000.
mysql> select last_name, job_id, salary from employees where job_id in ('IT_PROG', 'ST_CLERK') and salary not in (4500, 10000, 15000);
+-------------+----------+---------+
| last_name   | job_id   | salary  |
+-------------+----------+---------+
| Hunold      | IT_PROG  | 9000.00 |
| Ernst       | IT_PROG  | 6000.00 |
| Austin      | IT_PROG  | 4800.00 |
| Nayer       | ST_CLERK | 3200.00 |
| Mikkilineni | ST_CLERK | 2700.00 |
| Landry      | ST_CLERK | 2400.00 |
| Markle      | ST_CLERK | 2200.00 |
+-------------+----------+---------+
7 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q7: Write a query to display the last name of employees whose names have exactly 6 characters.
mysql> select last_name from employees where length(last_name) = 6;
+-----------+
| last_name |
+-----------+
| Hunold    |
| Austin    |
| Faviet    |
| Landry    |
| Markle    |
| Tucker    |
| McEwen    |
| Whalen    |
+-----------+
8 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q8: Write a query to display the last name of employees having 'e' as the third character.
mysql> select last_name from employees where last_name like '__e%';
+-----------+
| last_name |
+-----------+
| Greenberg |
| Chen      |
| McEwen    |
| Abel      |
| Gietz     |
+-----------+
5 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q9: Write a query to display the jobs/designations available in the employees table.
mysql> select distinct job_id from employees;
+------------+
| job_id     |
+------------+
| AC_ACCOUNT |
| AC_MGR     |
| AD_ASST    |
| AD_PRES    |
| AD_VP      |
| FI_ACCOUNT |
| FI_MGR     |
| IT_PROG    |
| MK_MAN     |
| MK_REP     |
| SA_MAN     |
| SA_REP     |
| ST_CLERK   |
| ST_MAN     |
+------------+
14 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q10: Write a query to display the name (first_name, last_name), salary and PF (15% of salary) of all employees.
mysql> select first_name, last_name, salary, salary * 0.15 as PF from employees;
+------------+-------------+----------+-----------+
| first_name | last_name   | salary   | PF        |
+------------+-------------+----------+-----------+
| Steven     | King        | 24000.00 | 3600.0000 |
| Neena      | Kochhar     | 17000.00 | 2550.0000 |
| Lex        | De Haan     | 17000.00 | 2550.0000 |
| Alexander  | Hunold      |  9000.00 | 1350.0000 |
| Bruce      | Ernst       |  6000.00 |  900.0000 |
| David      | Austin      |  4800.00 |  720.0000 |
| Nancy      | Greenberg   | 12008.00 | 1801.2000 |
| Daniel     | Faviet      |  9000.00 | 1350.0000 |
| John       | Chen        |  8200.00 | 1230.0000 |
| Ismael     | Sciarra     |  7700.00 | 1155.0000 |
| Jose       | Urman       |  7800.00 | 1170.0000 |
| Matthew    | Weiss       |  8000.00 | 1200.0000 |
| Adam       | Fripp       |  8200.00 | 1230.0000 |
| Julia      | Nayer       |  3200.00 |  480.0000 |
| Irene      | Mikkilineni |  2700.00 |  405.0000 |
| James      | Landry      |  2400.00 |  360.0000 |
| Steven     | Markle      |  2200.00 |  330.0000 |
| John       | Russell     | 14000.00 | 2100.0000 |
| Karen      | Partners    | 13500.00 | 2025.0000 |
| Alberto    | Errazuriz   | 12000.00 | 1800.0000 |
| Peter      | Tucker      | 10000.00 | 1500.0000 |
| Allan      | McEwen      |  9000.00 | 1350.0000 |
| Clara      | Vishney     | 10500.00 | 1575.0000 |
| Sundar     | Ande        |  6400.00 |  960.0000 |
| Ellen      | Abel        | 11000.00 | 1650.0000 |
| Kimberely  | Grant       |  7000.00 | 1050.0000 |
| Jennifer   | Whalen      |  4400.00 |  660.0000 |
| Michael    | Hartstein   | 13000.00 | 1950.0000 |
| Pat        | Fay         |  6000.00 |  900.0000 |
| Shelley    | Higgins     | 12008.00 | 1801.2000 |
| William    | Gietz       |  8300.00 | 1245.0000 |
+------------+-------------+----------+-----------+
31 rows in set (0.00 sec)

mysql>
```

MySQL 8.0 Command Line Cli

```
mysql> -- Q11: Write a query to select all record from employees where last name in 'BLAKE', 'SCOTT', 'KING' and 'FORD'.
mysql> select * from employees where last_name in ('BLAKE', 'SCOTT', 'KING', 'FORD');
+-------------+------------+-----------+-------+-------------+------------+---------+----------+----------------+------------+---------------+
| employee_id | first_name | last_name | email | phone_number | hire_date  | job_id  | salary   | commission_pct | manager_id | department_id |
+-------------+------------+-----------+-------+-------------+------------+---------+----------+----------------+------------+---------------+
|         100 | Steven     | King      | SKING | 555.0100     | 2003-06-17 | AD_PRES | 24000.00 |           NULL |       NULL |            90 |
+-------------+------------+-----------+-------+-------------+------------+---------+----------+----------------+------------+---------------+
1 row in set (0.00 sec)

mysql>
```