



1.



A screenshot of a SQL IDE interface. The top bar shows 'Language' set to 'SQL' and 'Rows' set to '10'. Below the bar is a toolbar with icons for undo, redo, search, and a keyboard shortcut 'A::'. The main text area contains the following SQL code:


```
1 CREATE TABLE king(  
2     king.id int,  
3     age varchar(100),  
4     salary int  
5 );
```



A screenshot of a SQL IDE interface, similar to the one above. The top bar shows 'Language' set to 'SQL' and 'Rows' set to '10'. The main text area contains the following SQL code:

```
1 INSERT INTO king(id,age,salary)  
2 VALUES(1,'22-08-2004',22000);
```

3.



A screenshot of a SQL IDE interface, similar to the ones above. The top bar shows 'Language' set to 'SQL' and 'Rows' set to '10'. The main text area contains the following SQL code:

```
1 INSERT INTO king(id,age,salary)  
2 VALUES(3,'24-10-2005',28000);
```

Overview | Oracle Academy x Oracle Academy x SQL Commands

https://lacademy2.oracle.com/ords/f?p=4500:1003:11580087485235::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_AB13_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT * FROM king;
```

Results Explain Describe Saved SQL History

ID	AGE	SALARY
2	23-09-2004	25000
1	22-08-2004	22000
4	24-10-2005	28000

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21

Overview | Oracle Academy x Oracle Academy x SQL Commands

https://lacademy2.oracle.com/ords/f?p=4500:1003:11580087485235::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_AB13_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT queen.item,king.age,king.salary
2 FROM king
3 RIGHT OUTER JOIN queen ON queen.id=king.id;
```

Results Explain Describe Saved SQL History

ITEM	AGE	SALARY
keyboard	23-09-2004	25000
mouse	22-08-2004	22000
cpu	-	-

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21

Overview | Oracle Academy x Oracle Academy x SQL Commands

https://lacademy2.oracle.com/ords/f?p=4500:1003:11580087485235::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_AB13_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT id FROM king
2 ORDER BY id ASC;
```

Results Explain Describe Saved SQL History

ID
1
2
4

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21

Overview | Oracle Academy x Oracle Academy x SQL Commands

https://lacademy2.oracle.com/ords/?p=4500:1003:11580087485235:::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_AB13_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT * FROM queen;
```

Results Explain Describe Saved SQL History

ID	ITEM
2	keyboard
3	cpu
1	mouse

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.2.1

Overview | Oracle Academy x Oracle Academy x SQL Commands

https://lacademy2.oracle.com/ords/?p=4500:1003:11580087485235:::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_AB13_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT CONCAT('23-09-2004',25000) FROM king;
```

Results Explain Describe Saved SQL History

CONCAT('23-09-2004',25000)
23-09-200425000
23-09-200425000
23-09-200425000

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.2.1

Overview | Oracle Academy x Oracle Academy x SQL Commands

https://lacademy2.oracle.com/ords/?p=4500:1003:11580087485235:::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_AB13_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT REPLACE('keyboard','y','A') FROM queen
2 WHERE id=2;
```

Results Explain Describe Saved SQL History

REPLACE('KEYBOARD','Y','A')
keAboard

1 rows returned in 0.00 seconds Download

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.2.1

Overview | Oracle Academy x Oracle Academy x SQL Commands x +

https://lacademy2.oracle.com/ords/?p=4500:1003:11580087485235:::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_A813_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT LENGTH(item) FROM queen;
2
```

Results Explain Describe Saved SQL History

LENGTH(ITEM)
8
3
5

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21

Overview | Oracle Academy x Oracle Academy x SQL Commands x +

https://lacademy2.oracle.com/ords/?p=4500:1003:11580087485235:::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_A813_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT RPAD('keyboard',60,'*') FROM queen
2 WHERE id=2;
```

Results Explain Describe Saved SQL History

RPAD('KEYBOARD',60,'*')
keyboard*****

1 rows returned in 0.00 seconds Download

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21

Language SQL ? Rows 10 ? Clear Co

A=

1

INSERT INTO king(id,age,salary)

2

VALUES(3,'24-10-2005',28000);

Overview | Oracle Academy x Oracle Academy x SQL Commands x +

https://iacademy2.oracle.com/ords/?p=4500:1003:11580087485235::...

APEX App Builder SQL Workshop Team Development Gallery Search

Schema IN_AB13_PLSQL_S31

SQL Commands

Language SQL ? Rows 10 ? Clear Command Find Tables Save Run

A=

1

SELECT king.age,king.salary,queen.item

2

FROM king

3

INNER JOIN queen ON king.id=queen.id;

Results Explain Describe Saved SQL History

AGE	SALARY	ITEM
23-09-2004	25000	keyboard
22-08-2004	22000	mouse

2 rows returned in 0.00 seconds Download

in_ab13_plsql_s31 in_ab13_plsql_s31 in

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21

Overview | Oracle Academy x Oracle Academy x SQL Commands x +

https://iacademy2.oracle.com/ords/?p=4500:1003:11580087485235::...

APEX App Builder SQL Workshop Team Development Gallery Search

Schema IN_AB13_PLSQL_S31

SQL Commands

Language SQL ? Rows 10 ? Clear Command Find Tables Save Run

A=

1

SELECT king.age,king.salary,queen.item

2

FROM king

3

LEFT OUTER JOIN queen ON king.id=queen.id;

Results Explain Describe Saved SQL History

AGE	SALARY	ITEM
23-09-2004	25000	keyboard
22-08-2004	22000	mouse
24-10-2005	28000	-

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21

Overview | Oracle Academy x Oracle Academy x SQL Commands x +

https://lacademy2.oracle.com/ords/?p=4500:1003:11580087485235:::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_AB13_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT king.age,king.salary,queen.item
2 FROM king
3 LEFT OUTER JOIN queen ON king.id=queen.id;
```

Results Explain Describe Saved SQL History

AGE	SALARY	ITEM
23-09-2004	25000	keyboard
22-08-2004	22000	mouse
24-10-2005	28000	-

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21

Overview | Oracle Academy x Oracle Academy x SQL Commands x +

https://lacademy2.oracle.com/ords/?p=4500:1003:11580087485235:::

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema IN_AB13_PLSQL_S31

Language SQL Rows 10 Clear Command Find Tables Save Run

```
1 SELECT LENGTH(item) FROM queen;
```

Results Explain Describe Saved SQL History

LENGTH(ITEM)
8
5

2 rows returned in 0.00 seconds Download

Copyright © 1999, 2022, Oracle and/or its affiliates. Oracle APEX 22.21