UX CASE STUDY · 19-PAGE DECK

Food delivery, login to tracking

A customer-flow UX case study on a clickable prototype

Contents →

Prototype · not affiliated with Zomato. Sample data only. Evidence is design reasoning on a concept prototype, not findings from the live app.

NAVIGATE

Click any line to jump to that page

Context and problem	3	Goals and scope	4
Persona	5	Journey map	6
Evaluation method	7	Login and OTP	8
Search and discovery	9	Menu	10
Cart and bill	11	Payment	12
Order tracking	13	Edge cases	14
Laws of UX	15	Mobile and accessibility	16
Metrics and test plan	17	Limits and next steps	18
Links and resources	19		

UNDERSTAND

Ordering food is a trust problem before it is a hunger problem

Hesitation points

- Will the final bill match the menu prices?
- Will it arrive when promised?
- Did my payment go through?

What the flow must do

- Show every charge before payment
- Keep status visible after payment
- Let people undo and recover at each step

Scope of this study

- Mobile customer flow only
- Login, search, menu, cart and bill, payment, tracking
- Sample data; no real restaurants

UNDERSTAND

One flow, six screens, one question: where would a first-time user hesitate?

Design goals

- Fewer taps from login to a confirmed order
- A bill with no surprises
- Honest, always-visible order status

Out of scope

- Restaurant-side tools
- Delivery partner app
- Real payments, maps or live data

Evidence level

This is a design exercise on a clickable prototype. Statements here are design reasoning and proposed tests, not findings from the live Zomato app.

UNDERSTAND

Ananya, 27, orders dinner on her phone after work

Who

Product analyst in a metro city. Orders 2 to 3 times a week, mostly on a commute home. One-handed use, patchy network.

Goal

Pick something familiar quickly, pay without second-guessing, and know when it will arrive.

Frustrations

- Fees that appear only at checkout
- Cart that empties when switching restaurant
- Status that stops updating

UNDERSTAND

Six stages, with the risk and the design response at each

STAGE	USER THINKS	RISK	DESIGN RESPONSE
Login	Just let me in	OTP errors	4-box OTP, inline error, demo hint
Search	What do I feel like?	Too many choices	Cuisine chips, dish-level search
Menu	Is this veg?	Mis-taps	Veg marker, clear quantity stepper
Cart and bill	What will I pay?	Hidden fees	Itemised bill, fee threshold shown
Payment	Is this safe?	Failed payment	Validation before submit, COD option
Tracking	Where is it?	Silence	Four-stage timeline, ETA, call button

DIAGNOSE

Ten usability heuristics used as the checklist for each screen

How it was applied

- Each screen reviewed against Nielsen's ten heuristics
- Each decision recorded with the heuristic it serves
- Open questions turned into test tasks (slide 17)

Heuristics that mattered most

- Visibility of system status
- Error prevention
- Recognition over recall
- User control and freedom

SOLVE

Make the first screen impossible to fail

Decision

- Phone number first, no password
- OTP as four separate boxes with auto-advance
- Backspace moves to the previous box

Heuristic

Error prevention. The button validates the number before sending, and a wrong OTP says what is wrong and how to fix it.

To test

Does the demo hint make the OTP step feel safe, or does it look like a bug?

SOLVE

Narrow choices with chips, and let a dish name find its restaurant

Decision

- Search matches restaurants and dishes
- Cuisine chips replace a long filter sheet
- Veg-only toggle always visible

Law applied

Hick's Law. Fewer visible choices at once shortens decision time. Chips show five options, not fifty.

To test

Do people search by dish or by cuisine first? Does the dish match line under a result help?

SOLVE

Make adding an item a single, forgiving tap

Decision

- ADD turns into a quantity stepper in place
- Veg and non-veg markers on every item
- Sticky cart bar with live item total

Law applied

Fitts's Law. Steppers are 34px square or larger, with the bar fixed at thumb height.

To test

Is the sticky bar noticed? Do people trust the item total before the bill?

SOLVE

Show the whole bill before payment, with the rule behind each fee

Bill lines

- Item total and coupon discount
- Delivery fee, free from 399 rupees
- Platform fee and packing
- GST and taxes, optional tip
- To pay

Decision

- Free-delivery progress shown as a line
- Coupon with a visible minimum
- Tip chosen before payment, not after

Heuristic

Visibility of system status. The price the user sees at checkout equals the price they pay.

SOLVE

Four methods, validated before the button works

Decision

- UPI, card, wallet, cash on delivery
- Selected method shown with a filled dot
- Total repeated on the button

Error handling

- Invalid UPI ID or short card number blocks submit
- Message names the field to fix

To test

Is cash on delivery easy to find without distracting from online payment?

SOLVE

Silence after payment is the worst moment, so never go quiet

Decision

- Order ID and summary at the top
- Four stages: placed, preparing, out for delivery, delivered
- ETA counts down; rider moves on the map

Law applied

Peak-End Rule. The last screen shapes memory of the whole order, so it carries the most care.

To test

Do people check the map or the timeline first? Is the call button findable?

SOLVE

Designing for the moments when something goes wrong

CASE	BEHAVIOUR IN THE PROTOTYPE
Wrong OTP	Inline message, stays on the screen
Empty cart	Message and a button back to restaurants
Switching restaurant with items in cart	Asks before clearing the cart
Coupon below minimum	Shows how much more to add
No search results	Empty state with advice
Invalid payment details	Toast naming the field

SOLVE

Four laws, each tied to a screen

LAW	SCREEN	APPLIED AS
Jakob's Law	Login	OTP in boxes, as in banking and payments apps
Hick's Law	Search	Chips instead of a long filter list
Fitts's Law	Menu	Large steppers and a thumb-height cart bar
Peak-End Rule	Tracking	A calm, accurate final screen

SOLVE

Built for one thumb, a small screen and a bad network

Mobile-first

- Single column, max width 430px
- Sticky bottom actions
- No hover-only controls

Accessibility

- Text and controls follow the system light or dark theme
- Visible focus on inputs
- Colour is never the only signal (veg markers have shape)

Known gaps

- No screen-reader audit yet
- No offline or slow-network state
- English only

PROVE

How to find out whether the design works

Metrics

- Order completion: login to confirmed
- Drop-off by step
- Time to first item added
- Payment failure rate

Test plan

- 5 to 6 participants, moderated, think-aloud
- Task 1: find and order a veg dish
- Task 2: explain the final bill
- Task 3: find the order status

Success looks like

Most participants can state the total before paying and the order stage after paying, without help.

PROVE

What this study does not show yet

Limits

- No real users tested
- Sample restaurants and prices
- Fee rules are illustrative, not Zomato's

Next

- Run the usability test
- Add error and slow-network states
- Compare against the live app with a documented walkthrough

PROVE

Open the prototype and the rest of the package

Links

- Claude artifact
- Clickable prototype

Files

- 10-page deck (HTML and PDF)
- 19-page deck (HTML and PDF)
- Every contents entry in the PDFs is a link to its page