Module 5: UX and Design Collaboration

Detailed supplement: a UX review method, the heuristics and UX laws, and five case studies with redesign and validation plans



Written by Varun Kumar, for SkillNavora · Draft

Official site: www.skillnavora.in

Prepared for Skillnavora — Learn. Practise. Implement. Grow.

MODULE 5 · HOW TO USE THIS SUPPLEMENT

Coverage map: what is new and what is already in the module

The handbook covers usability, wireframes, handoff and accessibility. It does not contain the UX case studies. This supplement adds the review method, the heuristics and laws behind the findings, and five case studies from the source decks.

Topic	Handbook section	Status here
Heuristic evaluation method	5.x (partial)	New: five steps from plan to validation
Ten usability heuristics	5.x (named only)	Extended: the heuristics used in the cases, with examples
UX laws: Hick's and Fitts's	—	New: what each law says and when it matters
Severity scale	—	New: the 1 to 3 scale, with a 4 for blockers
Zomato ordering flow (case)	—	New: four issues, with fixes and a validation plan
Klook package flow (case)	—	New: discovery, configuration and error recovery
Nykaa journeys and user perspectives (case)	—	New: five journeys and what three non-PM users said
OYO detailed report (case)	—	New: structure of the report and how to read it

NOTE ON THE SOURCE

The case studies are independent evaluations of public screens. They are opinions based on the author's walkthroughs, not data from the companies. Prices and screens may have changed; check the live product before you quote them.

NEW · METHOD

A UX review in five steps

A heuristic review checks a flow against a short list of usability principles. Each step gives evidence, so every finding can be checked by someone else.



The five steps of a heuristic review

1. **Plan:** choose one flow, the goal, and the users you will represent.
2. **Walk the flow:** go through it as a real user, and capture each friction point with a screenshot.
3. **Score:** rate each issue for severity and name the heuristic it breaks.
4. **Redesign:** propose one change per issue, and say which heuristic it fixes.
5. **Validate:** test with six to eight people using short tasks, and watch the guardrails in live data.

EXTENDED · HEURISTICS

The usability heuristics used in the cases


No.	Heuristic	What to check
1	Visibility of system status	Does the screen show what is happening, such as totals or progress?
2	Match between system and real world	Does the language match how people speak and shop?
5	Error prevention	Does the design stop mistakes before they happen?
6	Recognition rather than recall	Can people see their options without remembering them?
8	Aesthetic and minimalist design	Is there only the information needed at this step?

The numbers match the standard list of ten heuristics. The cases below cite them by number.

NEW · UX LAWS

Hick's law and Fitts's law

Hick's law: the time to decide grows with the number of choices. Reduce the choices on screen, or step them into a wizard. **Fitts's law:** the time to reach a target depends on its distance and size. Make tap targets big and close to the thumb on phones.




Hick's and Fitts's laws together

NEW · SEVERITY

Scoring severity

The cases use a 1 to 3 scale from the source decks, and this supplement adds 4 for blockers:



Severity scale for UX findings

PRIORITY MATRIX

Plot each issue by how often it happens and how much it hurts. Fix the frequent, high-impact issues first.

CASE STUDY · ORDERING FLOW

Zomato: four issues, with fixes

A heuristic review of the customer ordering flow, from the menu to payment. Each issue names the heuristic it breaks and the fix.

Issue	Severity	Heuristic	Fix
Too many price and offer signals compete on the menu and cart.	3 (major)	8 Aesthetic and minimalist; 6 Recognition over recall	One price line per item; the deal rule once per section; state plainly whether a second coupon can stack
A floating Menu button covers the Add button.	2 (minor)	5 Error prevention (Fitts's law)	Move the button above the cart bar or hide it while scrolling; add bottom padding
The bill breakdown is one tap away.	1 (cosmetic)	1 Visibility of system status	Show a one-line split next to the pay button
'Add-ons' mixes options with full-price upsells.	2 (minor)	2 Match with the real world; 8 Minimalist	Separate 'Make it yours' options from upsells

The source also covers a restaurant partner's journey (registration, documents and payout). Use the same method on the partner side.

CASE STUDY · VALIDATION PLAN

How to test the Zomato fixes before shipping

The plan tests both sides of the marketplace before any release.

Group	Tasks (think-aloud)	Measures	Live guardrails
Customers (6 to 8 people)	Order a meal under a set budget and say what you will pay; use a second coupon; add two items while scrolling the menu	Completion, time, mis-taps, correct cost explained, confidence from 1 to 7	Cancellations within two minutes; removed add-ons; average order value
Restaurant partners (5 to 6 owners)	Register an outlet with a sample menu; say what you will receive on a sample order; explain a lower payout	Completion, time to submit, first-time document pass rate, correct payout explained	Registration drop-off by step; time to go live; payout queries

CASE STUDY · PACKAGE BOOKING

Klook: discovery, configuration and error recovery

The review found that similar options are packed together, so users freeze when they decide. Four findings shaped the redesign:

Finding	Law or principle	Redesign recommendation
Package options, time configurations, transfer types and meal options cluster together	Hick's law: too many choices at once	A step-by-step configuration wizard that isolates the high-stakes choices
Guest adjustment controls are small and hard to tap on the move	Fitts's law	Larger tap areas for every primary configuration control
A pickup map is hard to read, with overlapping shapes and no clear feedback	Visibility of system status; match with the real world	A smart address check that says plainly whether the pickup is free
A promo error is a dead end	Error prevention and recovery	Contextual help that guides the user forward instead of a static pop-up

CASE STUDY · SHOPPING APP

Nykaa: five journeys and what users said

The review followed five journeys that a shopper takes: a notification alert on opening, finding a sunscreen for oily skin through menus, a product page, the video content section, and the account and wallet. It also spoke to three people outside product or design.

Journey	Goal	What worked and what did not
1. Notification alert	Get past the prompts to the home screen	A second prompt appears right after the first pop-up, with no easy way to close it; the user is nudged to say yes
2. Sunscreen search	Find a budget sunscreen for oily skin through menus	The category path is four steps deep before a product shows; the shop page leads with formulation, not skin type
3. Product page	Check the product is right for my skin	Clear layout; the two versions are shown side by side
4. Video content	Find real reviews and tutorials	Opening the feed is smooth; searching for a real swatch returns irrelevant tutorials and ads
5. Account and wallet	Check membership and loyalty rewards	The account screen is clean and the wallet shows rewards clearly; the Privé loyalty tiers are hard to understand

The companion analysis for the same app concludes that discovery and product trust are its strongest areas, while onboarding and checkout need the most work.

CASE STUDY · DETAILED REPORT

OYO: how to read a detailed UX report

The detailed report is a 23-page review. It is organised in the same order that a good UX report should follow:

1. **Users:** who the guests and owners are.
2. **Journeys:** the steps they take, with the friction at each step.
3. **Evidence:** screenshots, quotes and walkthrough notes.
4. **Guest issues and owner issues:** the findings for each side of the marketplace.
5. **Laws and benchmarks:** which UX laws apply, and how comparable products perform.
6. **Solutions:** one redesign per issue, with a test plan.

EXERCISE

Read the Evidence section. For one finding, write the heuristic, the severity, the fix, and the test that would show the fix works.

Quiz with answers

1. Name the five steps of a heuristic review.
   Answer: plan, walk the flow, score, redesign, validate.
2. What does Hick's law say?
   Answer: decision time grows with the number of choices; reduce or step them.
3. What does Fitts's law say?
   Answer: time to reach a target depends on its distance and size; make targets bigger and closer on phones.
4. Which heuristic number covers error prevention?
   Answer: 5.
5. Why test with six to eight people?
   Answer: a small group of short tasks finds most usability problems quickly; check guardrails in live data too.

MODULE 5 · FINAL

Completion checklist

Completion checklist

Done	Item
☐	Read the coverage map and the method
☐	Named the heuristic for four issues
☐	Scored severity on a 1 to 4 scale
☐	Wrote one redesign per major issue
☐	Planned a six to eight person test with guardrails
☐	Answered the quiz without notes