

Set 6:Product Sales Analysis

- a) Create a grouped bar chart to visualize the sales of each product for the first quarter.
Label the chart elements.

R code:

```
# Install package (only once)
```

```
# install.packages("reshape2")
```

```
library(reshape2)
```

```
# Convert data into long format
```

```
sales_long <- melt(sales,  
  id.vars = "ProductName",  
  variable.name = "Month",  
  value.name = "Sales")
```

```
# Remove ProductID rows
```

```
sales_long <- sales_long[sales_long$Month != "ProductID", ]
```


```
# Grouped Bar Chart
```

```
library(ggplot2)
```

```
ggplot(sales_long,  
  aes(x = ProductName,  
    y = Sales,  
    fill = Month)) +  
geom_bar(stat = "identity",  
  position = "dodge") +  
labs(title = "Monthly Product Sales",  
  x = "Products",  
  y = "Sales",
```

```
fill = "Month") +  
theme_minimal()
```

Output:



- b) Generate a stacked area chart to represent the overall sales trend for all products over the three months.

R code:

```
# Grouped Bar Chart
```

```
library(ggplot2)
```

```
ggplot(sales_long,
```

```
  aes(x = ProductName,
```

```
      y = Sales,
```

```

    fill = Month)) +
  geom_bar(stat = "identity",
    position = "dodge") +
  labs(title = "Monthly Product Sales",
    x = "Products",
    y = "Sales",
    fill = "Month") +
  theme_minimal()
library(ggplot2)
library(reshape2)

# Reshape data
sales_area <- melt(sales,
  id.vars = c("ProductID", "ProductName"),
  variable.name = "Month",
  value.name = "Sales")

sales_area <- sales_area[sales_area$Month != "ProductID", ]


# Correct month order
sales_area$Month <- factor(sales_area$Month,
  levels = c("January", "February", "March"))

# Stacked Area Chart
ggplot(sales_area,
  aes(x = Month,
    y = Sales,
    fill = ProductName,
    group = ProductName)) +

```

```
geom_area(alpha = 0.7) +
labs(title = "Overall Sales Trend",
      x = "Month",
      y = "Sales",
      fill = "Product") +
theme_minimal()
```

Output:



- c) Build a table to show the monthly sales data for each product. Label the table elements.

R code:

```
library(gridExtra)
library(grid)
```

```
# Display table  
table_plot <- tableGrob(sales)
```

```
grid.newpage()  
grid.draw(table_plot)
```

Output:

	ProductID	ProductName	January	February	March
1	1	Product A	2000	2200	2400
2	2	Product B	1500	1800	1600
3	3	Product C	1200	1400	1100

- d) Develop a Tableau dashboard combining the grouped bar chart, stacked area chart, and the table for interactive exploration of sales data.

R code:

```
library(shiny)  
library(shinydashboard)  
library(ggplot2)  
library(reshape2)
```

```
library(DT)
```

```
# Dataset
```

```
sales <- data.frame(  
  ProductID = c(1, 2, 3),  
  ProductName = c("Product A", "Product B", "Product C"),  
  January = c(2000, 1500, 1200),  
  February = c(2200, 1800, 1400),  
  March = c(2400, 1600, 1100)  
)
```

```
# Convert to long format
```

```
sales_long <- melt(  
  sales,  
  id.vars = c("ProductID", "ProductName"),  
  variable.name = "Month",  
  value.name = "Sales"  
)
```

```
# Keep only month columns
```

```
sales_long <- sales_long[sales_long$Month %in%  
  c("January", "February", "March"), ]
```

```
sales_long$Month <- factor(  
  sales_long$Month,  
  levels = c("January", "February", "March")  
)
```

```
# UI
```

```
ui <- dashboardPage(  
  
  dashboardHeader(title = "Product Sales Dashboard"),  
  
  dashboardSidebar(  
    sidebarMenu(  
      menuItem("Dashboard", tabName = "dashboard", icon = icon("chart-bar"))  
    )  
  ),  
  
  dashboardBody(  
  
    fluidRow(  
  
      box(  
        title = "Grouped Bar Chart",  
        status = "primary",  
        solidHeader = TRUE,  
        width = 6,  
        plotOutput("barPlot", height = 350)  
      ),  
  
      box(  
        title = "Stacked Area Chart",  
        status = "success",  
        solidHeader = TRUE,  
        width = 6,  
        plotOutput("areaPlot", height = 350)  
      )  
    )  
  )  
)
```

```
),
```

```
fluidRow(
```

```
  box(
```

```
    title = "Monthly Sales Table",
```

```
    status = "warning",
```

```
    solidHeader = TRUE,
```

```
    width = 12,
```

```
    DTOutput("salesTable")
```

```
  )
```

```
)
```

```
)
```

```
)
```

```
# Server
```

```
server <- function(input, output) {
```

```
  # Grouped Bar Chart
```

```
  output$barPlot <- renderPlot({
```

```
    ggplot(sales_long,
```

```
      aes(x = ProductName,
```

```
        y = Sales,
```

```
        fill = Month)) +
```



```
geom_bar(stat = "identity",  
         position = "dodge") +  
  
labs(  
  title = "Monthly Product Sales",  
  x = "Product",  
  y = "Sales"  
) +  
  
theme_minimal()  
  
})
```

Stacked Area Chart

```
output$areaPlot <- renderPlot({
```

```
  ggplot(sales_long,  
    aes(x = Month,  
        y = Sales,  
        fill = ProductName,  
        group = ProductName)) +
```

```
  geom_area(alpha = 0.7) +
```

```
  labs(  
    title = "Overall Sales Trend",  
    x = "Month",  
    y = "Sales"  
  ) +
```

```
theme_minimal()

})

# Table
output$salesTable <- renderDT({


  datatable(
    sales,
    options = list(
      pageLength = 5,
      searching = FALSE,
      lengthChange = FALSE
    )
  )

})

}

# Run the application
shinyApp(ui, server)

Output:
```



Set 7: Customer Demographics Analysis

- Create a bar chart to visualize the distribution of customer ages. Label the axes and title the chart.


R code:

```
library(ggplot2)
```

```
ggplot(customer,
  aes(x = factor(CustomerID),
    y = Age,
    fill = factor(CustomerID))) +
  geom_bar(stat = "identity") +
```

```
labs(title = "Customer Age Distribution",  
      x = "Customer ID",  
      y = "Age") +  
theme_minimal() +  
theme(legend.position = "none")
```

Output:



b) Generate a pie chart to represent the distribution of customers by gender.

R code:

```
library(ggplot2)
```


```
# Count customers by gender
```

```
gender_data <- data.frame(table(customer$Gender))
```

```
colnames(gender_data) <- c("Gender", "Count")
```

```
ggplot(gender_data,  
  aes(x = "",  
    y = Count,  
    fill = Gender)) +  
  geom_bar(stat = "identity", width = 1) +  
  coord_polar("y") +  
  labs(title = "Customer Gender Distribution") +  
  theme_void()
```

Output:



- c) Build a table to show the demographic information for each customer. Label the table elements.

R code:

```
print(customer)
```

OR (in RStudio)

View(customer)

Output:

	CustomerID	Age	Gender	Income
1	1	28	Female	50000
2	2	35	Male	60000
3	3	42	Female	75000

- d) Develop a Tableau dashboard combining the bar chart, pie chart, and the table for interactive exploration of customer demographics.

R code:

```
library(shiny)
```

```
library(shinydashboard)
```

```
library(ggplot2)
```

```
library(DT)
```

```
# Dataset
```

```
customer <- data.frame(  
  CustomerID = c(1, 2, 3),  
  Age = c(28, 35, 42),  
  Gender = c("Female", "Male", "Female"),  
  Income = c(50000, 60000, 75000)  
)
```

```
# UI
```

```
ui <- dashboardPage(  
  
  dashboardHeader(title = "Customer Demographics Dashboard"),
```

```
dashboardSidebar(  
  sidebarMenu(  
    menuItem("Dashboard", tabName = "dashboard", icon = icon("users"))  
  )  
)
```

```
dashboardBody(  
  

```

```
  fluidRow(  
  

```

```
    box(  
      title = "Customer Age Distribution",  
      status = "primary",  
      solidHeader = TRUE,  
      width = 6,  
      plotOutput("barPlot", height = 350)  
    ),  
  

```

```
    box(  
      title = "Gender Distribution",  
      status = "success",  
      solidHeader = TRUE,  
      width = 6,  
      plotOutput("piePlot", height = 350)  
    )  
  

```

```
  ),  
  

```

```

fluidRow(

  box(
    title = "Customer Demographics Table",
    status = "warning",
    solidHeader = TRUE,
    width = 12,
    DTOutput("customerTable")
  )

)

)

)

```

Server

```
server <- function(input, output) {
```

Bar Chart

```
output$barPlot <- renderPlot({
```

```

  ggplot(customer,
    aes(x = factor(CustomerID),
        y = Age,
        fill = factor(CustomerID))) +
  geom_bar(stat = "identity") +
  labs(title = "Customer Age Distribution",
        x = "Customer ID",
        y = "Age") +

```



```

theme_minimal() +
theme(legend.position = "none")

})

# Pie Chart
output$piePlot <- renderPlot({

gender_data <- data.frame(table(customer$Gender))
colnames(gender_data) <- c("Gender", "Count")

ggplot(gender_data,
      aes(x = "",
          y = Count,
          fill = Gender)) +
geom_bar(stat = "identity", width = 1) +
coord_polar("y") +
labs(title = "Gender Distribution") +
theme_void()

})

```

```

# Data Table
output$customerTable <- renderDT({

datatable(
  customer,
  options = list(
    pageLength = 5,


```

```
    searching = FALSE,  
    lengthChange = FALSE  
  )  
)  
  
})  
  
}
```

Run the application

```
shinyApp(ui, server)
```

Output:



Set 8: Employee Performance Analysis

- Create a line chart to visualize the performance trend of employees over time. Label the axes and title the chart.

R code:

```
library(ggplot2)
```

```
ggplot(employee,
```

```
  aes(x = YearsOfService,
```

```
      y = PerformanceScore,
```

```
      group = 1)) +
```

```
  geom_line(color = "blue", linewidth = 1.2) +
```

```
geom_point(size = 3, color = "red") +
labs(title = "Employee Performance Trend",
      x = "Years of Service",
      y = "Performance Score") +
theme_minimal()
```

Output:



b) Generate a bar chart showing the distribution of employees across different departments. Label the chart elements.

R code:

```
library(ggplot2)
```


```
ggplot(employee,
```

```
  aes(x = Department,
```

```
      fill = Department)) +
```

```
geom_bar() +  
labs(title = "Employee Distribution by Department",  
      x = "Department",  
      y = "Number of Employees") +  
theme_minimal() +  
theme(legend.position = "none")
```

Output:



- c) Build a table to display the performance data for each employee. Label the table elements.


R code:

```
print(employee)
```

```
# OR (RStudio)
```

View(employee)

Output:



The image shows a Tableau interface with a table of employee performance data. The table has four columns: EmployeeID, Department, YearsOfService, and PerformanceScore. The data is as follows:

	EmployeeID	Department	YearsOfService	PerformanceScore
1	1	Sales	5	85
2	2	HR	3	92
3	3	Marketing	7	78

- d) Develop a Tableau dashboard combining the line chart, bar chart, and the table for interactive exploration of employee performance data.

R code:

```
library(shiny)
```

```
library(shinydashboard)
```

```
library(ggplot2)
```

```
library(DT)
```

```
# Dataset
```

```
employee <- data.frame(  
  EmployeeID = c(1, 2, 3),  
  Department = c("Sales", "HR", "Marketing"),  
  YearsOfService = c(5, 3, 7),  
  PerformanceScore = c(85, 92, 78)  
)
```

```
# UI
```

```
ui <- dashboardPage(  
  
  dashboardHeader(title = "Employee Performance Dashboard"),
```

```
dashboardSidebar(  
  sidebarMenu(  
    menuItem("Dashboard",  
      tabName = "dashboard",  
      icon = icon("chart-line"))  
  )  
)
```

```
dashboardBody(  
  
  fluidRow(  
  
    box(  
      title = "Performance Trend",  
      status = "primary",  
      solidHeader = TRUE,  
      width = 6,  
      plotOutput("linePlot", height = 350)  
    ),  
  
    box(  
      title = "Department Distribution",  
      status = "success",  
      solidHeader = TRUE,  
      width = 6,  
      plotOutput("barPlot", height = 350)  
    )  
  )  
)
```

```
),
```

```
fluidRow(
```

```
  box(
```

```
    title = "Employee Performance Table",
```

```
    status = "warning",
```

```
    solidHeader = TRUE,
```

```
    width = 12,
```

```
    DTOutput("employeeTable")
```

```
  )
```

```
)
```

```
)
```

```
)
```

```
# Server
```

```
server <- function(input, output) {
```

```
  # Line Chart
```

```
  output$linePlot <- renderPlot({
```

```
    ggplot(employee,
```

```
      aes(x = YearsOfService,
```

```
          y = PerformanceScore,
```

```
          group = 1)) +
```

```
    geom_line(color = "blue", linewidth = 1.2) +
```

```
    geom_point(size = 3, color = "red") +
```



```

    labs(title = "Employee Performance Trend",
          x = "Years of Service",
          y = "Performance Score") +
    theme_minimal()

  })

# Bar Chart
output$barPlot <- renderPlot({

  ggplot(employee,
          aes(x = Department,
              fill = Department)) +
  geom_bar() +
  labs(title = "Employee Distribution by Department",
        x = "Department",
        y = "Number of Employees") +
  theme_minimal() +
  theme(legend.position = "none")

})

```

```

# Table
output$employeeTable <- renderDT({

  datatable(
    employee,
    options = list(
      pageLength = 5,


```

```
    searching = FALSE,  
    lengthChange = FALSE  
  )  
)  
  
})  
  
}
```

Run the application

```
shinyApp(ui, server)
```

Output:



Set 9:

- Import the dataset in R. Plot a histogram for Quiz_Score. Draw a boxplot of Quiz_Score by Course. Add title and labels. Interpret student performance.

R code:

```
library(ggplot2)
```

```
# Histogram
```

```
ggplot(online_learning,
       aes(x = Quiz_Score)) +
  geom_histogram(binwidth = 5,
                fill = "skyblue",
```

```
    color = "black") +  
labs(title = "Distribution of Quiz Scores",  
     x = "Quiz Score",  
     y = "Frequency") +  
theme_minimal()
```

Boxplot

```
ggplot(online_learning,  
      aes(x = Course,  
          y = Quiz_Score,  
          fill = Course)) +  
geom_boxplot() +  
labs(title = "Quiz Score by Course",  
     x = "Course",  
     y = "Quiz Score") +  
theme_minimal()
```

Output:



- b) Create a scatter plot using R programming between Study_Time and Quiz_Score. Represent Videos_Watched using bubble size. Apply transparency. Explain the learning pattern.

R code:

```
library(ggplot2)
```


```
ggplot(online_learning,
  aes(x = Study_Time,
    y = Quiz_Score,
    size = Videos_Watched)) +
```

```
geom_point(alpha = 0.6,
  color = "blue") +
```

```
labs(title = "Study Time vs Quiz Score",  
      x = "Study Time (Hours)",  
      y = "Quiz Score",  
      size = "Videos Watched") +
```

```
theme_minimal()
```

Output:



- c) Using R programming, convert Login_Date into Date format. Calculate average quiz score per month. Plot a line chart. Apply moving average smoothing. Identify the trend.

R code:

```
library(ggplot2)
```

```
# Create Month Column
```

```
online_learning$Month <- format(online_learning$Login_Date,"%b")
```

```
# Monthly Average Quiz Score
```

```
monthly_avg <- aggregate(
```

```
  Quiz_Score ~ Month,
```

```
  data = online_learning,
```

```
  mean
```

```
)
```

```
print(monthly_avg)
```

```
# Moving Average
```

```
monthly_avg$Moving_Avg <- stats::filter(
```

```
  monthly_avg$Quiz_Score,
```

```
  rep(1/2,2),
```

```
  sides = 1
```

```
)
```

```
# Line Chart
```

```
ggplot(monthly_avg,
```

```
  aes(x = Month,
```

```
    y = Quiz_Score,
```

```
    group = 1)) +
```

```
  geom_line(color = "blue",
```

```
    linewidth = 1.2) +
```

```
  geom_point(size = 3,
```

```
color = "red") +
```

```
geom_line(aes(y = Moving_Avg),
```

```
color = "green",
```

```
linewidth = 1.2,
```

```
linetype = "dashed") +
```


```
labs(title = "Average Monthly Quiz Score",
```

```
x = "Month",
```

```
y = "Average Quiz Score") +
```

```
theme_minimal()
```

Output:



- d) Import Online_Learning_Activity.csv into Tableau. Create a bar chart showing average quiz score by Course. Create a scatter plot (Study Time vs Quiz Score). Add filter for Gender and Course. Design a mini interactive dashboard.

R code:

```
library(shiny)
```

```
library(shinydashboard)
```

```
library(ggplot2)
```

```
library(DT)
```

```
# Dataset
```

```
online_learning <- data.frame(
```

```
  Student_ID = c("L01","L02","L03","L04","L05","L06"),
```

```
  Gender = c("Male","Female","Male","Female","Male","Female"),
```

```
  Age = c(20,22,19,21,23,20),
```

```
  Course = c("R","R","SQL","R","R","SQL"),
```

```
  Study_Time = c(3.5,4.2,2.0,5.0,2.5,4.0),
```

```
  Videos_Watched = c(12,15,8,18,9,14),
```

```
  Quiz_Score = c(78,85,65,92,70,88),
```

```
  Login_Date = as.Date(c(
```

```
    "2025-01-05",
```

```
    "2025-01-05",
```

```
    "2025-02-08",
```

```
    "2025-02-08",
```

```
    "2025-03-12",
```

```
    "2025-03-12"))
```

```
)
```

```
# UI
```

```
ui <- dashboardPage(
```

```
dashboardHeader(title = "Online Learning Dashboard"),
```

```
dashboardSidebar(
```

```
  sidebarMenu(
```

```
    menuItem("Dashboard",
```

```
      tabName = "dashboard",
```

```
      icon = icon("laptop"))
```

```
  )
```

```
),
```

```
dashboardBody(
```

```
  fluidRow(
```

```
    box(
```

```
      title = "Quiz Score by Course",
```

```
      width = 6,
```

```
      status = "primary",
```

```
      solidHeader = TRUE,
```

```
      plotOutput("barPlot")
```

```
    ),
```

```
    box(
```

```
      title = "Study Time vs Quiz Score",
```

```
      width = 6,
```

```

      status = "success",
      solidHeader = TRUE,
      plotOutput("scatterPlot")
    )

  ),

  fluidRow(

    box(
      title = "Student Activity",
      width = 12,
      status = "warning",
      solidHeader = TRUE,
      DTOutput("studentTable")
    )

  )

)

)

)

# Server
server <- function(input, output){

  output$barPlot <- renderPlot({

    avg <- aggregate(

```

```
Quiz_Score ~ Course,  
online_learning,  
mean  
)
```

```
ggplot(avg,  
  aes(x = Course,  
      y = Quiz_Score,  
      fill = Course))+
```

```
geom_bar(stat="identity")+
```

```
labs(title="Average Quiz Score by Course",  
  x="Course",  
  y="Average Quiz Score")+
```

```
theme_minimal()
```

```
})
```

```
output$scatterPlot <- renderPlot({
```

```
ggplot(online_learning,  
  aes(x=Study_Time,  
      y=Quiz_Score,  
      size=Videos_Watched,  
      color=Gender))+
```

```
geom_point(alpha=0.6)+
```

```
labs(title="Study Time vs Quiz Score",
      x="Study Time",
      y="Quiz Score")+

theme_minimal()

})

output$studentTable <- renderDT({


  datatable(
    online_learning,
    options=list(pageLength=6)
  )

})

}
```

```
shinyApp(ui,server)
```

Output:



Set 10: Survey Responses Analysis

- Create a grouped bar chart to visualize the distribution of answers for Question 1. Label the chart elements.

R code:

```
library(ggplot2)
```

```
# Count responses for Question 1
```

```
q1_data <- data.frame(table(survey$Question1))
```

```
colnames(q1_data) <- c("Response", "Count")
```


```
# Grouped Bar Chart
```

```

ggplot(q1_data,
      aes(x = Response,
          y = Count,
          fill = Response)) +
  geom_bar(stat = "identity") +
  labs(
    title = "Distribution of Question 1 Responses",
    x = "Response",
    y = "Number of Responses"
  ) +
  theme_minimal()

```

Output:



- b) Generate a stacked bar chart to represent the overall distribution of responses for all three questions.

R code:

```
library(reshape2)
```

```
library(ggplot2)
```


```
# Convert dataset into long format
```

```
survey_long <- melt(  
  survey,  
  id.vars = "SurveyID",  
  variable.name = "Question",  
  value.name = "Response"  
)
```

```
# Stacked Bar Chart
```

```
ggplot(survey_long,  
  aes(x = Question,  
    fill = Response)) +  
  geom_bar() +  
  labs(  
    title = "Overall Distribution of Survey Responses",  
    x = "Questions",  
    y = "Count"  
  ) +  
  theme_minimal()
```

Output:



- c) 3. Build a table to show the survey response data for each survey. Label the table elements.

R code:

```
print(survey)
```

OR (RStudio)

```
View(survey)
```

Output:

	SurveyID	Question1	Question2	Question3
1	1	A	B	C
2	2	B	A	D
3	3	C	A	B

- d) 4. Develop a Tableau dashboard combining the grouped bar chart, stacked bar chart, and the table for interactive exploration of survey responses.

R code:

```
library(shiny)
```

```
library(shinydashboard)
```

```
library(ggplot2)
```

```
library(reshape2)
```

```
library(DT)
```

```
# Dataset
```

```
survey <- data.frame(  
  SurveyID = c(1, 2, 3),  
  Question1 = c("A", "B", "C"),  
  Question2 = c("B", "A", "A"),  
  Question3 = c("C", "D", "B")  
)
```

```
# Question 1 Summary
```

```
q1_data <- data.frame(table(survey$Question1))  
colnames(q1_data) <- c("Response", "Count")
```

```
# Long Format
```

```
survey_long <- melt(  
  survey,  
  id.vars = "SurveyID",  
  variable.name = "Question",  
  value.name = "Response"  
)
```

```
# UI
```

```
ui <- dashboardPage(  
  
  dashboardHeader(title = "Survey Responses Dashboard"),  
  
  dashboardSidebar(  
    sidebarMenu(  
      menuItem(  
        "Dashboard",  
        tabName = "dashboard",  
        icon = icon("poll")  
      )  
    )  
  ),  
  
  dashboardBody(  
  
    fluidRow(  
  
      box(  
        title = "Question 1 Responses",  
        status = "primary",  
        solidHeader = TRUE,  
        width = 6,  
        plotOutput("barPlot", height = 350)  
      ),  
  
      box(  
        title = "Overall Survey Responses",  
        status = "success",
```

```

    solidHeader = TRUE,
    width = 6,
    plotOutput("stackPlot", height = 350)
  )

),

fluidRow(

  box(
    title = "Survey Response Table",
    status = "warning",
    solidHeader = TRUE,
    width = 12,
    DTOutput("surveyTable")
  )

)

)

)

)

# Server
server <- function(input, output) {

  # Grouped Bar Chart
  output$barPlot <- renderPlot({

```

```

ggplot(q1_data,
      aes(x = Response,
          y = Count,
          fill = Response)) +
  geom_bar(stat = "identity") +
  labs(
    title = "Question 1 Response Distribution",
    x = "Response",
    y = "Count"
  ) +
  theme_minimal()

})

```

Stacked Bar Chart

```

output$stackPlot <- renderPlot({

  ggplot(survey_long,
        aes(x = Question,
            fill = Response)) +
    geom_bar() +
    labs(
      title = "Overall Survey Response Distribution",
      x = "Question",
      y = "Count"
    ) +
    theme_minimal()

})

```

```
# Data Table
```

```
output$surveyTable <- renderDT({
```

```
  datatable(
```

```
    survey,
```

```
    options = list(
```

```
      pageLength = 5,
```

```
      searching = FALSE,
```

```
      lengthChange = FALSE
```

```
    )
```

```
  )
```

```
})
```


```
}
```

```
# Run Dashboard
```

```
shinyApp(ui, server)
```

Output:

Question 1 Responses



Overall Survey Responses



Survey Response Table

SurveyID	Question1	Question2	Question3
1	1 A	B	C
2	2 B	A	D
3	3 C	A	B

Showing 1 to 3 of 3 entries

Previous

1

Next