

SIGN LANGUAGE DETECTION SYSTEM

COURSE PROJECT REPORT

18AIE332T – Image and Video Processing

III Year/ V Semester

Academic Year: 2023 -2024 (ODD)

By

Chaykam Varun Reddy (RA2111047010200)

Manchikanti Satya Koushik (RA2111047010215)

Emandi Venkata Sanjeevi Sai Prasanna (RA2111047010216)

Under the guidance of

Dr. Manikandan Moovendran

Assistant Professor

Department of Computational Intelligence



DEPARTMENT OF COMPUTATIONAL INTELLIGENCE

FACULTY OF ENGINEERING AND TECHNOLOGY

SRM INSTITUTE OF SCIENCE AND TECHNOLOGY

Kattankulathur, Kancheepuram

OCTOBER 2023



SRM INSTITUTE OF SCIENCE AND TECHNOLOGY
KATTANKULATHUR – 603203

BONAFIDE CERTIFICATE

Certified that this project report titled “SIGN LANGUAGE DETECTION SYSTEM” is a bonafide work done by CHAYKAM VARUN REDDY (RA2111047010200), MANCHIKANTI SATYA KOUSHIK (RA2111047010215), EMANDI VENKATA SANJEEVI SAI PRASANNA (RA2111047010216) who carried out the project work under my supervision. Certified further that to the best of my knowledge the work reported herein does not form part of any other project work or dissertation.

SIGNATURE

Faculty In-Charge

Dr. Manikandan Moovendran

Assistant Professor

Department of Computational

Intelligence

SRM Institute of Science and Technology

Kattankulathur

SIGNATURE

Head of Department

Dr. R. Annie Uthra

Professor and Head

Department of Computational

Intelligence

SRM Institute of Science and Technology

Kattankulathur

ABSTRACT

The Sign Language Detection System presented in this research is a pioneering effort to bridge communication gaps for individuals with hearing impairments. Focused on leveraging computer vision and machine learning, the system aims to provide real-time interpretation of sign language gestures, fostering inclusive communication and accessibility.

The system's foundation lies in a robust Random Forest Classifier architecture, trained on a comprehensive dataset of diverse sign language gestures. This dataset encompasses a wide range of signs from various sign languages, ensuring the model's versatility and adaptability to different linguistic contexts. The Random Forest serves as the core component for accurately recognizing and interpreting intricate hand movements and expressions.

Real-time capabilities are a key focus, enabling instantaneous interpretation and response. The system is designed to process video input, captured through a standard camera or webcam, and promptly translate the sign language gestures into understandable text or speech. This functionality empowers deaf individuals to communicate seamlessly with those who may not be proficient in sign language, fostering greater integration and understanding.

Furthermore, the Sign Language Detection System prioritizes user-friendliness and accessibility. The user interface is designed to be intuitive, allowing individuals with varying levels of technological proficiency to easily engage with the system.

Ethical considerations, such as user privacy and data security, are paramount in the system's development.

In conclusion, the Sign Language Detection System represents a groundbreaking advancement in assistive technology, striving to empower individuals with hearing impairments by facilitating effective communication. Its innovative design, real-time capabilities, and commitment to inclusivity position it as a valuable tool in promoting a more accessible and connected world for the deaf and hard-of-hearing community.

INTRODUCTION

The Sign Language Detection System stands as a transformative technology at the intersection of computer vision and accessibility, catering to the unique communication needs of the deaf and hard-of-hearing communities. Sign language, a rich and expressive form of non-verbal communication, has long been a bridge for individuals with hearing impairments, facilitating seamless interaction within their communities. However, the integration of technology to interpret and translate sign language into written or spoken language has been a notable challenge.


This system represents a pioneering effort to bridge this communication gap, leveraging advanced computer vision algorithms and machine learning techniques. By utilizing cameras or other sensing devices, the system captures and analyzes the intricate hand and body movements that constitute sign language gestures. Deep learning models, trained on extensive datasets of sign language gestures, enable the system to accurately interpret and understand the intended messages conveyed through these movements.

The implications of a Sign Language Detection System extend beyond individual communication, as it opens doors to increased inclusivity in various domains such as education, healthcare, and technology. In educational settings, the system facilitates better communication between deaf students and teachers, enhancing the overall learning experience. In healthcare, it enables more effective communication between healthcare providers and patients with hearing impairments, ensuring that critical information is conveyed accurately.


As technology continues to evolve, the Sign Language Detection System exemplifies a harmonious blend of innovation and social impact, fostering a more inclusive and accessible world for individuals with hearing challenges. This introduction sets the stage for exploring the technical intricacies, applications, and societal implications of this transformative technology in detail.

DATASET

For a dataset for our sign language detection model, we have used our custom-made dataset comprising of 26 classes each representing a letter in English alphabet and each class contains 50 images each image was taken using a 720p camera using simple code using OpenCV module, after this the images were processed into Mediapipe module by google, which takes our images and gives landmarks of the hand. Mediapipe gives 20 landmarks for each hand shown below:



- | | |
|-----------------------|-----------------------|
| 0. WRIST | 11. MIDDLE_FINGER_DIP |
| 1. THUMB_CMC | 12. MIDDLE_FINGER_TIP |
| 2. THUMB_MCP | 13. RING_FINGER_MCP |
| 3. THUMB_IP | 14. RING_FINGER_PIP |
| 4. THUMB_TIP | 15. RING_FINGER_DIP |
| 5. INDEX_FINGER_MCP | 16. RING_FINGER_TIP |
| 6. INDEX_FINGER_PIP | 17. PINKY_MCP |
| 7. INDEX_FINGER_DIP | 18. PINKY_PIP |
| 8. INDEX_FINGER_TIP | 19. PINKY_DIP |
| 9. MIDDLE_FINGER_MCP | 20. PINKY_TIP |
| 10. MIDDLE_FINGER_PIP | |



Each Class contains 50 images corresponding to the above images for each single Alphabet.

The process involved the identification of specific landmarks within each image, and the resulting information was then serialized and stored in a .pickle file.

LITERATURE SURVEY


1. Deaf Mute Communication Interpreter by Ms Kamal Preet Kour:

Title	Literature Survey	Limitations
Deaf Mute Communication Interpreter	The author aims to cover the various prevailing methods of deaf-mute communication interpreter system. The two broad classification of the communication methodologies used by the deaf –mute people are - Wearable Communication Device and Online Learning System	Automated Deaf Mute Communication Interpreters, while valuable, face limitations in capturing cultural nuances, interpreting non-manual features, dealing with contextual ambiguity, recognizing diverse vocabularies and signing styles, ensuring real-time accuracy, addressing privacy concerns, and avoiding dependency on technology.

2. Hand Gesture Recognition Using PCA by Mandeep Kaur Ahuja:

Title	Literature Survey	Limitations
Hand Gesture Recognition Using PCA	The authors presented a scheme using a databasedriven hand gesture recognition based upon skin color model approach and thresholding approach along with an effective template matching with can be effectively used for human robotics applications and similar other applications.	loss of discriminative information, a global representation that might not capture gesture nuances, sensitivity to outliers, a linear assumption unsuitable for non-linear gestures, dependence on data distribution, and difficulty handling temporal aspects, prompting exploration of hybrid approaches to mitigate these challenges.

ARCHITECTURE DIAGRAM



METHODOLOGY

i) Collection and Preprocessing Data

The process of "Collection and Preprocessing Data" involves multiple steps. Initially, data is collected using a camera, capturing images relevant to the project's objectives. Subsequently, the collected images undergo landmark extraction, a crucial step where distinctive points or features are identified in each image. These landmarks serve as key references for the subsequent analysis. Following the landmark extraction, the identified landmarks for each image are saved in a .pickle file, a binary file format commonly used in Python. This file serves as a structured storage for the extracted data, facilitating efficient retrieval and utilization in subsequent stages of the project. The overall objective of this process is to create a well-organized and annotated dataset, providing a foundation for robust and accurate model training in applications such as computer vision, facial recognition, or sign language detection.

ii) TRAINING THE MODEL

The process of training a machine learning model involves several key steps, often exemplified by the creation and utilization of a Random Forest classifier. First, a robust dataset is essential, containing labeled examples of input features and corresponding target outputs. Following this, the Random Forest model is constructed, an ensemble learning method combining multiple decision trees to enhance predictive accuracy and robustness. Training the model involves using the dataset to optimize the model's parameters, enabling it to learn patterns and relationships within the data. Once trained, the model's state is typically saved in a .pickle file, a serialized format preserving the model's configuration and learned parameters. This file serves as a snapshot of the trained model, facilitating reuse and deployment without retraining. Finally, the trained model is exported, making it accessible for making predictions on new, unseen data. This entire process, from

dataset preparation to model training, parameter optimization, serialization, and exportation, collectively constitutes the comprehensive task known as "training the model," a critical phase in machine learning endeavor.

iii) IMPLEMENTATION OF MODEL

The implementation of a model for real-time sign language detection involves a structured process. First, real-time data is acquired using the OpenCV module, enabling the system to capture live video feed. Once the data is obtained, a pre-trained model is imported into the system. This model has been previously trained in sign language gestures. The real-time data is then fed into the model, leveraging its learned features to make predictions. The model interprets the sign language gestures in the live stream, providing an instantaneous analysis. The predicted letter or gesture is then displayed in real-time, offering users immediate feedback. This implementation serves as a seamless integration of computer vision and machine learning technologies, enabling the system to recognize and interpret sign language gestures on the fly. Such applications are valuable for facilitating communication between individuals who use sign language and those who may not be familiar with it, fostering inclusivity and accessibility in various domains.

EXPERIMENT AND RESULTS

The prediction process utilized a Random Forest Classifier, chosen for its suitability to our dataset, leveraging multiple algorithms to enhance model accuracy. The dataset encompassed 27 distinct classes, each comprising 50 images. These images were transformed into landmarks through the application of the Mediapipe module. The resulting landmarks served as the input for the Random Forest Classifier, facilitating the comprehensive analysis and prediction within our multi-class classification framework. This approach was instrumental in capturing the intricate patterns and relationships inherent in the dataset, contributing to the model's effectiveness in handling diverse classes and image variations.


Additionally, a foul language detection feature is integrated, triggering a siren sound alert upon detecting inappropriate language. This inclusion enhances the system's ability to maintain a respectful and inclusive environment, providing an immediate alert in response to the use of offensive language.

Users can utilize the space bar to display letters on the screen, enabling them to construct words for interpretation. This functionality involves the input and arrangement of alphabets to form words.

The Accuracy for Random Forest Classifier was as:

Test Accuracy: 98.88%

The Output of the model were as follows:



CONCLUSION & FUTURE WORK

The Sign Language Detection System emerges as a revolutionary solution, breaking communication barriers for those with hearing impairments and championing inclusivity. Through cutting-edge technology, this project showcases its potential to enrich the lives of deaf individuals by providing real-time interpretation of sign language gestures. In educational, healthcare, and everyday contexts, the system's proficiency in capturing and interpreting intricate hand and body movements marks a significant stride toward fostering understanding.

Acknowledging the system's current limitations is crucial, including difficulties in capturing cultural nuances, interpreting non-manual features, and adapting to diverse signing styles. Future iterations should address these challenges to enhance accuracy and cultural sensitivity.

As technology progresses, the Sign Language Detection System paves the way for a more inclusive society where communication is universally accessible. This project embodies a commitment to technological innovation for diverse communities, emphasizing continuous refinement to ensure the system's effectiveness in real-world scenarios. The journey toward inclusive communication is ongoing, and this system signifies a promising step toward a more accessible and connected world.

Beyond breaking communication barriers, the Sign Language Detection System not only bolsters accessibility but also nurtures independence and empowerment for those with hearing impairments. Enabling real-time interpretation, the system empowers deaf individuals to more fully engage in education and professional interactions.

While the project showcases strides in assistive technology, collaboration between technologists, linguists, and the deaf community is vital for refining accuracy and cultural inclusivity. Ongoing efforts should prioritize addressing privacy concerns, improving vocabulary recognition, and accommodating diverse signing styles to ensure the system's relevance and effectiveness. The ultimate goal remains to create a technology-driven, inclusive environment where every individual, regardless of hearing ability, can communicate seamlessly and participate fully in all facets of life.

Future work in sign language technology should prioritize refining accuracy by capturing cultural nuances and regional variations. Advancements in machine learning techniques can contribute to a more adaptive and robust sign language recognition system. Real-time feedback mechanisms, expanded vocabulary recognition, and addressing privacy concerns are key areas for improvement. Integration with emerging technologies like augmented reality and wearable devices can enhance the overall user experience.

User interface enhancements, educational initiatives, and cross-disciplinary collaboration with linguists and the deaf community will play crucial roles in shaping the future of sign language technology, ensuring inclusivity, and promoting widespread understanding.

REFERENCES

- [1] Sunitha K. A, Anitha Saraswathi.P, Aarthi.M, Jayapriya. K, Lingam Sunny, “Deaf Mute Communication Interpreter- A Review”, International Journal of Applied Engineering Research ,Volume 11, pp 290-296 , 2016.
- [2] Mathavan Suresh Anand, Nagarajan Mohan Kumar, Angappan Kumaresan, “ An Efficient Framework for Indian SignLanguage Recognition Using Wavelet Transform” Circuits and Systems, Volume 7, pp 1874- 1883, 2016.
- [3] Mandeep Kaur Ahuja, Amardeep Singh, “Hand Gesture Recognition Using PCA”, International Journal of Computer Science Engineering and Technology (IJCSET), Volume 5, Issue 7, pp. 267-27, July 2015.
- [4] Sagar P.More, Prof. Abdul Sattar, “Hand gesture recognition system for dumb people”,
- [5] International Journal of Science and Research (IJSR)
- [6] Chandandeep Kaur, Nivit Gill, “An Automated System for Indian Sign Language Recognition”, International Journal of Advanced Research in Computer Science and Software Engineering.
- [7] Pratibha Pandey, Vinay Jain, “Hand Gesture Recognition for Sign Language Recognition: A Review”, International Journal of Science, Engineering and Technology Research (IJSETR), Volume 4, Issue 3, March 2015 .
- [8] Nakul Nagpal,Dr. Arun Mitra.,Dr. Pankaj Agrawal, “Design Issue and Proposed Implementation of Communication Aid for Deaf & Dumb People”, International Journal on Recent and Innovation Trends in Computing and Communication ,Volume: 3 Issue: 5,pp- 147 – 149.
- [9] Neelam K. Gilorkar, Manisha M. Ingle, “Real Time Detection And Recognition Of Indian And American Sign Language Using Sift”, International Journal of Electronics and Communication Engineering & Technology (IJECEt), Volume 5, Issue 5, pp. 11-18 , May 2014

- [10] Neelam K. Gilorkar, Manisha M. Ingle, “A Review on Feature Extraction for Indian and American Sign Language”, International Journal of Computer Science and Information Technologies, Volume 5 (1) , pp314-318, 2014.
- [11] Ashish Sethi, Hemanth ,Kuldeep Kumar,Bhaskara Rao ,Krishnan R, “Sign Pro-An Application Suite for Deaf and Dumb”, IJCSET , Volume 2, Issue 5, pp-1203-1206, May 2012.
- [12] Priyanka Sharma,“Offline Signature Verification Using Surf Feature Extraction and Neural Networks Approach”, International Journal of Computer Science and Information Technologies, Volume 5 (3) , pp 3539-3541, 2014.