



P36 · 30 PAGES, PRINTABLE, TWO-WEEK LOG

A Sleep-Disruption Pattern Journal

A two-week pattern-finding journal for the disrupted-sleep season. Designed to be a logging tool, not a method. Each daily page tracks the day and the night side by side.

Two weekly-review pages help spot patterns. A "what might be happening" reference page lists common developmental and regression ages without prescribing a response. A "when to call the pediatrician" page routes you to your provider for the things that warrant a call. A "what we already tried" page lets you track your own attempts without the journal endorsing any of them.

Soothemade Notes

A SMALL APOTHECARY OF PRINTABLES · MADE SLOWLY

A PLANNING AND TRACKING TOOL · NOT MEDICAL ADVICE

A note before you start

Your kid's sleep has changed. Maybe slowly. Maybe overnight. Maybe in a way that feels like the previous version is gone and is not coming back.

You are tired. You have read forty articles. You have considered sleep training. You have considered not sleep training. You have considered asking the pediatrician. You have considered just waiting it out. Your partner has an opinion. Your mother has an opinion. The internet has fifty methods, each one for sale.

This journal is the step before any of that.

For two weeks, you log what is actually happening. Bedtime. Wakings. Naps. Mood. What you tried. What worked, if anything. By the end of two weeks, you have something the methods cannot give you: data about your specific kid in your specific house.

What you do with the pattern, after, is yours to decide. Maybe with your partner. Maybe with your pediatrician. Maybe with the consultant you are about to hire. Maybe you just wait it out, because now you know waiting is what you are choosing.

With care, Maya

*This is a logging tool, not medical advice. For specific concerns about your child's sleep, breathing, or behavior, please call your pediatric provider.
This journal does not endorse or describe any sleep-training method.*

How to use this journal

- Print on plain paper. Keep the current week's pages on the kitchen counter or the bedside table.
- Fill in the daily page in the morning, while the night is still fresh. Or fill it in just before bed. Whichever you will actually do.
- The bullet points are starting places, not requirements. If your kid does not nap, skip the nap line. If you do not have a partner, skip the partner line.
- Do the weekly review on Sundays, or whichever day works for your house. The review is the most useful page in the journal.

This journal does not tell you what to do

It is worth being explicit.

This journal does not recommend a sleep-training method. It does not tell you whether to use one or not. It does not name a method. It does not have an opinion about cry-it-out, no-cry, gradual extinction, chair method, pickup-putdown, or any other named approach.

The journal also does not predict the future. It does not say "by week six this regression will pass." It does not say "if you do this, your kid will sleep through." It does not even say "this is a regression." Those are determinations you and your provider can make from the data.

What the journal does:

- Records what happened, on the day it happened.
- Reflects the data back to you each week.
- Names some things that sometimes shift at certain ages.
- Names the situations where the right next step is the pediatrician, not the next method.

What you do with the pattern is your call.

What I think is going on, at the start of this journal (you can be wrong, you can revise):

What I am hoping the journal helps me see:

Before you start, baseline

Where you are starting from.

KID

Age (months / years): _____
Current sleep setup (room, crib, bed): _____
Who else sleeps in that room: _____

WHAT WAS WORKING, BEFORE THE CHANGE

Bedtime routine: _____

Typical bedtime: _____
Typical wake-up: _____
Number of night wakings: _____
Naps (number + length): _____
What soothed them, when needed: _____

WHEN THE CHANGE STARTED, ROUGHLY

Date or week: _____
What I noticed first:

What I think might have triggered it (if anything):

WHAT IS HAPPENING NOW

Average bedtime: _____
Average number of night wakings: _____
Average length of each waking: _____
Earliest wake-up time: _____
Naps right now (number + length): _____

The hardest part of the current pattern:

WHAT WE HAVE TRIED SO FAR (no judgment, just listing)

WHAT WE HAVE NOT TRIED YET, BUT HAVE CONSIDERED

Day 1

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up time: _____

Mood on waking (one word): _____

Naps:

Nap 1: started _____ ended _____ (in: crib / car / arms / stroller / other)

Nap 2: started _____ ended _____ (in: _____)

Nap 3: started _____ ended _____ (in: _____)

Anything unusual about the day (sick, trip, big change, new food):

BEDTIME

Routine started: _____

In bed: _____

Asleep: _____

How they fell asleep:

- ☐ On their own
- ☐ With me / partner in the room
- ☐ Held / rocked / nursed / bottle to sleep
- ☐ Other: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

Waking 4, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE ABOUT THE DAY/NIGHT:

Day 2

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up time: _____

Mood on waking: _____

Naps:

Nap 1: started _____ ended _____ (in: _____)

Nap 2: started _____ ended _____ (in: _____)

Nap 3: started _____ ended _____ (in: _____)

Anything unusual:

BEDTIME

Routine started: _____

In bed: _____

Asleep: _____

How they fell asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 3

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

Routine started: _____

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 4

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 5

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 6

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 7

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Week 1 review

You have one week of data. This page is for noticing.

LOOKING AT THE WEEK

The average bedtime across the week: _____

The average wake-up time: _____

Total number of night wakings, week 1: _____

THE WAKINGS

Most common time the first waking happens: _____

The waking that consistently appears around the same time:

The waking that varies the most:

WHAT SEEMS TO PATTERN

- ☐ The kid wakes more on days with no nap
- ☐ The kid wakes more on days with a long late nap
- ☐ The kid wakes more on days they were sick or off
- ☐ The kid wakes more on days with a big social event
- ☐ The kid wakes more on days they ate later than usual
- ☐ The kid wakes more on days something specific happened: _____
- ☐ No clear pattern yet

WHAT I TRIED THIS WEEK, AND HOW IT SEEMED TO LAND

What I tried 1: _____

How it seemed: _____ worked / made it worse / no change

What I tried 2: _____

How it seemed: _____ worked / made it worse / no change

What I tried 3: _____

How it seemed: _____ worked / made it worse / no change

WHAT I HAVE NOT TRIED YET BUT AM CONSIDERING:

THE QUESTION I WANT TO BRING TO MY PARTNER OR PEDIATRICIAN:

Day 8

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 9

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 10

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 11

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 12

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 13

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Day 14

DATE: _____ DAY OF WEEK: _____

THE DAY

Wake-up: _____ Mood: _____

Naps: Nap 1: _____ to _____ Nap 2: _____ to _____

Nap 3: _____ to _____

Anything unusual:

BEDTIME

In bed: _____ Asleep: _____

How asleep: _____

THE NIGHT

Waking 1, time: _____ How long: _____ What I did: _____

Waking 2, time: _____ How long: _____ What I did: _____

Waking 3, time: _____ How long: _____ What I did: _____

NEXT DAY WAKE-UP: _____

ONE LINE:

Week 2 review

Two weeks of data. This page is the one that often surprises people.

LOOKING AT THE TWO WEEKS TOGETHER

Average bedtime across two weeks: _____

Average number of wakings per night: _____

Average wake-up time: _____

WHAT HAS CHANGED FROM WEEK 1 TO WEEK 2

Bedtime: better / worse / same

Number of wakings: fewer / more / same

How they fall asleep: same / changing toward: _____

My mood / energy: better / worse / same

THE PATTERN, IN PLAIN WORDS

What I am seeing across the two weeks:

What I am NOT seeing (things I thought might be a factor but the data does not show):

The wakings that have stayed consistent at a similar time:

The day-of-week patterns I noticed (if any):

What changed something for the better:

What made it worse:

WHAT I AM CHOOSING TO DO NEXT (you fill this in, the journal does not)

- ☐ Wait. Continue current routine. Re-evaluate in two more weeks.
- ☐ Talk to my partner about adjustments.
- ☐ Talk to the pediatrician.

- ☐ Talk to a sleep consultant.
- ☐ Try a specific change I have decided on: _____
- ☐ Read further before deciding.
- ☐ Stop logging.

The reason I am choosing this:

What might be happening at this developmental stage

This is reference information, not a prescription. The ages are approximate. Every kid is different. The journal lists them so you can recognize them in the data. It does not tell you what to do about any of them.

Around 3 to 4 months. Sleep cycles often mature, which means light sleep stretches feel different. Sometimes called the "4-month regression," though not every baby experiences it.

Around 6 months. Solids often start around now. Eating patterns shift. Some sleep shifts come with that.

Around 8 to 10 months. Separation awareness develops. Many babies start crying when a parent leaves the room, including at bedtime. Common to see a sleep shift.

Around 12 months. Some babies drop from two naps to one. The transition can take weeks of inconsistency.

Around 18 months. A common burst of language and motor skill. Some sleep shifts.

Around 2 years. Some toddlers move from one nap to no nap. The transition is rarely clean.

Around 3 years. Imagination develops, and with it nightmares and night fears sometimes start.

Teething. Can affect sleep for a few nights here and there, at no predictable age.

Illness. Affects sleep. Usually returns to baseline after the illness passes, give or take a week.

Travel + time zones. Disrupts sleep. Usually returns to baseline after a week or so of being home.

Big life events. New sibling, move, daycare start, parent traveling. Sleep often shifts.

What might be happening for my kid right now, based on age and recent events:

Partner page

This page is for the support person.

The disrupted sleep is happening in two lives. Sometimes both parents are doing the wakings. Sometimes one is doing more than the other. Both of you are tired. Both of you are scared the kid will never sleep again. Both of you are wrong about that, but it does not feel like it at 3am.

A check-in for the two of you, this week:

ARE WE READING THE SAME PATTERN?

What I think is happening:

What you think is happening:

Where we agree:

Where we are reading the data differently:

WHO IS DOING WHAT, RIGHT NOW

Who responds to wakings:

Are we splitting it? yes / no / partially

If we are not splitting, is that a choice or an accident?

What we could change about the split:

WHEN WE TALK ABOUT THIS, IS IT CALM, OR FRACTIOUS?

WHAT WE BOTH NEED THIS WEEK, BEFORE THE NEXT DECISION

A note: sleep deprivation makes everyone meaner. The fight you are having at 2am is not the fight you would have at 2pm. Try to make the big decisions at 2pm.

When to call the pediatrician

The journal is not a medical tool. But it is the right move to pull the journal out and call the pediatrician if any of these are true.

CALL THE PEDIATRICIAN IF:

- ☐ My baby's breathing during sleep sounds different.
Pauses, gasping, very loud snoring (especially in toddlers),
chest sucking in.
- ☐ My kid is snoring loudly every night, even when not sick.
- ☐ My kid sleeps with their mouth open every night.
- ☐ My kid is having sleep terrors that come from a deep sleep, often
in the first half of the night, and they cannot be woken from them.
- ☐ My kid is wetting the bed at an age and pattern that concerns me.
- ☐ My kid wakes screaming in pain that does not have an obvious cause.
- ☐ My kid has reflux that is significantly affecting sleep.
- ☐ Sleep disruption appeared with new symptoms (fever, rash, vomiting,
refusal to eat or drink, lethargy).
- ☐ My kid is meaningfully struggling during the day, can't be awake,
can't focus, is having mood or behavioral changes.
- ☐ My kid's growth has slowed (you would see this on the pediatric
growth chart).
- ☐ I am no longer functioning, and the lack of functioning is starting
to scare me.

WHEN I CALL, I WILL BRING:

- This journal (the data is the point)
- My specific question, written down
- My partner's questions if any
- A list of what I have tried

What we already tried

A non-judgmental record of what you have attempted. The journal does not endorse, recommend, or rank any of these. It just records.

What we tried (use whatever words make sense to you):

1. _____

Started: _____

How long we tried it for: _____

What seemed to happen:

We stopped because:

2. _____

Started: _____

How long we tried it for: _____

What seemed to happen:

We stopped because:

3. _____

Started: _____

How long we tried it for: _____

What seemed to happen:

We stopped because:

4. _____

Started: _____

How long we tried it for: _____

What seemed to happen:

We stopped because:

THINGS WE ARE CONSIDERING NEXT (and the reason we have not yet):

A final note

You logged for two weeks. That is harder than it sounds when you are this tired. Most people give up after day three.

What you have now is a record of what is actually happening, not what you remember through the haze. You can read the pattern. You can show it to your partner. You can take it to the pediatrician. You can take it to a sleep consultant if you decide that is the right next step. You can also decide to do nothing and just wait, with more confidence that “waiting” is what you are actually choosing.

The journal runs out. The sleep, eventually, gets better. Not always on the timeline you wanted. But it does.

If you are still here in two weeks, you can re-print and run the journal again. The data will be different. That is also useful.

You are doing the work. The kid is going to be okay. So are you.

With care, Maya



Soothemade *Notes*

*Made for the version of you no one tells you about, the
one at four in the morning, the one in the parking lot, the
one who doesn't recognize her own week.*

notes.soothemade.com

Personal use only. Not for redistribution.
© 2026 Soothemade · made slowly, in plain language