POC Demo Readiness: Must-Haves, Flow and Constraints

Oct 25, 2026 · @Varizz

1. Demo goal and scope cut

The demo has one job: prove that the AI can turn a company's website and a few answers into a **verified, source-labelled company profile**, then use it in a **chat** and a **generated document**, with every company's data kept separate. Everything else in the SRS is supporting detail.

The SRS itself points at what to show first. Open question `OQ-15` proposes a prototype of the **onboarding wizard (5.2), the company profile (5.3) and the use-case explorer (5.7)**, tested with two or three member companies. Brief items 2, 4, 5 and 6 (analysis, AI-generated page, chats, documents) are the core of a "working chatbot" POC.

Recommended scope for tomorrow (my recommendation, not in the SRS)

Priority	What to build for real	SRS reference
1. Must be real	Sign-in with two roles (Super Admin, Company Admin) and at least two workspaces	Epic A: `US-A01`, `A02`, `A03`, `A05`, `A07`
1. Must be real	Onboarding: website URL and product text, AI crawl, "found so far" progress	`US-C01`, `C02`, `C03`
1. Must be real	Company profile with Stated / Sourced / Inferred labels, confidence and Confirm / Edit / Reject	`US-C04`, `C06`
1. Must be real	Chat that uses the profile, cites sources, shows a context panel, proposes facts for review	`US-E02`, `E03`, `E07`
1. Must be real	Japanese and English toggle, with AI replies in the user's language	`US-A09`, `K01`, `K02`

Priority	What to build for real	SRS reference
2. Should be real	One discovery workflow (Market and product-market fit, or Company discovery) with a stepper and its own chat	`US-D01` to `D05`, Appendix B
2. Should be real	Generate one document (for example Company introduction or Business plan) with citations and the "AI assumption, verify" marker, then export DOCX or PDF	`US-F03`, `F06`, `F09`
2. Should be real	Use-case explorer: library cards, AI recommendations, add to My use cases	`US-H03`, `H04`
3. Can be a simple screen	Admin companies list and portfolio dashboard	`US-B01`, `B03`
3. Can be a simple screen	Feedback widget and thumbs up/down	`US-I01`, `I02`

If time is short, **protect priority 1 first**. A demo that does the profile and chat well beats one that touches every epic.

Important: I do not know what scope your team or manager agreed for the POC. If you were given a narrower or wider list, tell me and I will re-cut this.

2. Demo storyline (golden path)

The SRS says every journey follows one pattern: **AI proposes, human reviews, outcome is recorded** (section 3.4). Tell the demo in that rhythm. Suggested running time: 10 to 15 minutes. The sample company in the SRS is **Sample Co. A**, a 48-person precision machining company making hydraulic valve bodies and manifolds. Using the same company makes your demo match the SRS wireframes.

Step	Who	What you do	What the audience must see	SRS source
1	Super Admin	Open `/admin/companies`, click **Create**, enter company name (JA and EN), industry, size band, default language, Company Admin name and email, click **Create and invite**	New row with status **Invited**; invitation email in the workspace language; link valid 7 days	`US-A01`, `A02`, 5.1
2	Invitee	Open `/invite/{token}`, set a password of 12 or more characters, choose language	Onboarding wizard opens on first entry; status moves to **Onboarding**	`US-A03`
3	Company Admin	Wizard step 2: enter website URL, describe products, optionally upload a catalogue, click **Analyse ->**	Live progress: pages read, product families found, certifications found; each found item shows its **source URL**	`US-C01`, `C02`, 5.2
4	Company Admin	Open `/w/{company}/profile`	Eight sections; each fact tagged **Stated**, **Sourced** or **Inferred** with confidence; **Confirm / Edit / Reject**; **Why?** on inferred items; completeness score and top gaps	`US-C03` to `C05`, 5.3
5	Company Admin	Confirm one fact, edit one, reject one	Rejected fact disappears from the profile and from the AI's context; History tab shows before and after	`US-C04`, `C06`

Step	Who	What you do	What the audience must see	SRS source
6	Company Admin	Home page shows AI-proposed workflows; start **Market and product-market fit** or **Company discovery**	Steps with status and owner; question sets of 5 to 10 questions; "I don't know" and "assign to colleague"	`US-D01` to `D04`, Appendix B
7	Member	Answer a question set in the workflow's chat	AI notes the answer as a **Stated fact, pending review**; the next question adapts	`US-D03`, `D05`, 5.4
8	Company Admin	Review queue: confirm the proposed fact	Completeness score rises	Journey J2
9	Member	Open a chat, ask for example "Could we export valve bodies to Thailand?"	Streaming reply with citations, an **"AI assumption, verify"** marker on any unsourced number, a **context panel** with toggles, message actions	`US-E02`, `E03`, 5.5
10	Member	Click **Propose to profile** on a reply	Fact goes to the review queue, not straight to the profile	`US-E07`
11	Member	Switch language JA / EN, ask for one reply in the other language	Interface, AI reply and labels follow the language	`US-A09`, `K02`
12	Member	Knowledge base: Generate tab, choose a template, tick context, generate, then show editor	Draft with source markers and assumption markers; AI actions (Rewrite, Shorten, Expand, Translate JA/EN); export DOCX or PDF	`US-F03`, `F05`, `F06`, `F09`, 5.6

Step	Who	What you do	What the audience must see	SRS source
13	Member	AI use cases: factory map, recommended cards, **Add** to My use cases	Cards with entry point, horizon, level, and a **Why** tied to a profile fact	`US-H02` to `H04`, 5.7
14	Any	Click a thumbs-down and open the feedback widget	Rating and reason captured; item appears in `/admin/feedback`	`US-I01`, `I02`, `B06`
15	Super Admin	Show `/admin` and prove isolation: the Super Admin sees only shared sections (default: overview and products summary)	Aggregated counts only; no chat or document content	`US-B02`, `B03`, `C08`

The three moments that sell the product

1. The AI reads a real website and every extracted fact has a clickable source (step 3).
2. A human confirms, edits or rejects facts, and the AI respects the decision (step 5).
3. Nothing is invented: unsourced numbers are flagged as estimates (step 9 and step 12).

If you can only do one thing perfectly, do steps 3, 4, 5 and 9.

3. Must-have features and their exact criteria

These are the **Must** stories behind the demo path. Criteria are taken from the SRS. For a POC you do not have to meet every criterion, but the bold ones are what an evaluator can see on screen.

3.1 Access and tenancy (Epic A)

ID	Show in demo	Exact criteria to respect
`US-A01`	Create a workspace	Unique **slug**; appears in the list as **Invited**; action in the **audit log**

ID	Show in demo	Exact criteria to respect
`US-A02`	Invite the Company Admin	Email in the workspace language; link valid **7 days**; resend and revoke; status becomes **Onboarding** on accept
`US-A03`	Accept invitation	Password **12 characters or more**; language saved; onboarding wizard opens on first entry
`US-A05`	Sign-in	Reset link **1 hour**; session ends after **12 hours idle**; failed sign-ins **rate-limited and logged**
`US-A07`	Isolation	Every query **scoped by workspace on the server**; cross-workspace requests **refused**; retrieval indexes **per workspace**
`US-A09`	Language switch	Interface, emails and AI replies follow the user's language; one reply in the other language on request

3.2 Onboarding and profile (Epic C)

ID	Show in demo	Exact criteria to respect
`US-C01`	Wizard	URLs, product text, catalogue and photo uploads, employees, revenue band, plants, certifications, industries served, customer types; progress saved and resumable
`US-C02`	Website crawl	**robots.txt respected**; depth and page limits; every fact carries its **source URL**; live progress; within **5 minutes for sites up to 200 pages**; failed fetch shows a clear message and a **manual entry fallback**
`US-C03`	Product analysis	One entry per product or family; provenance and confidence per statement; user can add, merge, rename, delete; adjacent applications and potential markets labelled **Inferred**

ID	Show in demo	Exact criteria to respect
`US-C04`	Profile review	Eight sections: Overview, Products and services, Markets and customers, Manufacturing capabilities, Supply chain and partners, Competitive position, Potential and opportunities, Open questions; each fact shows **Stated / Sourced / Inferred** and **confidence**; **rejected facts leave the profile and the AI context**; every change logged with editor and time
`US-C05`	Completeness	Score per section and overall; each gap names the **workflow or question** that fills it; home shows **top three gaps**
`US-C06`	Facts from chat	**Proposed facts queue**; Company Admin confirms or rejects; per-fact history with before and after values
`US-C08`	Sharing	Default shared: **overview and products summary**; changes logged; **"visible to Operator"** marker
`US-C10`	Injection safety	Instruction-like text in sources **ignored and flagged**; red-team test set before each release

3.3 Workflows (Epic D)

ID	Show in demo	Exact criteria to respect
`US-D01`	AI proposes workflows	Company discovery; one Product deep-dive per main product; Market and product-market fit; Manufacturing and AI readiness; each with rationale and counts; user **starts, defers or dismisses**
`US-D02`	Steps	Types: **question set, upload request, AI analysis, review and approval, output document**; statuses: **Not started, In progress, Waiting for review, Done, Skipped**; owner and optional due date

ID	Show in demo	Exact criteria to respect
`US-D03`	Question sets	**5 to 10 questions** per set; adaptive follow-ups; answer by text, voice or upload; **"I don't know"** and **"assign to a colleague"**; answers become **Stated facts in the review queue**
`US-D04`	Stepper and dependency view	Stepper with progress; dependency view shows what each step feeds
`US-D05`	Workflow chat	Messages carry workflow context; AI can mark a step done after **confirmation**
`US-D08`	Completion	Outputs as defined by the template; next workflows proposed with rationale

3.4 Chat (Epic E)

ID	Show in demo	Exact criteria to respect
`US-E01`	Chat list	Sorted by last activity; search titles and content; start blank, from a template, from a workflow or from a document
`US-E02`	Replies	Streaming starts within **2 seconds at p95**; markdown and tables; citations to profile facts, sources or web pages; actions: **copy, feedback, save to knowledge base, turn into document, turn into workflow, propose to profile**
`US-E03`	Context panel	Lists profile sections, sources and workflow as **toggles**; AI **states when it answers without the profile**
`US-E05`	Attachments	PDF, images, spreadsheets, Word, PowerPoint up to **25 MB per file**
`US-E07`	Fact capture	Facts proposed to the review queue with the message as source; **nothing enters the profile without confirmation**
`US-E09`	Token budget	Notice at **80%**; clear message at the limit; Super Admin can raise it

ID	Show in demo	Exact criteria to respect
`US-E10`	Long chats	Older messages summarised; summary visible in the context panel

3.5 Knowledge base and documents (Epic F)

ID	Show in demo	Exact criteria to respect
`US-F01`	Sources	PDF, DOCX, XLSX, PPTX, images, text, URLs; **OCR for scanned Japanese PDFs**; statuses **Processing, Ready, Failed**; **1 GB per workspace**
`US-F02`	Source view	Extracted text, AI summary, detected facts; deleting a source removes it from retrieval **within one minute**
`US-F03`	Generate	Template or free prompt; context from profile, sources, workflow answers; language and length chosen
`US-F05`	Editor	Rewrite, shorten, expand, translate JA/EN, insert profile facts, table from sources; comments; versions with compare and restore
`US-F06`	Export	**DOCX, PDF, Markdown**
`US-F07`	Save as source	One action adds the document to the knowledge base and indexes it
`US-F09`	Markers	Sourced statements link to the source; unsourced carry **"AI assumption, verify"**; export can include or exclude markers

3.6 Use cases (Epic H)

ID	Show in demo	Exact criteria to respect
`US-H01`	Method explainer	Five audit stages, three outcomes, four steps, L0 to L5, three horizons, value principles; readable in under 15 minutes

ID	Show in demo	Exact criteria to respect
`US-H02`	Factory map	Seven stages (inward, warehouse, kitting, assembly, final inspection, packaging, logistics) plus lanes; stages indicated by the profile highlighted
`US-H03`	Library cards	Title, stage, problem, how it works, data needed, systems, entry point, horizon, level, prerequisites, what good looks like; filters by stage, entry point, horizon, level
`US-H04`	Recommendations	Ranked list with rationale tied to profile facts; **one-click add**; feedback on each
`US-H05`	Create own use case	Wizard; AI drafts one-page charter, classifies step and autonomy level, lists prerequisites and data needs
`US-H07`	Road map	2x2 of business impact against readiness; quadrants **Quick wins, Strategic bets, Momentum builders, Later**; drag and drop; export
`US-H10`	Learning content	Explainer, anonymised example and "what we need from the plant" per stage

3.7 Feedback, admin, language (Epics B, I, J, K)

ID	Show in demo	Exact criteria to respect
`US-B01`	Companies list	Statuses **Invited, Onboarding, Active, Dormant (30 days), Deactivated**; filter, sort, CSV export
`US-B02`	Company record	**Only shared sections**; counts never expose content
`US-B03`	Dashboard	Counts by status; funnel; weekly active; industries; most-chosen use cases; feedback sentiment; **aggregated, respecting sharing**
`US-B06`	Feedback inbox	Statuses **New, In review, Addressed**; tags; reply
`US-B07`	Audit log	**Immutable**; actor, action, target, time; retained **1 year**

ID	Show in demo	Exact criteria to respect
`US-I01`	Rate outputs	Thumbs, reason from a short list, free text; non-blocking
`US-I02`	Widget	Categories **bug, idea, confusing, wrong, praise**; page, role and language captured automatically
`US-I03`	Report wrong fact	Fact becomes **Disputed** and goes to review and inbox
`US-K01`	Bilingual UI	Japanese default for company workspaces; toggle on every page; no missing strings
`US-K02`	AI language	Replies follow user language; mixed-language messages handled
`US-K09`	Japanese input	**IME composition** handled in every field including the chat composer

Not in v1, so do not promise them: voice (`US-E04`), planning canvases (Epic G), readiness check (`US-H06`), lite assessment and assessment request (`US-H08` , `H09`), Admin Copilot (`US-B08`), announcements (`US-B09`), programme matching (`US-B10`), whole-document translation (`US-F10`).

4. Non-negotiable constraints and AI rules

These come from SRS 2.6, 6.3, 6.5 and Section 9. An evaluator who knows the SRS will probe these. Each one should be **visible or provable** in the demo.

#	Rule (SRS wording kept)	How to make it visible in the demo	Source
1	**Tenant isolation is absolute:** no user, model call or retrieval ever crosses from one company's workspace into another's	Create two companies. Log in as each; show that the other's data is absent. Ask the chat about the other company and show it cannot answer. Keep a failing cross-workspace request test to show	2.6, `US-A07` , `NFR-08`

#	Rule (SRS wording kept)	How to make it visible in the demo	Source
2	**No side effect without explicit confirmation** in the interface (creating, sending, deleting)	When the chat marks a step done or creates a workflow, show a confirm dialog with the exact values	2.6, 6.5, `US-D05`
3	**All AI output carries provenance**; numbers neither stated nor sourced are labelled **estimates**	Every fact has a Stated / Sourced / Inferred chip; ungrounded numbers show "AI assumption, verify"	2.6, 6.3, `US-F09`
4	**Nothing inferred is shown as a fact without its label**; Inferred becomes Stated only when a user confirms	Confirm an inferred fact and watch the label change to Stated	1.6, 6.3
5	**Website and document content is data, never instructions**	Prepare one test page with hidden text such as "ignore previous instructions"; show it is ignored and **flagged on the source**	`US-C10`, 6.5
6	**Confirmed facts outrank Proposed; Rejected facts are never used**	Reject a fact, then ask the chat about it; the AI must not use it	6.3, `US-C04`
7	**Conflicts are never resolved silently**	Give two different values for one key; show they land in the review queue	6.3
8	**Nothing enters the profile without confirmation**	Facts from chat and workflow answers go to the review queue first	`US-E07`, `US-C06`, `US-D03`
9	**No fabricated specifics:** numbers, names and dates must be Stated or Sourced; otherwise say it is an estimate or ask	Ask a leading question such as "what is our revenue?" when none is recorded. Correct behaviour: the AI asks or flags an estimate	6.5

#	Rule (SRS wording kept)	How to make it visible in the demo	Source
10	**Scope:** business and manufacturing guidance only; on **legal, tax and investment** matters, general information plus a recommendation to consult a professional	Ask a tax question; show the safe answer	6.5
11	**Privacy:** personal data minimised in prompts; names of people in uploads are **not extracted into the profile** unless a user adds them	Upload a document with staff names; show they are not auto-added	6.5, `NFR-10`
12	**The AI never acts on the Operator's or company's systems**; it reads what users give it and writes only inside the workspace	State this when presenting; no ERP, MES or machine connection exists	2.2, 1.3
13	**Japanese by default, English equal:** no untranslated screen	Toggle language on three different pages	`US-K01`, `NFR-13`
14	**Access by invitation only:** no public sign-up page	Show that `/login` has no sign-up link	1.3, 2.5
15	**Role access is enforced on the server**	Try to open `/admin` as a Company Admin and show a refusal	`NFR-07`, 3.3
16	**Operator sees only shared sections** (default overview and products summary)	Show the company record as Super Admin with only shared sections	3.3, `US-B02`, `US-C08`
17	**Model logging without content:** log references, tokens, latency and cost, not the text	Show a model-call log row with token and cost columns and no prompt text	6.7, `NFR-17`
18	**No training on customer data**	Be ready to state this about the model provider; it is also an open decision (`OQ-04`)	2.5, `NFR-11`

The role-by-page matrix (what each login may open)

Page group	Platform Admin	Super Admin	Coordinator	Company Admin	Member
Portfolio dashboard, companies, users	Full	Full	Assigned companies, read	None	None
Library, templates, prompts	Full	Review and comment	None	None	None
Feedback inbox, audit log	Full	Full	None	None	None
Company profile	Read, for support only	Shared sections only	Shared sections, comment	Full	Full
Workflows, chats, knowledge base, planning	None	None	Read and comment, if granted	Full	Full
AI use-case explorer	Content only	Content only	Read, if granted	Full	Full
Workspace settings	None	Deactivate only	None	Full	Own profile only

For a short demo, create at least these logins: **Super Admin, Company Admin (company 1), Member (company 1), Company Admin (company 2)**. That covers every rule above.

5. Minimum build: data, AI, routes and seed content

5.1 Minimum data entities (SRS section 7)

Build only these for the demo. Everything hangs off **Workspace**.

Entity	Minimum fields for the demo
Workspace	slug, names (JA, EN), industry, size band, status, default language, token budget, sharing settings
User	email, names, language, role per scope, MFA flag, consents
Invitation	email, role, workspace, token, expiry, status
Profile section	key, completeness, shared with Operator (yes or no)

Entity	Minimum fields for the demo
Fact	section, key, value, unit and period, **provenance, confidence, status**, sources, created by, supersedes
Product	name, family, function, customers, differentiators, potential
Source	type, extracted text, status, chunks and embeddings
Workflow, Step, Answer	template and version, title, status; step type, order, status, owner; question, value, mode
Chat, Message	title, linked workflow; role, content, citations, context used, feedback
Document	title, template, language, versions, sources used, assumption markers
Library use case	stage, JA and EN texts, entry point, horizon, level, data needed, status
Company use case	library reference, charter fields, quadrant, horizon
Feedback	type, rating, reason, text, page, target reference, status, reply
Audit entry	actor, action, target, workspace, time, before and after (immutable)

Fact ledger (the heart of the system, SRS 6.3). Provenance is `Stated | Sourced | Inferred`. Confidence is `0 to 1`. Status is `Proposed | Confirmed | Rejected | Disputed | Superseded`. These are three separate fields.

5.2 Minimum AI components

Component	Needed for the demo	SRS name
Skill: Company analyst	Reads site, extracts facts, analyses products and potential	6.1

Component	Needed for the demo	SRS name
Skill: Interviewer	Adaptive question sets, turns answers into Stated facts	6.1
Skill: Workflow planner	Proposes first workflows	6.1
Skill: Document writer	Outline and draft with citations and assumption markers	6.1
Skill: Use-case matcher and assessor	Ranks library items against the profile	6.1
Tool	`fetch_site(url, limits)` with robots.txt, depth and page limits	6.2
Tool	`parse_document(file)` with OCR if you demo scanned Japanese PDFs	6.2
Tool	`search_knowledge(query, scope)`: hybrid keyword and semantic retrieval, scoped to the workspace	6.2
Tool	`read_profile(sections)`: confirmed facts first, then proposed facts flagged unconfirmed	6.2
Tool	`propose_fact(fact)`: writes to the review queue	6.2
Tool	`create_workflow`, `update_step`: need UI confirmation	6.2
Tool	`generate_document(request)`	6.2
Tool	`match_use_cases(profile)`	6.2
Tool	`web_search` (restricted, allow-listed), results labelled **Sourced (web)**	6.2

Voice tools (`speech_to_text`, `text_to_speech`) and `admin.create_company`, `admin.invite_user` are v1.1; leave them out.

5.3 Prompt assembly order for every model call (SRS 6.4)

1. Policy and role prompt (versioned), including the user's language and the no-side-effect rule
2. Workspace instructions from the Company Admin (tone, terminology, what to avoid)
3. Confirmed profile facts, then Proposed facts flagged as unconfirmed
4. Retrieved chunks with citation handles, scoped to this workspace only
5. Workflow state, if the chat is linked to a workflow
6. Conversation history, older turns summarised (summary visible to the user)
7. The user's message and attachments

5.4 Routes you need working

Route	Purpose
`/login`, `/invite/{token}`, `/reset`	Public entry (no sign-up)
`/admin`, `/admin/companies`, `/admin/companies/{id}`	Dashboard, list, company record
`/admin/feedback`, `/admin/audit`	Inbox and audit log
`/w/{company}/home`	Completeness, open steps, top three gaps
`/w/{company}/profile`	The profile
`/w/{company}/workflows`, `/w/{company}/workflows/{id}`	Workflow list and stepper
`/w/{company}/chats`, `/w/{company}/chats/{id}`	Chat
`/w/{company}/knowledge`, `/w/{company}/knowledge/documents/{id}`	Sources, Documents, Generate; editor
`/w/{company}/ai-use-cases`, `/w/{company}/ai-use-cases/{id}`	Explorer and one use case

Optional: `/admin/users`, `/admin/library`, `/admin/templates`, `/w/{company}/feedback`, `/w/{company}/settings`.

5.5 Seed content to load before the demo

- **Use-case library:** at minimum 8 to 10 rows from Appendix A, covering Assembly or machining (for Sample Co. A) and a few from Inward, Quality and Final inspection. Each must have Japanese and English text (`US-K05`).
- **Workflow templates:** B1 Company discovery, B3 Market and product-market fit, B4 Manufacturing and AI readiness (Appendix B), with the sample questions from Appendix C and section 5.4.
- **Document templates:** at least Company introduction and Business plan (Appendix D).
- **Glossary / provenance labels:** Stated, Sourced, Inferred, AI assumption (verify) with one agreed Japanese term each (Appendix F).
- **Two or three demo companies.** Use a real, crawlable Japanese manufacturer website you have permission to use, and one backup site. Keep a prepared product PDF and a price list spreadsheet for upload steps.
- **Logins:** Super Admin, Company Admin and Member for company 1, Company Admin for company 2.

5.6 Performance targets worth rehearsing (SRS Section 9)

Target	Value
Chat first token	within **2 seconds at p95** (`NFR-01`)
Page load	within **2 seconds at p95**
Website analysis	within **5 minutes for up to 200 pages**, with live progress (`NFR-02`)
2,000-word document	within **90 seconds**

Pre-crawl and cache your demo site so the analysis is fast on stage. The SRS allows caching per source version (6.7).

6. Safe to fake or skip, and what to say

The SRS is for a full product. A POC may simplify these, **as long as you say so**. Never present a simulated item as real.

Item	POC shortcut	What to say if asked	SRS basis
Email delivery	Show the invitation link on screen or in a dev mailbox	"Email uses a transactional provider in v1; sender identity is open question `OQ-06`."	Section 8, `OQ-06`
MFA	Skip, or show the screen only	"MFA is Should and required for admin roles; enrolment at first sign-in."	`US-A06`
Voice	Show the mic button disabled	"Voice is Could, v1.1."	`US-E04`
Planning canvases	Leave out	"Epic G, v1.1."	Section 11
Hosting region	Run locally or on any cloud	"Data residency in Japan is the target; hosting is open question `OQ-03`."	`NFR-11`
Model provider	Use one provider behind an adapter	"Provider-agnostic; the production choice and region are `OQ-04`, with no training on customer data required."	6.7
Single sign-on, public API	Skip	"v2."	Section 11
ERP, MES, machines	Not connected, by design	"The platform plans use cases; it does not execute them in the plant."	1.3
Scanned Japanese PDF OCR	Use one pre-tested sample, or skip and say so	"OCR for Japanese is required (`US-F01`, `K04`); demo uses a prepared file."	`US-K04`
Capacity (500 workspaces, 5,000 users, 200 concurrent)	Not tested	"Sizing target in `NFR-03`; POC is single-instance."	`NFR-03`

Item	POC shortcut	What to say if asked	SRS basis
Backups, pen test, audit retention	Not built	"Production requirements in `NFR-05`, `NFR-06`, `NFR-09`."	Section 9
Real Japanese UI strings	Machine-translated placeholders are acceptable if labelled	"Japanese wording is approved by the Operator's reviewers (`OQ-10`)."	`US-K05`
Accessibility audit	Not done	"WCAG 2.1 AA and JIS X 8341-3 are production targets (`NFR-14`)."	Section 9

Do not fake these (an evaluator will look at them): provenance labels and confidence on facts, the review queue, workspace isolation, citations in replies, the confirmation dialog, and the "AI assumption, verify" marker.

7. Night-before checklist, fallbacks and likely questions

7.1 Checklist to finish tonight

- [ ] Two companies and four logins created and tested (Super Admin, Company Admin and Member for company 1, Company Admin for company 2)
- [ ] Demo website crawled once in advance, results cached, with a live-crawl backup site ready
- [ ] Profile for company 1 pre-populated with a mix of Stated, Sourced and Inferred facts, including at least one low-confidence Inferred fact and one fact to reject
- [ ] A Rejected fact in place, and the chat verified not to use it
- [ ] Chat tested in Japanese and in English, with at least one citation and one "AI assumption, verify" marker
- [ ] Context panel toggles verified to change the answer
- [ ] One workflow (B1 or B3) seeded with questions ready; one question set answered end to end
- [ ] One document generated with citations and exported (DOCX or PDF) as a fallback file
- [ ] Library seeded with Japanese and English text; recommendations return at least two cards for Sample Co. A with a "Why" referencing a Stated fact

- [ ] Cross-workspace isolation test passes and can be shown
- [ ] Injection test page prepared and flagged
- [ ] Feedback widget submits and appears in `/admin/feedback`
- [ ] Audit log shows the workspace creation and invitation
- [ ] Model API key, quota and rate limit checked; token budget notice at 80% tested (or can be explained)
- [ ] Network, screen-sharing and browser tested; use a current Chrome, Edge, Safari or Firefox
- [ ] A recorded video of the whole golden path as a last-resort fallback
- [ ] Screenshots of each key screen in both languages

7.2 If something fails live

Failure	Fallback
Crawl is slow or the site blocks it	Switch to the pre-crawled company. SRS behaviour for failure: show a clear message and the **"describe your company instead"** path (5.2, `US-C02`). This is also a good thing to show
Model is slow or errors	Say "graceful fallback when a provider is down" (`NFR-16`); switch to the pre-generated profile, chat transcript or document
Reply streaming stalls	Press the stop control (5.5) and retry
Japanese output looks wrong	Switch to English with the language toggle; show that Japanese is a toggle away
Login or invitation fails	Use a pre-created session or a second browser profile already signed in
Question about a feature you did not build	Point to the section 6 table of this doc and the SRS release table

7.3 Likely questions and honest answers

Question	Answer
How do you stop the AI inventing facts?	Provenance labels on every fact; unsourced numbers marked as estimates; human confirmation before anything enters the profile; confirmed facts outrank proposed ones (6.3, 6.5)
Can one company see another's data?	No. Every query is scoped by workspace on the server; retrieval indexes and caches are partitioned per workspace; automated cross-tenant tests (`US-A07`, `NFR-08`)
What does the Operator see?	Only profile sections the company chose to share (default: overview and products summary) plus aggregated counts (`US-B02`, `C08`)
What if a website tells the AI to do something?	Content is treated as data, not instructions; flagged and ignored (`US-C10`)
Does the AI act on its own?	Not in v1: nothing with a side effect runs without a confirmation (2.2, 6.5)
Where is the data stored and who trains on it?	Target is a cloud region in Japan, no training on customer data; hosting and model provider are open decisions `OQ-03` and `OQ-04`
Does it connect to our ERP or machines?	No, by design; it plans use cases, execution is outside scope (1.3, section 11)
What is the roadmap?	v1 then v1.1 (voice, planning canvases, readiness check, lite assessment, Admin Copilot) then v2 (programmes, SSO, public API) (section 11)
How do you measure success?	Time to approved profile (median under 2 days), 70% average completeness within 2 weeks, 60% weekly active, 80% positive feedback, under 15 minutes of Super Admin time per onboarding (section 10)

7.4 Open points you should flag, not hide

These are genuine gaps or unresolved decisions in the SRS. Bringing them up shows command of the document.

- **Open decisions** `OQ-01` to `OQ-15`; the first four (`OQ-01` name and branding, `OQ-02` legal operator and APPI data controller, `OQ-03` hosting, `OQ-04` model provider) block the architecture.
- **Priority conflicts:** section 1.6 says Must and Should are in v1, but section 11 places several Should stories in v1.1, and `US-F10` (Could) in v2.
- **Journey J1** is not written out in section 3.4 (only J2 to J5).
- **Readiness check** (`US-H06`, Should) is v1.1 yet appears in the use-case wireframe.

7.5 What I could not complete

An independent cross-check of the earlier section-by-section explainer against the original SRS was cut off by a usage limit before it ran. I wrote both documents directly from the SRS text, but that second-pair-of-eyes pass did not happen. Before the demo, spot-check the numbers and IDs you will quote out loud.