





```
3  CREATE TABLE Student (
4      Student_id INT,
5      Name VARCHAR(50),
6      Marks INT,
7      Dept_ID INT
8  );
9  CREATE TABLE Department (
10     Dept_ID INT,
11     Department_Name VARCHAR(50)
12 );
13 INSERT INTO Student VALUES
14 (1, 'Manu.R', 90, 101),
15 (2, 'Varun', 80, 102),
16 (3, 'Raghavendra', 70, 101),
17 (4, 'Vaibhav', 60, 102);
18 INSERT INTO Department VALUES
19 (101, 'SOCSE'),
20 (102, 'SOB'),
21 (103, 'SOL');
22 SELECT Student.Name,
23        Student.Marks,
24        Department.Department_Name
25 FROM Student
26 INNER JOIN Department
27 ON Student.Dept_ID = Department.Dept_ID;
```



Name	Marks	Department_Name
Manu.R	90	SOCSE
Varun	80	SOB
Raghavendra	70	SOCSE
Vaibhav	60	SOB


Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration
Schemas
Information
No object selected
Query 1
SQL File 2*
Limit to 1000
CREATE TABLE Student (
Student_id INT,
Name VARCHAR(50),
Marks INT,
Dept_ID INT
);
CREATE TABLE Department (
Dept_ID INT,
Department_Name VARCHAR(50)
);
INSERT INTO Student VALUES
(1, 'Manu.R', 90, 101),
(2, 'Varun', 80, 102),
(3, 'Raghavendra', 70, 101),
(4, 'Vaibhav', 60, 102);
INSERT INTO Department VALUES
(101, 'SOCSE'),
(102, 'SOB'),
(103, 'SOL');
SELECT Student.Name,
Student.Marks,
Department.Department_Name
FROM Student
LEFT JOIN Department
ON Student.Dept ID = Department.Dept ID;
Result Grid
Filter Rows:
Export:
Name
Marks
Department_Name
Manu.R
90
SOCSE
Varun
80
SOB
Raghavendra
70
SOCSE
Vaibhav
60
SOB
Result 1


Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration
Schemas
Information
No object selected
Query 1
SQL File 2*
SQL File 3*
Limit to 1000
3 CREATE TABLE Student (
4 Student_id INT,
5 Name VARCHAR(50),
6 Marks INT,
7 Dept_ID INT
8);
9 CREATE TABLE Department (
10 Dept_ID INT,
11 Department_Name VARCHAR(50)
12);
13 INSERT INTO Student VALUES
14 (1, 'Manu.R', 90, 101),
15 (2, 'Varun', 80, 102),
16 (3, 'Raghavendra', 70, 101),
17 (4, 'Vaibhav', 60, 102);
18 INSERT INTO Department VALUES
19 (101, 'SOCSE'),
20 (102, 'SOB'),
21 (103, 'SOL');
22 SELECT Student.Name,
23 Student.Marks,
24 Department.Department_Name
25 FROM Student
26 RIGHT JOIN Department
27 ON Student.Dept ID = Department.Dept ID;
Result Grid
Filter Rows:
Export:
Name
Marks
Department_Name
Raghavendra
70
SOCSE
Manu.R
90
SOCSE
Vaibhav
60
SOB
Varun
80
SOB
NULL
NULL
SOL


Navigator
MANAGEMENT
Server Status
Client Connections
Users and Privileges
Status and System Variables
Data Export
Data Import/Restore
INSTANCE
Startup / Shutdown
Server Logs
Options File
PERFORMANCE
Dashboard
Performance Reports
Performance Schema Setup
Administration
Schemas
Information
No object selected
Query 1
SQL File 2*
SQL File 3*
SQL File 4*
Limit to 1000 rows
3 CREATE TABLE Student (
4 Student_id INT,
5 Name VARCHAR(50),
6 Marks INT,
7 Dept_ID INT
8);
9 CREATE TABLE Department (
10 Dept_ID INT,
11 Department_Name VARCHAR(50)
12);
13 INSERT INTO Student VALUES
14 (1, 'Manu.R', 90, 101),
15 (2, 'Varun', 80, 102),
16 (3, 'Raghavendra', 70, 101),
17 (4, 'Vaibhav', 60, 102);
18 INSERT INTO Department VALUES
19 (101, 'SOCSE'),
20 (102, 'SOB'),
21 (103, 'SOL');
22 SELECT Student.Name,
23 Student.Marks,
24 Department.Department_Name
25 FROM Student
26 RIGHT JOIN Department
Result Grid
Filter Rows:
Export:
Wrap C
Name
Marks
Department_Name
Manu.R
90
SOCSE
Varun
80
SOB
Raghavendra
70
SOCSE
Vaibhav
60
SOB
NULL
NULL
SOL


```
USE CollegeRB;
CREATE TABLE Student (
    Student_ID INT,
    Name VARCHAR(50),
    Department VARCHAR(20)
);
INSERT INTO Student VALUES
(101, 'Manu', 'SOCSE'),
(102, 'Varun', 'SOCSE'),
(103, 'Vaibhav', 'SOB'),
(104, 'Raghavendra', 'SOCSE');
CREATE TABLE Course (
    Course_ID INT,
    Course_Name VARCHAR(50)
);
INSERT INTO Course VALUES
(1, 'DBMS'),
(2, 'Java'),
(3, 'Computer Networks');
SELECT Student.Name, Course.Course_Name
FROM Student
CROSS JOIN Course;
```

Output:

	Name	Course_Name
▶	Manu	Computer Networks
	Manu	Java
	Manu	DBMS
	Varun	Computer Networks
	Varun	Java
	Varun	DBMS
	Vaibhav	Computer Networks
	Vaibhav	Java
	Vaibhav	DBMS
	Raghavendra	Computer Networks
	Raghavendra	Java
	Raghavendra	DBMS

6. Self Join

```
CREATE DATABASE IF NOT EXISTS SB;
USE SB;
DROP TABLE IF EXISTS Student;
CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Manager_ID INT
);
INSERT INTO Student VALUES
(101, 'Manu', NULL),
(102, 'Varun', 101),
(103, 'Vaibhav', 101),
(104, 'Raghavendra', 102);
SELECT
    S.Student_Name AS Student,
    M.Student_Name AS Manager
FROM Student S
JOIN Student M
```

Result Grid   Filter Rows:

	Student	Manager
▶	Vaibhav	Manu
	Varun	Manu
	Raghavendra	Varun