```sql
CREATE DATABASE H;
USE H;

CREATE TABLE Student1 (
    Student_Name VARCHAR(50)
);

CREATE TABLE Student2 (
    Student_Name VARCHAR(50)
);

INSERT INTO Student1 VALUES
('Manu'),
('Varun');

INSERT INTO Student2 VALUES
('Vaibhav'),
('Manu');
```

```sql
SELECT Student_Name FROM Student1
UNION
SELECT Student_Name FROM Student2;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_Name
Manu
Varun
Vaibhav

```sql
CREATE DATABASE AF;
USE AF;

CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);

INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');


SELECT Marks + 5 AS New_Marks
FROM Student;


SELECT Marks - 5 AS Reduced_Marks
```

```sql
SELECT Marks - 5 AS Reduced_Marks
FROM Student;


SELECT Marks * 2 AS Double_Marks
FROM Student;


SELECT Marks / 2 AS Half_Marks
FROM Student;

SELECT Marks % 10 AS Remainder
FROM Student;
```


Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Remainder
0
0
0
0

```sql
CREATE DATABASE Q;
USE Q;

CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);

INSERT INTO Student VALUES
(101, 'VARUN', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');


SELECT * FROM Student
WHERE Marks = 80;


SELECT * FROM Student
```

```sql
SELECT * FROM Student
WHERE Marks = 80;


SELECT * FROM Student
WHERE Marks > 70;


SELECT * FROM Student
WHERE Marks < 80;


SELECT * FROM Student
WHERE Marks >= 80;


SELECT * FROM Student
WHERE Marks <= 70;


SELECT * FROM Student
WHERE Marks <> 80;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_ID	Student_Name	Marks	DOB
101	VARUN	90	2005-05-10
103	Vaibhav	70	2005-01-20
104	Raghavendra	60	2004-12-05

```sql

CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);

INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');


SELECT * FROM Student
WHERE Marks > 70 AND Marks < 90;


SELECT * FROM Student
WHERE Marks = 90 OR Marks = 60;
SELECT * FROM Student
```

```sql
CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);

INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');


SELECT * FROM Student
WHERE Marks > 70 AND Marks < 90;


SELECT * FROM Student
WHERE Marks = 90 OR Marks = 60;
SELECT * FROM Student
WHERE NOT Marks = 80;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_ID	Student_Name	Marks	DOB
101	VARUN	90	2005-05-10
103	Vaibhav	70	2005-01-20
104	Raghavendra	60	2004-12-05

```sql
CREATE DATABASE G;
USE G;

CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);

INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');


SELECT * FROM Student
WHERE Marks BETWEEN 70 AND 90;

SELECT * FROM Student
WHERE Marks IN (60, 80, 90);
```

```sql
    WHERE Marks IN (60, 80, 90);


    SELECT * FROM Student
    WHERE Student_Name LIKE 'M%';

    -- LIKE: names containing a
    SELECT * FROM Student
    WHERE Student_Name LIKE '%a%';

    -- IS NULL operator
    SELECT * FROM Student
    WHERE DOB IS NULL;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_ID	Student_Name	Marks	DOB
101	VARUN	90	2005-05-10
103	Vaibhav	70	2005-01-20
104	Raghavendra	60	2004-12-05

```sql
CREATE DATABASE Z;
USE Z;

CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);

INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');


SELECT Student_Name,
       CAST(Marks AS CHAR) AS Marks_Text
FROM Student;

```

```sql
--

SELECT Student_Name,
       CONVERT(Marks, CHAR) AS Marks_Text
FROM Student;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_Name	Marks_Text
Manu	90
Varun	80
Vaibhav	70
Raghavendra	60

```sql
CREATE DATABASE AC;
USE AC;

CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Marks INT,
    DOB DATE
);

INSERT INTO Student VALUES
(101, 'Manu', 90, '2005-05-10'),
(102, 'Varun', 80, '2004-08-15'),
(103, 'Vaibhav', 70, '2005-01-20'),
(104, 'Raghavendra', 60, '2004-12-05');


SELECT CURRENT_DATE();

```

```sql
SELECT Student_Name,
       YEAR(DOB) AS Birth_Year
FROM Student;


SELECT Student_Name,
       MONTH(DOB) AS Birth_Month
FROM Student;


SELECT Student_Name,
       DAY(DOB) AS Birth_Day
FROM Student;


SELECT Student_Name,
       DATEDIFF(CURRENT_DATE(), DOB) AS Days
FROM Student;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_Name	Days
Manu	7826
Varun	8094
Vaibhav	7936
Raghavendra	7982

```sql
CREATE DATABASE GG;
USE GG;

CREATE TABLE Student1 (
    Student_Name VARCHAR(50)
);

CREATE TABLE Student2 (
    Student_Name VARCHAR(50)
);

INSERT INTO Student1 VALUES
('Manu'),
('Varun');

INSERT INTO Student2 VALUES
('Vaibhav'),
('Manu');
```

```
21      SELECT Student_Name FROM Student1
22      UNION
23      SELECT Student_Name FROM Student2;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_Name
Manu
Varun
Vaibhav

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Student_Name
Manu
Varun
Vaibhav