1.Extracting the Year

queries.sql

```sql
DROP TABLE IF EXISTS STUDENTS;
CREATE TABLE STUDENTS (
    student_usn VARCHAR(20) PRIMARY KEY,
    student_name VARCHAR(60),
    date_of_birth DATE,
    student_age INT,
    student_email VARCHAR(60),
    student_marks INT
);
INSERT INTO STUDENTS VALUES
('1RUA25BCA0060', 'Manu', '2007-05-10', 19, 'manurbca25@rvu.edu.in', 90),
('1RUA25BCA0011', 'Varun', '2006-08-15', 20, 'varunbca25@rvu.edu.in', 80),
('1RUA25BCA0066', 'Vaibhav', '2005-12-20', 21, 'vaibhav@rvu.edu.in', 70);
SELECT student_name,
       date_of_birth,
       YEAR(date_of_birth) AS birth_year
FROM STUDENTS;
```

I/O | AI Agent | 203 ms

STDIN

Input for the program (Optional)

Output:

```
+--------------+---------------+------------+
| student_name | date_of_birth | birth_year |
+--------------+---------------+------------+
| Varun        | 2006-08-15    |       2006 |
| Manu         | 2007-05-10    |       2007 |
| Vaibhav      | 2005-12-20    |       2005 |
+--------------+---------------+------------+
```

2.Extracting the Month

queries.sql

```sql
DROP TABLE IF EXISTS STUDENTS;
CREATE TABLE STUDENTS (
    student_usn VARCHAR(20) PRIMARY KEY,
    student_name VARCHAR(60),
    date_of_birth DATE,
    student_age INT,
    student_email VARCHAR(60),
    student_marks INT
);
INSERT INTO STUDENTS VALUES
('1RUA25BCA0060', 'Manu', '2007-05-10', 19, 'manurbca25@rvu.edu.in', 90),
('1RUA25BCA0011', 'Varun', '2006-08-15', 20, 'varunbca25@rvu.edu.in', 80),
('1RUA25BCA0066', 'Vaibhav', '2005-12-20', 21, 'vaibhav@rvu.edu.in', 70);
SELECT Student_Name,
Date_of_Birth,
MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENTS;
```

I/O | AI Agent | 121 ms

STDIN

Input for the program (Optional)

Output:

```
+--------------+---------------+-------------+
| Student_Name | Date_of_Birth | Birth_Month |
+--------------+---------------+-------------+
| Varun        | 2006-08-15    |           8 |
| Manu         | 2007-05-10    |           5 |
| Vaibhav      | 2005-12-20    |          12 |
+--------------+---------------+-------------+
```

3. Extracting the Day

queries.sql

```sql
DROP TABLE IF EXISTS STUDENTS;
CREATE TABLE STUDENTS (
    student_usn VARCHAR(20) PRIMARY KEY,
    student_name VARCHAR(60),
    date_of_birth DATE,
    student_age INT,
    student_email VARCHAR(60),
    student_marks INT
);
INSERT INTO STUDENTS VALUES
('1RUA25BCA0060', 'Manu', '2007-05-10', 19, 'manurbca25@rvu.edu.in', 90),
('1RUA25BCA0011', 'Varun', '2006-08-15', 20, 'varunbca25@rvu.edu.in', 80),
('1RUA25BCA0066', 'Vaibhav', '2005-12-20', 21, 'vaibhav@rvu.edu.in', 70);
SELECT Student_Name,
Date_of_Birth,
DAY(Date_of_Birth) AS Birth_Day
FROM STUDENTS;
```

I/O | AI Agent | 94 ms

STDIN

Input for the program (Optional)

Output:

```
+--------------+---------------+-----------+
| Student_Name | Date_of_Birth | Birth_Day |
+--------------+---------------+-----------+
| Varun        | 2006-08-15    |        15 |
| Manu         | 2007-05-10    |        10 |
| Vaibhav      | 2005-12-20    |        20 |
+--------------+---------------+-----------+
```

4.Calculating approximate age

queries.sql

```sql
DROP TABLE IF EXISTS STUDENTS;
CREATE TABLE STUDENTS (
    student_usn VARCHAR(20) PRIMARY KEY,
    student_name VARCHAR(60),
    date_of_birth DATE,
    student_age INT,
    student_email VARCHAR(60),
    student_marks INT
);
INSERT INTO STUDENTS VALUES
('1RUA25BCA0060', 'Manu', '2007-05-10', 19, 'manurbca25@rvu.edu.in', 90),
('1RUA25BCA0011', 'Varun', '2006-08-15', 20, 'varunbca25@rvu.edu.in', 80),
('1RUA25BCA0066', 'Vaibhav', '2005-12-20', 21, 'vaibhav@rvu.edu.in', 70);
SELECT Student_Name,
Date_of_Birth,
TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENTS;
```

I/O | AI Agent | 112 ms

STDIN

Input for the program (Optional)

Output:

```
+-------------+---------------+------+
| Student_Name | Date_of_Birth | Age  |
+-------------+---------------+------+
| Varun        | 2006-08-15    |   20 |
| Manu         | 2007-05-10    |   19 |
| Vaibhav      | 2005-12-20    |   20 |
+-------------+---------------+------+
```

5.Curdate

queries.sql

```sql
DROP TABLE IF EXISTS STUDENTS;
CREATE TABLE STUDENTS (
    student_usn VARCHAR(20) PRIMARY KEY,
    student_name VARCHAR(60),
    date_of_birth DATE,
    student_age INT,
    student_email VARCHAR(60),
    student_marks INT
);
INSERT INTO STUDENTS VALUES
('1RUA25BCA0060', 'Manu', '2007-05-10', 19, 'manurbca25@rvu.edu.in', 90),
('1RUA25BCA0011', 'Varun', '2006-08-15', 20, 'varunbca25@rvu.edu.in', 80),
('1RUA25BCA0066', 'Vaibhav', '2005-12-20', 21, 'vaibhav@rvu.edu.in', 70);
SELECT CURDATE() AS Today;
```

I/O | AI Agent | 107 ms

STDIN

Input for the program (Optional)

Output:

```
+------------+
| Today      |
+------------+
| 2026-08-27 |
+------------+
```