Name: Vasanth B
Roll No: 240701820

Ex2

1. Aim

The aim of this experiment is to evaluate the effect of visual chunking (grouping elements) on a user's short-term memory recall. It specifically tests whether users can recall more items when they are presented in organized groups compared to a random or continuous sequence.

Procedure

The experiment was conducted using a four-frame Figma prototype:

1. **Instruction Phase:** The user is presented with a "Home Screen" explaining that they will have 5 seconds to view items before being asked to recall them.
2. **Chunking (Stimulus) Phase:** * The user views a set of visual elements (icons) for exactly 5 seconds.
    - *Independent Variable:* The icons are either presented as a single list or organized into "chunks" of 3-5 items using visual borders or spacing.
3. **Recall Phase:** The stimulus disappears, and the user is prompted to type the names of the items they remember into text input fields.
4. **Result Phase:** The user clicks "Submit" to view a feedback screen showing their performance (e.g., "You recalled 3 out of 5 items").


Home Screen
Memory Recall Task
You will be shown several groups of icons/text. After viewing, recall the items you remember.
You have 5 seconds to view the items.Then,recall them in the next screen.
Start


Chunking Phase
Timer: 5 Seconds
Recall Phase
Enter the items you remember
Item 1:
Item 2:
Item 3:
Item 4:
Item 5:



Results:

Organizing information into small, manageable groups (chunks) significantly improves the accuracy of short-term memory recall.