

Database for Upper and Lower Limb Task Based on EEG Signals During the Execution of Motor and Motorimagery Tasks

Víctor Asanza, Daniel Montoya, Enrique Peláez, Francis Loayza, Leandro L. Lorente-Leyva, Diego H. Peluffo-Ordóñez and Kleber Gonzalez

- Main Code: https://github.com/Human-Machine-Interface/OpenBCI_Data_Acquisition
- Data Mendeley: <http://dx.doi.org/10.17632/w9xfz56txv.1>
- More Matlab Examples: <https://github.com/Human-Machine-Interface>
- Hardware: FM=16 channels , Cyton + Dasy , Sampling Rate = 125 Hz
- Subjects: 24

Raw dataset preparation

```
clear;clc;%clear all
addpath(genpath('./src'))%functions folders
path = fullfile('./data/');%data folder
folders = FindFolders(path);
allData=[];
```

Raw dataset preprocessing


% In this example no filtering was done, but it can be done

```
for i=1:3:length(folders)% Through all folders
    path1=fullfile(path,folders(i).name);%Select i folder
    filenames = FindCSV(path1);%List All CSV files
    for j=1:length(filenames)% Through all files
        data=readtable(fullfile(path1,filenames(j).name));%Select i CSV file
        dataNew=table2array(data);% Array Double
        dataNew(1,:)=[];%Delete the first row
        dataNew(:,1)=[];%Delete the first column
        DataNorm = fNormalization(dataNew);%Normalization
        Label = fLabelEEG(filenames(j).name);
        DataRMS = [rms(DataNorm) Label];%Feature extraction
        allData=[allData;DataRMS];

        % If you want to generate graphs with the EEG data
        %filename=strcat('./figures/',strcat(int2str(i),'_',strcat(int2str(j),strcat('_',num2str(i),num2str(j))
        %fPlotEEG(dataNew,filename);
        %filename=strcat('./figuresNorm/',strcat(int2str(i),'_',strcat(int2str(j),strcat('_',num2str(i),num2str(j))
        %fPlotEEG(DataNorm,filename);
    end
end
%Save .CSV file with all EEG file features
csvwrite('AllDataRMS.csv',allData);
```


Plot Raw EEG dataset

```
figure
plot(dataNew);xlabel('Samples');ylabel('mVolts');
title('Raw EEG data graph');
legend('Electrode 1','Electrode 2','Electrode 3','Electrode 4','Electrode 5'...
    , 'Electrode 6','Electrode 7','Electrode 8','Electrode 9','Electrode 10'...
    , 'Electrode 11','Electrode 12','Electrode 13','Electrode 14','Electrode 15','Electrode 16');
```



Plot Normalization EEG dataset

```
figure
plot(DataNorm);xlabel('Samples');ylabel('Normalized Values');
title('Normalized EEG data graph');
legend('Electrode 1','Electrode 2','Electrode 3','Electrode 4','Electrode 5'...
    , 'Electrode 6','Electrode 7','Electrode 8','Electrode 9','Electrode 10'...
    , 'Electrode 11','Electrode 12','Electrode 13','Electrode 14','Electrode 15','Electrode 16');
```



Statistical information of rms in EEG dataset

```
Electrode_1 = datastats(allData(:,1))%RMS Electrode 1
```

```
Electrode_1 = struct with fields:
    num: 2981
    max: 0.8861
    min: 0.1890
    mean: 0.5340
    median: 0.5298
    range: 0.6971
    std: 0.0788
```

```
Electrode_2 = datastats(allData(:,2))%RMS Electrode 2
```

```
Electrode_2 = struct with fields:
    num: 2981
    max: 0.9146
    min: 0.1357
    mean: 0.5292
    median: 0.5244
    range: 0.7789
    std: 0.0774
```

```
Electrode_3 = datastats(allData(:,3))%RMS Electrode 3
```

```
Electrode_3 = struct with fields:
    num: 2981
    max: 0.9567
    min: 0.1619
```

```
mean: NaN
median: NaN
range: 0.7948
std: NaN
```

```
Electrode_4 = datastats(allData(:,4))%RMS Electrode 4
```

```
Electrode_4 = struct with fields:
    num: 2981
    max: 0.9053
    min: 0.1402
    mean: NaN
    median: NaN
    range: 0.7651
    std: NaN
```

```
Electrode_5 = datastats(allData(:,5))%RMS Electrode 5
```

```
Electrode_5 = struct with fields:
    num: 2981
    max: 0.9000
    min: 0.1671
    mean: 0.5320
    median: 0.5291
    range: 0.7328
    std: 0.0766
```

```
Electrode_6 = datastats(allData(:,6))%RMS Electrode 6
```

```
Electrode_6 = struct with fields:
    num: 2981
    max: 0.8975
    min: 0.0874
    mean: 0.5425
    median: 0.5344
    range: 0.8101
    std: 0.0818
```

```
Electrode_7 = datastats(allData(:,7))%RMS Electrode 7
```

```
Electrode_7 = struct with fields:
    num: 2981
    max: 0.9111
    min: 0.1167
    mean: 0.5303
    median: 0.5263
    range: 0.7944
    std: 0.0733
```

```
Electrode_8 = datastats(allData(:,8))%RMS Electrode 8
```

```
Electrode_8 = struct with fields:
    num: 2981
    max: 0.9611
    min: 0.1668
    mean: 0.5336
    median: 0.5301
    range: 0.7943
    std: 0.0706
```

```
Electrode_9 = datastats(allData(:,9))%RMS Electrode 9
```

```
Electrode_9 = struct with fields:  
    num: 2981  
    max: 0.9575  
    min: 0.0676  
    mean: 0.5320  
    median: 0.5277  
    range: 0.8900  
    std: 0.0820
```

```
Electrode_10 = datastats(allData(:,10))%RMS Electrode 10
```

```
Electrode_10 = struct with fields:  
    num: 2981  
    max: 0.9677  
    min: 0.0892  
    mean: 0.5270  
    median: 0.5219  
    range: 0.8785  
    std: 0.0798
```

```
Electrode_11 = datastats(allData(:,11))%RMS Electrode 11
```

```
Electrode_11 = struct with fields:  
    num: 2981  
    max: 0.9085  
    min: 0.1198  
    mean: 0.5464  
    median: 0.5383  
    range: 0.7887  
    std: 0.0894
```

```
Electrode_12 = datastats(allData(:,12))%RMS Electrode 12
```

```
Electrode_12 = struct with fields:  
    num: 2981  
    max: 0.9267  
    min: 0.1721  
    mean: 0.5329  
    median: 0.5284  
    range: 0.7546  
    std: 0.0739
```

```
Electrode_13 = datastats(allData(:,13))%RMS Electrode 13
```

```
Electrode_13 = struct with fields:  
    num: 2981  
    max: 0.9277  
    min: 0.1519  
    mean: NaN  
    median: NaN  
    range: 0.7758  
    std: NaN
```

```
Electrode_14 = datastats(allData(:,14))%RMS Electrode 14
```

```
Electrode_14 = struct with fields:  
    num: 2981  
    max: 0.9266  
    min: 0.1919  
    mean: 0.5365  
    median: 0.5332
```

```
range: 0.7347
std: 0.0731
```

```
Electrode_15 = datastats(allData(:,15))%RMS Electrode 15
```

```
Electrode_15 = struct with fields:
    num: 2981
    max: 0.9104
    min: 0.0901
    mean: 0.5368
    median: 0.5290
    range: 0.8204
    std: 0.0820
```

```
Electrode_16 = datastats(allData(:,16))%RMS Electrode 16
```

```
Electrode_16 = struct with fields:
    num: 2981
    max: 0.9086
    min: 0.0792
    mean: 0.5383
    median: 0.5308
    range: 0.8294
    std: 0.0765
```

Feature Selection

```
DataFeatures=allData(:,1:16);
%corrplot(DataNorm)
R = corrcoef(DataFeatures)
```

```
R = 16x16
    1.0000    0.3258    0.0505    0.1336    0.3021    0.4249    0.2972   -0.0915 ...
    0.3258    1.0000    0.1169    0.2849    0.3231    0.4410    0.3995    0.0498
    0.0505    0.1169    1.0000    0.2200   -0.1182    0.0962    0.1569    0.2449
    0.1336    0.2849    0.2200    1.0000    0.2037    0.3318    0.4034    0.2891
    0.3021    0.3231   -0.1182    0.2037    1.0000    0.3632    0.3192   -0.0652
    0.4249    0.4410    0.0962    0.3318    0.3632    1.0000    0.7088    0.2830
    0.2972    0.3995    0.1569    0.4034    0.3192    0.7088    1.0000    0.3364
   -0.0915    0.0498    0.2449    0.2891   -0.0652    0.2830    0.3364    1.0000
    0.0580    0.0077   -0.1384    0.0303   -0.0375    0.0467   -0.0127    0.0536
    0.0687   -0.0133   -0.0554    0.1849    0.0053    0.0585    0.0217    0.2217
    :
    :
```

Motor Task Classification (Label + 8)

All Classifications Results:

- 2) upper limbs task (Ensemble Subspace KNN) 54.7%
- 3) Lower limbs task (Fine KNN) 43.7%
- **4) Right Upper limbs task (Ensemble Subspace KNN) 73.3%**
- **5) Left Upper limbs task (Ensemble Subspace KNN) 74.6%**
- 6) Right Lower limbs task (Fine KNN) 58.3%
- **7) Right Lower limbs task Dorsal (SVM Cubic SVM) 73.8%**

- **8) Right Lower limbs task Plantar (Ensemble Subspace KNN) 73.3%**
- 9) Left Lower limbs task (Cubic SVM) 55.6%
- **10) Left Lower limbs task Dorsal (Medium Neural Network) 73.3%**
- 11) Left Lower limbs task Plantar (Fine KNN) 67.9%

```
clear;clc;
% Upload .CSV file with the features of all EEG files
path = fullfile('./data/');%data folder
allData = fLoad_EEG_csv(path,'AllDataRMS.csv');

%[ILCH, IRCH, ILDF, ILPF, IRDF, IRPF, IDesc, idxMaxI] = fIdxLabelEEG_I(allData);
[MLCH, MRCH, MLDF, MLPF, MRDF, MRPF, MDesc, idxMaxM] = fIdxLabelEEG_M(allData);

num = input('Enter a number: ');
switch num
    case 1 %all task
        idx = [MLCH(1:idxMaxM);MRCH(1:idxMaxM);MLDF(1:idxMaxM);MLPF(1:idxMaxM);...
            MRDF(1:idxMaxM);MRPF(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('All task')%-->KNN(Coarse KNN) 23.8%
    case 2 %upper limbs task
        idx = [MLCH(1:idxMaxM);MRCH(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Upper Limbs task')%--> KNN(Weighted KNN) 50.7%
    case 3 %Lower limbs task
        idx = [MLDF(1:idxMaxM);MLPF(1:idxMaxM);MRDF(1:idxMaxM);MRPF(1:idxMaxM);...
            MDesc(1:idxMaxM)];
        disp('Lower Limbs task')%--> Ensemble (Boosted Trees) 31.5%
    case 4 %Right Upper limbs task
        idx = [MRCH(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Right Upper limbs task')%--> Tree (fine Tree, medium tree) 70.7%
    case 5 %Left Upper limbs task
        idx = [MLCH(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Left Upper limbs task')%--> SVM (Medium Gaussian VM) 78%
    case 6 %Right Lower limbs task
        idx = [MRDF(1:idxMaxM);MRPF(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Right Lower limbs task')%--> Ensemble (Subspace KNN, RUSBoosted KNN) 51.6%
    case 7 %Right Lower limbs task Dorsal
        idx = [MRDF(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Right Lower limbs task Dorsal')%--> Ensemble (Subspace KNN) 74%
    case 8 %Right Lower limbs task Plantar
        idx = [MRPF(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Right Lower limbs task Plantar')%--> SVM (Quadratic) 76.7%
    case 9 %Left Lower limbs task
        idx = [MLDF(1:idxMaxM);MLPF(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Left Lower limbs task')%--> KNN (Weighted) 53.8%
    case 10 %Left Lower limbs task Dorsal
        idx = [MLDF(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Left Lower limbs task Dorsal')%--> SVM (Quadratic SVM) 76%
    case 11 %Left Lower limbs task Plantar
        idx = [MLPF(1:idxMaxM);MDesc(1:idxMaxM)];
        disp('Left Lower limbs task Plantar')%--> Ensemble (Subspace KNN) 77%
    otherwise
        disp('other value')
```

```
end
```

```
MotorData=allData(idx,:);
```

Imagery Task Classification (Label)

All Classification Results:

- 2) upper limbs task (Weighted KNN) 55.3%
- 3) Lower limbs task (Weighted KNN) 40.8%
- 4) Right Upper limbs task (Quadratic Discriminant) 67.5%
- **5) Left Upper limbs task (Fine KNN) 71.7%**
- 6) Right Lower limbs task (Weighted KNN) 55.0%
- 7) Right Lower limbs task Dorsal (Weighted KNN) 69.2%
- **8) Right Lower limbs task Plantar (Fine KNN) 75.8%**
- 9) Left Lower limbs task (Weighted KNN) 52.8%
- **10) Left Lower limbs task Dorsal (Quadratic Discriminant) 70.4%**
- 11) Left Lower limbs task Plantar (Medium Gaussian SVM) 67.9%

```
clear;clc;
% Upload .CSV file with the features of all EEG files
path = fullfile('./data/');%data folder
allData = fLoad_EEG_csv(path,'AllDataRMS.csv');

[ILCH, IRCH, ILDF, ILPF, IRDF, IRPF, IDesc, idxMaxI] = fIdxLabelEEG_I(allData);
 %[MLCH, MRCH, MLDF, MLPF, MRDF, MRPF, MDesc, idxMaxM] = fIdxLabelEEG_M(allData);

num = input('Enter a number: ');
switch num
    case 1%all task
        idx = [ILCH(1:idxMaxI);IRCH(1:idxMaxI);ILDF(1:idxMaxI);ILPF(1:idxMaxI);...
            IRDF(1:idxMaxI);IRPF(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('All task')%--> KNN (Weighted KNN) 21.9%
    case 2%upper limbs task
        idx = [ILCH(1:idxMaxI);IRCH(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('Upper Limbs task')%--> Ensemble (Boosted Trees) 47.6%
    case 3%Lower limbs task
        idx = [ILDF(1:idxMaxI);ILPF(1:idxMaxI);IRDF(1:idxMaxI);IRPF(1:idxMaxI);...
            IDesc(1:idxMaxI)];
        disp('Lower Limbs task')%--> Ensemble (Suspace KNN) 30.1%
    case 4 %Right Upper limbs task
        idx = [IRCH(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('Right Upper limbs task')%--> KNN (Weighted KNN) 71.3%
    case 5 %Left Upper limbs task
        idx = [ILCH(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('Left Upper limbs task')%--> Ensemble (Bagged Trees) 66.7%
    case 6 %Right Lower limbs task
        idx = [IRDF(1:idxMaxI);IRPF(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('Right Lower limbs task')%--> Ensemble (Subspace KNN) 48.4%
    case 7 %Right Lower limbs task Dorsal
        idx = [IRDF(1:idxMaxI);IDesc(1:idxMaxI)];
```



```

        disp('Right Lower limbs task Dorsal')%--> Ensemble (Subspace KNN) 70.7%
    case 8 %Right Lower limbs task Plantar
        idx = [IRPF(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('Right Lower limbs task Plantar')%--> Ensemble (Subspace KNN) 78%
    case 9 %Left Lower limbs task
        idx = [ILDF(1:idxMaxI);ILPF(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('Left Lower limbs task')%--> Naiveyes (Gaussian Naive yes) 47.6%
    case 10 %Left Lower limbs task Dorsal
        idx = [ILDF(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('Left Lower limbs task Dorsal')%--> Quadratic (Quadratic Discriminant) 68%
    case 11 %Left Lower limbs task Plantar
        idx = [ILPF(1:idxMaxI);IDesc(1:idxMaxI)];
        disp('Left Lower limbs task Plantar')%--> Ensemble (Bagged Trees) 68%
    otherwise
        disp('other value')
end

```

Left Lower limbs task Plantar

```
ImageryData=allData(idx,:);
```