


Session 2

1. Install GCC on your computer and verify the installation by running `gcc --version` in your terminal or command prompt.




The screenshot shows the Visual Studio Code interface. The main editor window displays a C program named `hello.c` with the following code:

```
1 #include <stdio.h>
2
3 int main()
4 {
5     printf("hello world");
6 }
```

Below the editor, the 'Terminal' panel is open, showing the output of the program. The prompt is `PS C:\V\llang> cd "C:\V\llang" ; if ($?) { gcc -first.c -o first } ; if ($?) { .first }` . The output is `hello world`. The prompt then changes to `PS C:\V\llang>`.

Session 2

2. Open VS Code or DevC++ and create a new file named hello.c. Write a C program that prints 'Hello, Instagram World!' to the console.



The screenshot shows the Visual Studio Code editor interface. The main editor window displays a C program in a file named `hello.c`. The code is as follows:

```
#include <stdio.h>
int main()
{
    printf("Hello World!\n");
}
```

Below the editor, the Output window shows the result of running the program:

```
PS C:\Users\user> gcc -o hello hello.c
PS C:\Users\user> ./hello
Hello World!
```

The status bar at the bottom indicates the file is `hello.c` and the program is running on a Windows system.

Session 2

3. Identify and label the header, main function, and return statement in your hello.c program using comments.


```
// Header  
  
#include <stdio.h>  
  
// Main function  
  
int main()  
{  
    printf("Hello, World!");  
  
    // Return statement  
  
    return 0;  
}
```

Labels:

1. **Header:** #include <stdio.h>
2. **Main function:** int main()
3. **Return statement:** return 0;

Session 2

4. Compile your hello.c file using the GCC command line (`gcc hello.c -o hello`) and run the output file to display the message in your terminal. **Hint:** On Windows, the output file will be `hello.exe`; on Linux/Mac, it will be `hello`.



The screenshot shows the Visual Studio Code interface with a C file named `hello.c` open. The code in the editor is:

```
1 #include<stdio.h>
2 void main(){
3     printf("Hello Word");
4 }
```

The Explorer sidebar on the left shows a project structure with files like `hello.c`, `hello.exe`, `loop.c`, `loop.exe`, `op.c`, `op.exe`, `operators.c`, `operators.exe`, `p1.c`, `p1.exe`, `practice.c`, `practice.exe`, `second.c`, `second.exe`, `switch.c`, and `switch.exe`.

At the bottom, the Terminal panel shows the following commands and output:

```
PS D:\C\llang> gcc hello.c -o hello
PS D:\C\llang> .\hello.exe
Hello Word
PS D:\C\llang> 
```

The Windows taskbar at the bottom shows the system clock as 17:06 on 07-09-2024.