

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show source outline image report

Options...

Check by css

```
<!DOCTYPE html>
<html lang="pt">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="rfIOC5uxiiBqtqJSmcxxsZFCXXuSKmKYa5viSAeh">

  <title>FinJet - Administração de etiquetas
</title>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 24, column 3; to line 24, column 33](#)

`sheet"><script type="text/javascript">`

2. **Warning** Article lacks heading. Consider using `h2-h6` elements to [add identifying headings to all articles](#).

[From line 145, column 9; to line 145, column 45](#)

`><article class="admin-etiqueta-card">`

3. **Error** Duplicate ID `admin-etiqueta-elimina`.

[From line 155, column 9; to line 155, column 189](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="4" data-bs-nome="Imóveis">Elimin
```

4. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.

[From line 148, column 9; to line 148, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="1" data-bs-nome="IRS">Elimin
```

5. **Error** Duplicate ID `admin-etiqueta-edita`.

[From line 156, column 9; to line 156, column 211](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-
primary admin-edita-etiqueta-btn" dat...s-toggle="modal" data-bs-target="#admin-
edita-etiqueta-modal" data-bs-id="4" data-bs-nome="Imóveis">Editar
```

6. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.

[From line 149, column 9; to line 149, column 207](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary
admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
```

7. **Warning** Article lacks heading. Consider using `h2-h6` elements to [add identifying headings to all articles](#).

[From line 152, column 1; to line 152, column 37](#)

```
/article>↔<article class="admin-etiqueta-card">↔      <
```

8. **Error** Duplicate ID `admin-etiqueta-elimina`.

[From line 162, column 9; to line 162, column 198](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="8" data-bs-nome="Bolsa de valores">Elimin
```

9. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.

[From line 148, column 9; to line 148, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="1" data-bs-nome="IRS">Elimin
```

10. **Error** Duplicate ID `admin-etiqueta-edita`.

[From line 163, column 9; to line 163, column 220](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data... "modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="8" data-bs-nome="Bolsa de valores">Editar
```

11. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.

[From line 149, column 9; to line 149, column 207](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
```

12. **Warning** Article lacks heading. Consider using `h2`–`h6` elements to [add identifying headings to all articles](#).

[From line 159, column 1; to line 159, column 37](#)

```
/article>↔<article class="admin-etiqueta-card">↔      <
```

13. **Error** Duplicate ID `admin-etiqueta-elimina`.

[From line 169, column 9; to line 169, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="9" data-bs-nome="IVA">Elimin
```

14. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.

[From line 148, column 9; to line 148, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Elimin
```

15. **Error** Duplicate ID `admin-etiqueta-edita`.

[From line 170, column 9; to line 170, column 207](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="9" data-bs-nome="IVA">Editar
```

16. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.

[From line 149, column 9; to line 149, column 207](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
```

```
etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">>Editar
```

17. **Warning Article lacks heading. Consider using [h2-h6] elements to add identifying headings to all articles.**

[From line 166, column 1; to line 166, column 37](#)

```
/article><article class="admin-etiqueta-card"><
```

18. **Error Duplicate ID admin-etiqueta-elimina.**

[From line 176, column 9; to line 176, column 186](#)

```
><button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="10" data-bs-nome="IMI">Eliminar
```

19. **Warning The first occurrence of ID admin-etiqueta-elimina was here.**

[From line 148, column 9; to line 148, column 185](#)

```
><button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Eliminar
```

20. **Error Duplicate ID admin-etiqueta-edita.**

[From line 177, column 9; to line 177, column 208](#)

```
><button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="10" data-bs-nome="IMI">Editar
```

21. **Warning The first occurrence of ID admin-etiqueta-edita was here.**

[From line 149, column 9; to line 149, column 207](#)

```
><button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
```

22. **Warning Article lacks heading. Consider using [h2-h6] elements to add identifying headings to all articles.**

[From line 173, column 1; to line 173, column 37](#)

```
/article><article class="admin-etiqueta-card"><
```

23. **Error Duplicate ID admin-etiqueta-elimina.**

[From line 183, column 9; to line 183, column 191](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="11" data-bs-nome="Heranças">Elimin
```

24. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.

[From line 148, column 9; to line 148, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="1" data-bs-nome="IRS">Elimin
```

25. **Error** Duplicate ID `admin-etiqueta-edita`.

[From line 184, column 9; to line 184, column 213](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-
primary admin-edita-etiqueta-btn" dat...toggle="modal" data-bs-target="#admin-
edita-etiqueta-modal" data-bs-id="11" data-bs-nome="Heranças">Editar
```

26. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.

[From line 149, column 9; to line 149, column 207](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary
admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
```

27. **Warning** Article lacks heading. Consider using `h2-h6` elements to [add identifying headings to all articles](#).

[From line 180, column 1; to line 180, column 37](#)

```
/article>↔<article class="admin-etiqueta-card">↔      <
```

28. **Error** Duplicate ID `admin-etiqueta-elimina`.

[From line 190, column 9; to line 190, column 192](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="14" data-bs-nome="Poupanças">Elimin
```

29. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.

[From line 148, column 9; to line 148, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="1" data-bs-nome="IRS">Elimin
```

30. **Error** Duplicate ID `admin-etiqueta-edita`.

[From line 191, column 9; to line 191, column 214](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="14" data-bs-nome="Poupanças">Editar
```

31. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.

[From line 149, column 9; to line 149, column 207](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
```

32. **Warning** Article lacks heading. Consider using `h2`–`h6` elements to [add identifying headings to all articles](#).

[From line 187, column 1; to line 187, column 37](#)

```
/article>↔<article class="admin-etiqueta-card">↔      <
```

33. **Error** Duplicate ID `admin-etiqueta-elimina`.

[From line 197, column 9; to line 197, column 191](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="15" data-bs-nome="Impostos">Elimin
```

34. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.

[From line 148, column 9; to line 148, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Elimin
```

35. **Error** Duplicate ID `admin-etiqueta-edita`.

[From line 198, column 9; to line 198, column 213](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="15" data-bs-nome="Impostos">Editar
```

36. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.

[From line 149, column 9; to line 149, column 207](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
```

```
etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">>Editar
```

37. **Warning Article lacks heading. Consider using [h2-h6] elements to add identifying headings to all articles.**

[From line 194, column 1; to line 194, column 37](#)

```
/article><article class="admin-etiqueta-card"><
```

38. **Error Duplicate ID admin-etiqueta-elimina.**

[From line 204, column 9; to line 204, column 188](#)

```
><button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="17" data-bs-nome="Banco">Eliminar
```

39. **Warning The first occurrence of ID admin-etiqueta-elimina was here.**

[From line 148, column 9; to line 148, column 185](#)

```
><button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Eliminar
```

40. **Error Duplicate ID admin-etiqueta-edita.**

[From line 205, column 9; to line 205, column 210](#)

```
><button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="17" data-bs-nome="Banco">Editar
```

41. **Warning The first occurrence of ID admin-etiqueta-edita was here.**

[From line 149, column 9; to line 149, column 207](#)

```
><button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
```

42. **Warning Article lacks heading. Consider using [h2-h6] elements to add identifying headings to all articles.**

[From line 201, column 1; to line 201, column 37](#)

```
/article><article class="admin-etiqueta-card"><
```

43. **Error Duplicate ID admin-etiqueta-elimina.**

[From line 211, column 9; to line 211, column 188](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="3" data-bs-nome="Seguro">Elimin
```

44. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.

[From line 148, column 9; to line 148, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="1" data-bs-nome="IRS">Elimin
```

45. **Error** Duplicate ID `admin-etiqueta-edita`.

[From line 212, column 9; to line 212, column 210](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-
primary admin-edita-etiqueta-btn" dat...bs-toggle="modal" data-bs-target="#admin-
edita-etiqueta-modal" data-bs-id="3" data-bs-nome="Seguro">Editar
```

46. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.

[From line 149, column 9; to line 149, column 207](#)

```
>↔      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary
admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
```

47. **Warning** Article lacks heading. Consider using `h2-h6` elements to [add identifying headings to all articles](#).

[From line 208, column 1; to line 208, column 37](#)

```
/article>↔<article class="admin-etiqueta-card">↔      <
```

48. **Error** Duplicate ID `admin-etiqueta-elimina`.

[From line 218, column 9; to line 218, column 194](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="5" data-bs-nome="Investimento">Elimin
```

49. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.

[From line 148, column 9; to line 148, column 185](#)

```
>↔      <button id="admin-etiqueta-elimina" type="button" class="btn btn-
danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal"
data-bs-id="1" data-bs-nome="IRS">Elimin
```

50. **Error** Duplicate ID `admin-etiqueta-edita`.
From line 219, column 9; to line 219, column 216
>↔<button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data...gle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="5" data-bs-nome="Investimento">Editar
51. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.
From line 149, column 9; to line 149, column 207
>↔<button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
52. **Warning** Article lacks heading. Consider using `h2`–`h6` elements to [add identifying headings to all articles](#).
From line 215, column 1; to line 215, column 37
/article>↔<article class="admin-etiqueta-card">↔<
53. **Error** Duplicate ID `admin-etiqueta-elimina`.
From line 225, column 9; to line 225, column 199
>↔<button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="6" data-bs-nome="Segurança Sociald">Elimin
54. **Warning** The first occurrence of ID `admin-etiqueta-elimina` was here.
From line 148, column 9; to line 148, column 185
>↔<button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Elimin
55. **Error** Duplicate ID `admin-etiqueta-edita`.
From line 226, column 9; to line 226, column 221
>↔<button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data...modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="6" data-bs-nome="Segurança Sociald">Editar
56. **Warning** The first occurrence of ID `admin-etiqueta-edita` was here.
From line 149, column 9; to line 149, column 207
>↔<button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-

```
etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">>Editar
```

57. **Warning Article lacks heading. Consider using [h2-h6] elements to add identifying headings to all articles.**

[From line 222, column 1; to line 222, column 37](#)

```
/article><article class="admin-etiqueta-card"><
```

58. **Error Duplicate ID admin-etiqueta-elimina.**

[From line 232, column 9; to line 232, column 195](#)

```
><button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="7" data-bs-nome="Criptomoedasd">Eliminar
```

59. **Warning The first occurrence of ID admin-etiqueta-elimina was here.**

[From line 148, column 9; to line 148, column 185](#)

```
><button id="admin-etiqueta-elimina" type="button" class="btn btn-danger" data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Eliminar
```

60. **Error Duplicate ID admin-etiqueta-edita.**

[From line 233, column 9; to line 233, column 217](#)

```
><button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="7" data-bs-nome="Criptomoedasd">Editar
```

61. **Warning The first occurrence of ID admin-etiqueta-edita was here.**

[From line 149, column 9; to line 149, column 207](#)

```
><button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar
```

62. **Warning Article lacks heading. Consider using [h2-h6] elements to add identifying headings to all articles.**

[From line 229, column 1; to line 229, column 37](#)

```
/article><article class="admin-etiqueta-card"><
```

Document checking completed.

Source

```
1. ↵
2. <!DOCTYPE html>↵
3. <html lang="pt">↵
4. ↵
5. <head>↵
6.   <meta charset="utf-8">↵
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8.   <meta name="viewport" content="width=device-width, initial-scale=1">↵
9. ↵
10.  <!-- CSRF Token -->↵
11.  <meta name="csrf-token" content="rfI0C5uxiiBqtqJSmcxxsZFCXXuSKmKYa5viSAeh">↵
12. ↵
13.  <title>FinJet - Administração de etiquetas<↵
14. </title>↵
15. ↵
16.  <!-- Styles -->↵
17.  <link rel="apple-touch-icon" sizes="180x180" href="/apple-touch-icon.png">↵
18.  <link rel="icon" type="image/png" sizes="32x32" href="/favicon-32x32.png">↵
19.  <link rel="icon" type="image/png" sizes="16x16" href="/favicon-16x16.png">↵
20.  <link rel="manifest" href="/site.webmanifest">↵
21.  <link
22.    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
23.    rel="stylesheet" integrity="sha384-
24.      1BmE4kBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqy12QvZ6jIW3"
25.      crossorigin="anonymous">↵
26.  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
27.      icons@1.7.2/font/bootstrap-icons.css">↵
28.  <link href="http://lbaw2191.lbaw.fe.up.pt/css/app.css" rel="stylesheet">↵
29.  <script type="text/javascript">↵
30.    // Fix for Firefox autofocus CSS bug
31.    // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
32.      messes-up-css-loading/18945951#18945951
33.  </script>↵
34. </head>↵
35. <body>↵
36.   <div class="altura-max">↵
37.     <header id="geral-header" class="shadow-lg">↵
38.       <div class="hstack gap-3">↵
39.         <div>↵
40.           <h1><a href="http://lbaw2191.lbaw.fe.up.pt" id="finjet-nome">FinJet</a></h1>↵
41.         </div>
42.         <div class="ms-auto">↵
43.           <nav class="nav nav-pills flex-column flex-sm-row">↵
44.             <a class="flex-sm-fill text-sm-center nav-link"
45.               href="http://lbaw2191.lbaw.fe.up.pt">Página Inicial</a>↵
46.             <a class="flex-sm-fill text-sm-center nav-link active"
47.               href="http://lbaw2191.lbaw.fe.up.pt/admin/etiquetas">Etiquetas</a>↵
48.             <a class="flex-sm-fill text-sm-center nav-link"
49.               href="http://lbaw2191.lbaw.fe.up.pt/admin/moderadores">Moderadores</a>↵
50.             <a class="flex-sm-fill text-sm-center nav-link"
51.               href="http://lbaw2191.lbaw.fe.up.pt/admin/banimento">Apelos de Desbloqueio</a>↵
52.           </nav>↵
53.         </div>↵
54.         <div class="vr" id="header-vr"></div>↵
55.       <div>↵
56.         <div class="dropdown">↵
57.           <button class="btn btn-secondary dropdown-toggle" type="button"
58.             id="navbar-paginas-utilizador">↵
59.             John Doe<↵
60.           </button>↵
61.           <ul class="dropdown-menu" aria-labelledby="navbar-paginas-
62.             utilizador">↵
```

```
52.      <li><a class="dropdown-item"  
53.        href="http://lbaw2191.lbaw.fe.up.pt/admin">Página de Administração</a></li>↔  
54.      <li><a class="dropdown-item"  
55.        href="http://lbaw2191.lbaw.fe.up.pt/perfil/john_doe">Perfil</a></li>↔  
56.      <li><a class="dropdown-item"  
57.        href="http://lbaw2191.lbaw.fe.up.pt/logout">Logout</a></li>↔  
58.      </ul>↔  
59.    </div>↔  
59.  </div>↔  
60. </header>↔  
60. <main id="conteudo">↔  
61.   <div id="admin-etiquetas">↔  
62.     <div class="modal fade" id="admin-cria-etiqueta-modal" tabindex="-1" aria-  
63.       labelledby="admin-cria-etiqueta-modal-label" aria-hidden="true">↔  
63.       <div class="modal-dialog">↔  
64.         <div class="modal-content">↔  
65.           <div class="modal-header">↔  
66.             <h5 class="modal-title" id="admin-cria-etiqueta-modal-label">Criar  
etiqueta</h5>↔  
67.             <button type="button" class="btn-close" data-bs-dismiss="modal"  
aria-label="Close"></button>↔  
68.           </div>↔  
69.           <div class="modal-body">↔  
70.             <div class="form-group">↔  
71.               <label for="admin-cria-etiqueta-text" class="form-label">Nome da  
etiqueta:</label>↔  
72.               <input type="text" id="admin-cria-etiqueta-text" class="form-  
control" placeholder="Escreva aqui o nome da etiqueta">↔  
73.             </div>↔  
74.             <div id="admin-cria-etiqueta-text-feedback" class="invalid-  
feedback"></div>↔  
75.           </div>↔  
76.           <div class="modal-footer">↔  
77.             <button type="button" class="btn btn-secondary" data-bs-  
dismiss="modal">Cancelar</button>↔  
78.             <button type="button" id="admin-etiqueta-cria-btn" class="btn btn-  
primary admin-etiqueta-submete-acao">Criar</button>↔  
79.             <button type="button" class="btn btn-primary admin-etiqueta-  
loading-acao" disabled>↔  
80.               <span class="spinner-border spinner-border-sm" role="status">  
</span>↔  
81.               <span>A criar...</span>↔  
82.             </button>↔  
83.           </div>↔  
84.         </div>↔  
85.       </div>↔  
86.     </div>↔  
87.     <div class="modal fade" id="admin-elimina-etiqueta-modal" tabindex="-1"  
aria-labelledby="admin-elimina-etiqueta-modal-label" aria-hidden="true">↔  
88.       <div class="modal-dialog">↔  
89.         <div class="modal-content">↔  
90.           <div class="modal-header">↔  
91.             <h5 class="modal-title" id="admin-elimina-etiqueta-modal-  
label">Eliminar etiqueta</h5>↔  
92.             <button type="button" class="btn-close" data-bs-dismiss="modal"  
aria-label="Close"></button>↔  
93.           </div>↔  
94.           <div class="modal-body" id="admin-etiqueta-apaga-txt"></div>↔  
95.           <div class="modal-footer">↔  
96.             <button type="button" class="btn btn-secondary" data-bs-  
dismiss="modal">Cancelar</button>↔  
97.             <button type="button" id="admin-etiqueta-apaga-btn" class="btn btn-  
danger admin-etiqueta-submete-acao">Eliminar</button>↔  
98.             <button type="button" class="btn btn-danger admin-etiqueta-loading-  
acao" disabled>↔
```

```
99.          <span class="spinner-border spinner-border-sm" role="status">
100.             </span>↪
101.             <span>A eliminar...</span>↪
102.             </button>↪
103.             </div>↪
104.             </div>↪
105.         </div> ↵
106.         <div class="modal fade" id="admin-edita-etiqueta-modal" tabindex="-1" aria-
labelledby="admin-edita-etiqueta-modal-label" aria-hidden="true">↪
107.             <div class="modal-dialog">↪
108.                 <div class="modal-content">↪
109.                     <div class="modal-header">↪
110.                         <h5 class="modal-title" id="admin-edita-etiqueta-modal-
label">Editar etiqueta</h5>↪
111.                         <button type="button" class="btn-close" data-bs-dismiss="modal"
aria-label="Close"></button>↪
112.                     </div>↪
113.                     <div class="modal-body">↪
114.                         <div class="form-group">↪
115.                             <label for="admin-cria-etiqueta-text" class="form-label">Nome da
etiqueta:</label>↪
116.                             <input type="text" id="admin-etiqueta-text" class="form-control"
placeholder="Escreva aqui o nome da etiqueta">↪
117.                         </div>↪
118.                         <div id="admin-etiqueta-text-feedback" class="invalid-feedback">
</div>↪
119.                     </div>↪
120.                     <div class="modal-footer">↪
121.                         <button type="button" class="btn btn-secondary" data-bs-
dismiss="modal">Cancelar</button>↪
122.                         <button type="button" id="admin-etiqueta-edita-guarda" class="btn
btn-primary admin-etiqueta-submete-acao">Guardar</button>↪
123.                         <button type="button" class="btn btn-primary admin-etiqueta-
loading-acao" disabled>↪
124.                             <span class="spinner-border spinner-border-sm" role="status">
</span>↪
125.                             <span>A guardar...</span>↪
126.                         </button>↪
127.                     </div>↪
128.                     </div>↪
129.                 </div>↪
130.             </div>↪
131.             <div class="d-flex justify-content-between">↪
132.                 <button type="button" class="btn btn-outline-secondary" data-bs-
toggle="modal" data-bs-target="#admin-cria-etiqueta-modal">↪
133.                     <i class="bi bi-plus-square"></i>↪
134.                     Criar etiqueta↪
135.                 </button>↪
136.                 <form method="GET"
action="http://lbaw2191.lbaw.fe.up.pt/admin/etiquetas">↪
137.                     <div class="input-group">↪
138.                         <input class="form-control" name="query" value="" placeholder="Nome da
etiqueta...">↪
139.                         <button class="btn btn-outline-secondary" type="submit">↪
140.                             <i class="bi bi-search"></i>↪
141.                         </button>↪
142.                     </div>↪
143.                 </form>     </div>↪
144.                 <div id="admin-etiqueta-card-container" class="d-flex justify-content-start
flex-wrap mt-4">↪
145.                     <article class="admin-etiqueta-card">↪
146.                         <p>IRS</p>↪
147.                     <div>↪
148.                         <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
id="1" data-bs-name="IRS">Eliminar</button>↪
```

```
149.         <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
    admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
    etiqueta-modal" data-bs-id="1" data-bs-nome="IRS">Editar</button>↔
150.     </div>↔
151. </article>↔
152. <article class="admin-etiqueta-card">↔
153.     <p>Imóveis</p>↔
154.     <div>↔
155.         <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
    data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
    id="4" data-bs-nome="Imóveis">Eliminar</button>↔
156.         <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
    admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
    etiqueta-modal" data-bs-id="4" data-bs-nome="Imóveis">Editar</button>↔
157.     </div>↔
158. </article>↔
159. <article class="admin-etiqueta-card">↔
160.     <p>Bolsa de valores</p>↔
161.     <div>↔
162.         <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
    data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
    id="8" data-bs-nome="Bolsa de valores">Eliminar</button>↔
163.         <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
    admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
    etiqueta-modal" data-bs-id="8" data-bs-nome="Bolsa de valores">Editar</button>↔
164.     </div>↔
165. </article>↔
166. <article class="admin-etiqueta-card">↔
167.     <p>IVA</p>↔
168.     <div>↔
169.         <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
    data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
    id="9" data-bs-nome="IVA">Eliminar</button>↔
170.         <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
    admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
    etiqueta-modal" data-bs-id="9" data-bs-nome="IVA">Editar</button>↔
171.     </div>↔
172. </article>↔
173. <article class="admin-etiqueta-card">↔
174.     <p>IMI</p>↔
175.     <div>↔
176.         <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
    data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
    id="10" data-bs-nome="IMI">Eliminar</button>↔
177.         <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
    admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
    etiqueta-modal" data-bs-id="10" data-bs-nome="IMI">Editar</button>↔
178.     </div>↔
179. </article>↔
180. <article class="admin-etiqueta-card">↔
181.     <p>Heranças</p>↔
182.     <div>↔
183.         <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
    data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
    id="11" data-bs-nome="Heranças">Eliminar</button>↔
184.         <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
    admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
    etiqueta-modal" data-bs-id="11" data-bs-nome="Heranças">Editar</button>↔
185.     </div>↔
186. </article>↔
187. <article class="admin-etiqueta-card">↔
188.     <p>Poupanças</p>↔
189.     <div>↔
190.         <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
    data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
    id="14" data-bs-nome="Poupanças">Eliminar</button>↔
```

```
191.      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
192.          admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
193.          etiqueta-modal" data-bs-id="14" data-bs-nome="Poupanças">Editar</button>↔
194.      </div>↔
195.  </article>↔
196.  <article class="admin-etiqueta-card">↔
197.      <p>Impostos</p>↔
198.      <div>↔
199.          <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
200.              data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
201.              id="15" data-bs-nome="Impostos">Eliminar</button>↔
202.          <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
203.              admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
204.              etiqueta-modal" data-bs-id="15" data-bs-nome="Impostos">Editar</button>↔
205.      </div>↔
206.  </article>↔
207.  <article class="admin-etiqueta-card">↔
208.      <p>Banco</p>↔
209.      <div>↔
210.          <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
211.              data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
212.              id="17" data-bs-nome="Banco">Eliminar</button>↔
213.          <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
214.              admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
215.              etiqueta-modal" data-bs-id="17" data-bs-nome="Banco">Editar</button>↔
216.      </div>↔
217.  </article>↔
218.  <article class="admin-etiqueta-card">↔
219.      <p>Seguro</p>↔
220.      <div>↔
221.          <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
222.              data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
223.              id="3" data-bs-nome="Seguro">Eliminar</button>↔
224.          <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
225.              admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
226.              etiqueta-modal" data-bs-id="3" data-bs-nome="Seguro">Editar</button>↔
227.      </div>↔
228.  </article>↔
229.  <article class="admin-etiqueta-card">↔
230.      <p>Investimento</p>↔
231.      <div>↔
232.          <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
233.              data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
234.              id="5" data-bs-nome="Investimento">Eliminar</button>↔
235.          <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
236.              admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
237.              etiqueta-modal" data-bs-id="5" data-bs-nome="Investimento">Editar</button>↔
238.      </div>↔
239.  </article>↔
240.  <article class="admin-etiqueta-card">↔
241.      <p>Segurança Sociald</p>↔
242.      <div>↔
243.          <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
244.              data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
245.              id="6" data-bs-nome="Segurança Sociald">Eliminar</button>↔
246.          <button id="admin-etiqueta-edita" type="button" class="btn btn-primary"
247.              admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-
248.              etiqueta-modal" data-bs-id="6" data-bs-nome="Segurança Sociald">Editar</button>↔
249.      </div>↔
250.  </article>↔
251.  <article class="admin-etiqueta-card">↔
252.      <p>Criptomoedasd</p>↔
253.      <div>↔
254.          <button id="admin-etiqueta-elimina" type="button" class="btn btn-danger"
255.              data-bs-toggle="modal" data-bs-target="#admin-elimina-etiqueta-modal" data-bs-
256.              id="7" data-bs-nome="Criptomoedasd">Eliminar</button>↔
```

```
233.      <button id="admin-etiqueta-edita" type="button" class="btn btn-primary admin-edita-etiqueta-btn" data-bs-toggle="modal" data-bs-target="#admin-edita-etiqueta-modal" data-bs-id="7" data-bs-nome="Criptomoedasd">Editar</button>↔
234.      </div>↔
235.  </article>↔
236.  </div>↔
237. </div>↔
238.  </main>↔
239.  <footer>↔
240.  <p class="geral-footer-paragrafo">LBAW</p>↔
241.  <div class="vr"></div>↔
242.  <p class="geral-footer-paragrafo">2191</p>↔
243. </footer>  </div>↔
244.  <div id="erro-conexao" class="toast" role="alert" aria-live="assertive" aria-atomic="true">↔
245.      <div class="toast-header bg-warning text-dark">↔
246.          <strong class="me-auto">Ocorreu um erro ao submeter as alterações</strong>↔
247.          <button type="button" class="btn-close" data-bs-dismiss="toast" aria-label="Close"></button>↔
248.      </div>↔
249.      <div class="toast-body">↔
250.          Verifique a sua ligação com a internet e tente novamente. ↔
251.      </div>↔
252.  </div>↔
253.  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
">↔
254.      integrity="sha384-
ka7Sk0Gln4gmtz2MlQnikT1wXgYs0g+OMhuP+IlRH9sENB00LRn5q+8nbTov4+1p"↔
255.      crossorigin="anonymous"></script>↔
256.      <script src="http://lbaw2191.lbaw.fe.up.pt/js/admin-etiquetas.js">
</script>↔
257.  </body>↔
258. ↔
259. </html>
```

Used the HTML parser.

Total execution time 39 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.1.25