REST API IN PLACK(PSGI)

by Václav Dovrtěl

# TABLE OF CONTENTS

- PSGI, Plack intro
- Rest API middlewares
- Demo

OVERVIEW

PSGI, PLACK

Response ↑   ↓ Request

Implementation = Plack::Server

Apache   Nginx   ...

PSGI Server
Twiggy, Starman, Monoceros ...

Server Handlers
mod_perl, Catalyst::Engine, PSGI::Handlers ...

Plack::Middleware   **Utilities = Plack::***

Interface = PSGI   PSGI

Web App

PSGI

Interface

Author: Tatsuhiko Miyagawa

Inspired by: Python's WSGI and Ruby's Rack.

http://plackperl.org/

HELLO WORLD

```perl
my $app = sub {
    my $env = shift;

    return [
        200, # Status
        ['Content-Type', 'text/plain'], # Header
        ['Hello World'] # Body
    ]
}
```

EXAMPLE 1

Hello World example

PLACK

Tools

- Middleware - Plack::Middleware::*
- Application - Plack::App::* (::File, ::Proxy, ...)
- Handler - Plack::Handler::* (::CGI, ::FCGI ...)

MIDDLEWARE

HELLO WORLD MIDDLEWARE

```perl
my $mw = sub {
    my $env = shift;

    ### Pre App

    ### App
    my $res = $app->($env);

    ### Post App
    return $res;
  };

}
```

EXAMPLE 2

Hello World Middleware example

PLACK::BUILDER

```perl
use Plack::Builder;

  my $app = sub { ... };

  builder {
      enable "Deflater";
      enable "Session", store => "File";
      enable "Debug", panels => [ qw(DBITrace Memory Timer) ];
      enable "+My::Plack::Middleware";
      $app;
  };
```

EXAMPLE 3

Plack::Builder example

PERFORMANCE

4core i5, 8GB RAM

"Hello World" test:

- Monoceros - 19k req/s
- Twiggy (PreFork) - 14k req/s
- Starman - 10k req/s
- NodeJS - 5k req/s

REST API MIDDLEWARES

LIBRARIES

DEMO

github.com/vasekd/plack-rest-api-example

Václav Dovrtěl