Tenant & Landlord API Documentation

TENANT APIS

AUTHENTICATION & ONBOARDING

Login Screen

- **POST** (/api/auth/login)
 - Purpose: Login using email and password
 - Payload: (loginPayload)

```
json
{
    "email": "user@example.com",
    "password": "yourPassword123"
}
```

OTP Authentication

- POST (/api/auth/send-otp)
 - **Purpose**: Send OTP to mobile number (for login/signup)
 - Payload: (otpSendPayload)

```
json
{
    "phone": "+91XXXXXXXXXX"
}
```

- **POST** (/api/auth/verify-otp)
 - **Purpose**: Verify OTP sent to mobile
 - Payload: (otpVerifyPayload)

```
json
{
    "phone": "+91XXXXXXXXXX",
    "otp": "123456"
}
```

Password Management

• **POST** (/api/auth/forgot-password)

- Purpose: Request to reset password
- Payload: (forgotPasswordPayload)

- POST (/api/auth/reset-password)
 - **Purpose**: Reset password after OTP or token verification
 - **Payload**: (resetPasswordPayload)

```
json
{
    "email": "user@example.com",
    "otp": "123456",
    "newPassword": "NewPassword@123"
}
```

Tenant Registration

- **POST** (/api/tenant/signup)
 - **Purpose**: Start tenant registration
 - Payload: (tenantSignupPayload)

```
json

{
    "fullName": "Afroz Malek",
    "email": "afroz@example.com",
    "phone": "+91XXXXXXXXXXX"
}
```

- POST (/api/tenant/complete-signup)
 - Purpose: Complete signup after OTP verification
 - Payload: completeSignupPayload

```
json
{
    "phone": "+91XXXXXXXXXX",
    "otp": "123456",
    "password": "YourPassword@123"
}
```

Profile & Logout

- **GET** (/api/auth/profile)
 - Purpose: Get current user's profile
 - **Headers**: (Authorization: Bearer < JWT_TOKEN >)
- POST (/api/auth/logout)
 - Purpose: Logout current session
 - Payload: No body required

AI-GUIDED ONBOARDING (BOT FLOW)

- **POST** (/api/ai/onboarding/start)
 - Purpose: Start Al onboarding session
 - Payload: (startSessionPayload)
- **POST** (/api/ai/onboarding/chat)
 - Purpose: Send message to Al bot
 - Payload: (botMessagePayload)
- POST (/api/ai/onboarding/complete)
 - Purpose: Complete AI onboarding
 - Payload: No body required
- GET (/api/ai/onboarding/history)
 - **Purpose**: Get onboarding chat history
 - Payload: No body required

DASHBOARD & OVERVIEW

Main Dashboard

- **GET** (/api/dashboard/overview)
 - Purpose: Fetch tenant dashboard stats
 - Response:

json			
-			

```
{
  "pendingVisits": 2,
  "requestedVisits": 4,
  "scheduledVisits": 1,
  "savedProperties": 3
}
```

PROPERTY SEARCH & DISCOVERY

Property Listings

- **GET** /api/properties
 - Purpose: Search & filter properties for rent
 - Query Params: (searchParams)
 - **Example**: (?page=1&limit=10&location=Mumbai&rentRange=10000-50000&bedrooms=2&type=Apartment)
- GET (/api/properties/:propertyId)
 - Purpose: Fetch full details of a selected property
 - Payload: No body required

Al Recommendations

- **GET** (/api/properties/recommendations)
 - **Purpose**: Show Al-predicted relevant properties
 - Payload: No body required

Saved Properties Management

- **GET** /api/properties/saved
 - Purpose: Fetch tenant's saved/liked properties
 - Response:

```
json
[
{
    "propertyld": "prop123",
    "propertyName": "Skyline Apartment",
    "price": 40000
}
]
```

AI & AUTOMATION FEATURES (LANDLORD)

Property Description Generation

- POST /api/ai/generate-description
 - Purpose: Generate AI property description
 - **Payload**: (aiGenerateDescriptionPayload)

```
json
{
    "propertyName": "Lavender",
    "propertyType": "Income",
    "location": "Linking Road, Mumbai",
    "amenities": ["Parking"]
}
```

- POST (/api/ai/regenerate-description)
 - Purpose: Regenerate property description
 - **Payload**: (aiRegenerateDescriptionPayload)

```
json
{
    "propertyId": "PROP12345",
    "regenerationReason": "Need more engaging description"
}
```

- PUT (/api/ai/confirm-description)
 - Purpose: Confirm final property description
 - Payload: (aiConfirmDescriptionPayload)

```
json
{
    "propertyld": "PROP12345",
    "finalDescription": "Welcome to Lavender Heights, a premium 2BHK apartment..."
}
```

LANDLORD LEASE MANAGEMENT & RENEWALS

Lease Overview & Management

- **GET** (/api/leases)
 - Purpose: Get all lease information
 - Response:

```
| "leaseld": "LSE12345",
| "propertyName": "Lavender Manor",
| "tenantName": "Ravi Sharma",
| "rent": 25000,
| "deposit": 200000,
| "leaseExpiry": "2025-12-17",
| "status": "Active"
| }
```

- POST (/api/leases/renew)
 - **Purpose**: Renew lease with new terms
 - Payload: (leaseRenewalPayload)

- **POST** (/api/leases/early-termination)
 - Purpose: Initiate early lease termination
 - Payload: (earlyTerminationPayload)

```
json
{
    "leaseld": "LSE12345",
    "terminationReason": "Property Sale",
    "effectiveDate": "2025-05-01"
}
```

Digital Agreement Management

- **POST** (/api/leases/sign-agreement)
 - Purpose: Sign lease agreement digitally
 - Payload: digitalSignaturePayload

```
json
```

```
{
    "leaseld": "LSE12345",
    "eSignature": "base64-signature-data"
}
```

LANDLORD DOCUMENT & SECURITY MANAGEMENT

Document Management

- **GET** (/api/documents)
 - Purpose: Get all documents
 - Response:

- **POST** (/api/documents/upload)
 - **Purpose**: Upload documents
 - Payload: (documentUploadPayload)

```
json
{
    "documentCategory": "Lease Agreement",
    "file": "base64-file-data"
}
```

- **POST** (/api/documents/share)
 - **Purpose**: Share documents securely
 - Payload: (documentSharePayload)

```
json
{
  "documentId": "DOC98765",
  "sharedWith": ["tenant123", "agency456"],
  "accessLevel": "read"
}
```

- GET (/api/documents/shared-vault)
 - Purpose: Get shared document vault
 - Response:

- POST (/api/properties/:propertyld/save)
 - **Purpose**: Save/like a property
 - Payload: No body required
- **DELETE** (/api/properties/:propertyld/save)
 - Purpose: Unsave/unlike a property
 - Payload: No body required

VISIT MANAGEMENT

Visit Requests

- **GET** (/api/visits)
 - **Purpose**: Get all visit requests (grouped by status)
 - **Query Params**: (?status=pending|accepted|rejected)
 - Response:

```
[
{
    "propertyId": "prop123",
    "propertyName": "Blue Sky Apartment",
    "status": "pending",
    "scheduledDate": null,
    "landlordResponse": "awaiting"
    }
]
```

POST (/api/visits/request)

- **Purpose**: Submit a visit request for a property
- **Payload**: (visitRequestPayload)

```
| json
| {
| "propertyId": "prop123",
| "preferredDate": "2025-08-12",
| "timeSlot": "10 AM - 12 PM"
| }
```

Visit Status & Management

- **GET** (/api/visits/:visitId/status)
 - **Purpose**: Get detailed status of a visit request
 - Response:

```
json
{
    "applicationSubmitted": true,
    "profileVerified": true,
    "landlordReviewing": true,
    "visitStatus": "awaiting_approval"
}
```

- DELETE (/api/visits/:visitId/cancel)
 - **Purpose**: Cancel a visit request
 - Payload: No body required
- POST (/api/visits/:visitId/notify-landlord)
 - **Purpose**: Trigger a reminder/notification to the landlord
 - **Payload**: No body required
- POST (/api/visits/:visitId/reapply)
 - **Purpose**: Reapply for a visit
 - Payload: No body required

APPLICATION STATUS TRACKER (Visits: Scheduled / History)

- **GET** /api/visits/scheduled
 - Purpose: Get scheduled visits
 - Payload: No body required
- **GET** (/api/visits/history)

- Purpose: Get visit history
- Payload: No body required

TENANT APPLICATION & BOOKING

Universal Application Process

- **POST** (/api/application/universal/step1)
 - Purpose: Submit personal details
 - Payload: (personal Details Payload)
- **POST** (/api/application/universal/step2)
 - Purpose: Submit financial details
 - **Payload**: (financialDetailsPayload)
- **POST** /api/application/universal/step3
 - **Purpose**: Submit reference details
 - Payload: (referenceDetailsPayload)
- **POST** (/api/application/universal/upload-video)
 - Purpose: Upload selfie video
 - Payload: (selfieVideoPayload)
- **POST** (/api/application/universal/upload-docs)
 - **Purpose**: Upload application documents
 - Payload: (documentUploadPayload)
- GET (/api/application/universal/view-docs)
 - Purpose: View uploaded documents
 - Payload: No body required

TENANT PROFILE MANAGEMENT

Profile Setup & Management

- **POST** (/api/profile)
 - Purpose: Create/Setup profile
 - Payload: profileSetupPayload

json

```
{
  "fullName": "Afroz Malek",
  "email": "afroz@example.com",
  "phone": "+91XXXXXXXXXX",
  "dob": "1995-05-21"
}
```

- PUT (/api/profile)
 - Purpose: Edit profile
 - Payload: (profileUpdatePayload)

```
json
{
  "fullName": "Afroz M.",
  "phone": "+91XXXXXXXXXX"
}
```

Avatar & Photo Management

- **POST** (/api/profile/avatar)
 - **Purpose**: Choose avatar
 - Payload: (avatarPayload)

```
json
{
  "avatarId": "avatar123"
}
```

- POST (/api/profile/upload-photo)
 - Purpose: Upload profile photo
 - Payload: (profilePhotoPayload)

```
json
{
    "file": "<Image File>"
}
```

Document Management

- POST (/api/profile/upload-id)
 - **Purpose**: Upload ID document
 - Payload: (idDocumentPayload)

```
json
{
  "documentType": "Aadhar Card",
  "file": "<PDF/Image>"
}
```

- POST (/api/profile/verify-id)
 - **Purpose**: Verify identity
 - Payload: (idVerificationPayload)

```
json
{
    "otp": "123456"
}
```

- GET (/api/profile/documents)
 - Purpose: View uploaded documents
 - Payload: No body required

TENANT SELF-MANAGEMENT DASHBOARD

Lease & Reminders

- **GET** (/api/tenant/lease-info)
 - **Purpose**: Get current lease information
 - Payload: No body required
- **GET** (/api/tenant/reminders)
 - Purpose: Get tenant reminders
 - Payload: No body required
- POST (/api/tenant/reminders/toggle)
 - **Purpose**: Toggle reminder settings
 - **Payload**: (reminderTogglePayload)

Services & Documents

- **POST** /api/tenant/services/request
 - Purpose: Request home services
 - Payload: (homeServiceRequestPayload)
- **POST** (/api/tenant/documents/upload)
 - **Purpose**: Upload tenant documents

- Payload: (documentUploadPayload)
- GET (/api/tenant/maintenance/history)
 - Purpose: Get maintenance history
 - Payload: No body required

MAINTENANCE REQUEST MANAGEMENT

Create & Manage Requests

- **POST** (/api/tenant/maintenance/request)
 - Purpose: Submit new maintenance request
 - Payload: (maintenanceRequestPayload)

```
ijson

{
    "title": "AC not working",
    "description": "The AC in bedroom is not cooling",
    "priority": "High",
    "category": "Electrical",
    "images": ["<image1_url>", "<image2_url>"]
}
```

- GET (/api/tenant/maintenance/list)
 - **Purpose**: Get all maintenance requests
 - **Query Params**: (?status=pending|in_progress|completed|cancelled)
- GET (/api/tenant/maintenance/:requestId)
 - Purpose: View detailed maintenance request info
 - Payload: No body required
- PUT (/api/tenant/maintenance/:requestId)
 - Purpose: Update maintenance request
 - Payload: (maintenanceUpdatePayload)

```
| son | {
| "title": "AC cooling issue",
| "description": "AC is making noise and not cooling properly",
| "priority": "Medium",
| "category": "Electrical",
| "images": ["<image1_url>", "<image2_url>"]
| }
```

- **DELETE** [/api/tenant/maintenance/:requestId]
 - **Purpose**: Cancel maintenance request
 - Payload: No body required

Cost Estimates & Payments

- **POST** (/api/tenant/maintenance/:requestId/accept-estimate)
 - **Purpose**: Accept cost estimate
 - Payload: (estimateApprovalPayload)

```
json
{
   "approved": true
}
```

- POST (/api/tenant/maintenance/:requestId/reject-estimate)
 - Purpose: Reject cost estimate
 - Payload: (estimateRejectionPayload)

```
json
{
    "reason": "Cost is too high"
}
```

- POST (/api/tenant/maintenance/:requestId/pay)
 - Purpose: Pay for maintenance service
 - **Payload**: (maintenancePaymentPayload)

```
json
{
    "amount": 1500,
    "paymentMethod": "UPI",
    "transactionId": "txn12345"
}
```

Payment & Activity Tracking

- GET (/api/tenant/maintenance/:requestId/payment-status)
 - **Purpose**: Get payment status
 - Payload: No body required
- GET (/api/tenant/maintenance/:requestId/activity)
 - Purpose: Fetch activity timeline

• Payload: No body required

LEASE MANAGEMENT

Current Lease

• **GET** /api/lease/current

• **Purpose**: Get current lease information

• Payload: No body required

Lease Renewal

• **POST** (/api/lease/renewal-request)

• **Purpose**: Request lease renewal

• Payload: (leaseRenewalPayload)

```
json
{
    "leaseId": "lease123",
    "requestedEndDate": "2026-01-31"
}
```

- **GET** (/api/lease/renewal-status/:requestId)
 - **Purpose**: Get renewal request status
 - Payload: No body required
- **DELETE** (/api/lease/renewal-request/:requestId)
 - Purpose: Cancel renewal request
 - Payload: No body required
- GET (/api/lease/vacancy-suggestions)
 - Purpose: Get vacancy forecast & suggestions
 - Payload: No body required

RENT & UTILITY MANAGEMENT

Rent Details & Agreement

- **GET** (/api/rent/details)
 - Purpose: Get rent amount, due date, landlord info
 - Payload: No body required
- GET (/api/rent/agreement/:propertyld)

- **Purpose**: Get digital rent agreement
- Payload: No body required
- POST (/api/rent/agreement/sign)
 - **Purpose**: Sign digital agreement
 - **Payload**: (rentAgreementSignPayload)

Payment Management

- POST (/api/rent/pay)
 - **Purpose**: Pay rent
 - Payload: (rentPaymentPayload)

```
json

{
    "amount": 25000,
    "paymentMethod": "Credit Card",
    "transactionId": "txn_789"
}
```

- **GET** /api/rent/success
 - Purpose: Get payment success details
 - Query Param: (transaction ID)
- **GET** (/api/rent/payments/history)
 - **Purpose**: Get payment history
 - Payload: No body required
- **GET** (/api/rent/payments/dashboard)
 - **Purpose**: Get payment dashboard (Pending/Completed)
 - Payload: No body required

Auto-Pay & Late Fees

- **POST** /api/rent/autopay/setup
 - Purpose: Setup auto-pay
 - Payload: (autoPaySetupPayload)

```
json
{
    "paymentMethod": "UPI",
    "startDate": "2025-08-15",
    "recurringCycle": "monthly"
}
```

- **GET** (/api/rent/late-fee)
 - Purpose: Get late fee & penalty info
 - Payload: No body required

Rent Split Management

- **POST** (/api/rent/split/manage)
 - Purpose: Manage rent split
 - Payload: (rentSplitPayload)

```
| json
| {
| "rentAmount": 25000,
| "splitBetween": [
| { "userId": "tenant1", "amount": 12500 },
| { "userId": "tenant2", "amount": 12500 }
| ]
| }
```

- **POST** /api/rent/split/pay
 - **Purpose**: Pay rent split share
 - Payload: (splitPaymentPayload)

```
json
{
    "splitId": "split123",
    "amount": 12500,
    "paymentMethod": "UPI"
}
```

- **GET** (/api/bills/split)
 - **Purpose**: Get split bill details
 - **Payload**: No body required
- **POST** (/api/bills/split/pay)
 - **Purpose**: Pay split bills

• Payload: (splitBillPaymentPayload)

Security Deposit

• **GET** (/api/rent/security-deposit)

• Purpose: Get security deposit details

• Payload: No body required

Utility Bills

• **GET** (/api/bills/utilities)

• **Purpose**: Get utility bills

• Payload: No body required

• **POST** (/api/bills/utilities/pay)

• Purpose: Pay utility bills

• Payload: (utilityPaymentPayload)

POST (/api/bills/upload-receipt)

• Purpose: Upload payment receipt

• **Payload**: (receiptUploadPayload)

TENANT INSPECTION VAULT

Access Management

- **GET** (/api/inspection/access-permissions)
 - **Purpose**: Get document access permissions
 - Payload: No body required
- **PUT** (/api/inspection/access-permissions)
 - Purpose: Update document access permissions
 - Payload: (accessPermissionPayload)

```
json
{
    "landlord": "full",
    "tenant": "limited",
    "agent": "restricted"
}
```

Document Management

• **GET** /api/inspection/assets

- Purpose: Get asset vault documents
- Payload: No body required
- **GET** (/api/inspection/shared)
 - Purpose: Fetch shared inspection documents
 - Payload: No body required
- **POST** (/api/inspection/upload)
 - Purpose: Upload inspection proof
 - **Payload**: (inspectionUploadPayload)

- POST (/api/inspection/share)
 - Purpose: Share inspection document securely
 - Payload: (inspectionSharePayload)

TENANT CHAT SCREEN

Chat Management

- **GET** (/api/chat/conversations)
 - **Purpose**: Get all conversations
 - Payload: No body required
- **GET** (/api/chat/conversations/:id)
 - **Purpose**: Get specific conversation
 - Payload: No body required
- **POST** (/api/chat/send-message)
 - **Purpose**: Send message in chat
 - Payload: (chatMessagePayload)

- **POST** (/api/chat/start-conversation)
 - **Purpose**: Start new conversation
 - **Payload**: (newConversationPayload)
- POST (/api/chat/conversations/:id/end)
 - Purpose: End conversation
 - Payload: No body required

Chat Access & Contacts

- **POST** //api/chat/request-access
 - Purpose: Request chat access with landlord
 - Payload: (chatAccessRequestPayload)

- **GET** (/api/chat/contacts)
 - **Purpose**: Get chat contacts
 - Payload: No body required

TENANT SCREENING & SELECTION

Application Management

- **GET** (/api/applications/list)
 - Purpose: List applications with status filter
 - Query Param: (status)
- GET (/api/applications/rank)
 - **Purpose**: Get application rankings
 - Payload: No body required
- **GET** (/api/applications/:id/view)
 - **Purpose**: View specific application
 - Payload: No body required

Application Actions

POST (/api/applications/:id/approve)

- Purpose: Approve application
- Payload: No body required
- **POST** (/api/applications/:id/reject)
 - **Purpose**: Reject application
 - Payload: (rejectionReasonPayload)
- **POST** (/api/applications/:id/reschedule-visit)
 - Purpose: Reschedule visit
 - **Payload**: (rescheduleVisitPayload)
- **POST** (/api/applications/:id/verify-documents)
 - **Purpose**: Verify documents
 - Payload: (documentVerificationPayload)

LANDLORD APIS

LANDLORD PROFILE SETUP

Profile Management

- **GET** (/api/landlord/profile)
 - Purpose: Get landlord profile
 - Payload: No body required
- POST (/api/landlord/profile)
 - Purpose: Complete landlord profile
 - Payload: (landlordProfilePayload)

Document Management

- GET (/api/landlord/documents)
 - Purpose: View uploaded documents

- Payload: No body required
- POST (/api/landlord/upload-document)
 - Purpose: Upload document
 - Payload: (landlordDocumentPayload)

```
json
{
  "documentType": "Ownership Proof",
  "file": "<PDF/Image>"
}
```

Avatar & Photo Management

- **POST** (/api/landlord/avatar)
 - **Purpose**: Choose avatar
 - Payload: (landlordAvatarPayload)

```
json
{
    "avatarId": "avatar_123"
}
```

- POST /api/landlord/upload-photo
 - **Purpose**: Upload profile photo
 - Payload: (landlordProfilePhotoPayload)

```
json
{
    "file": "<Image File>"
}
```

- POST (/api/landlord/upload-avatar)
 - Purpose: Upload avatar file
 - Payload: (landlordAvatarUploadPayload)

```
json
{
    "landlordId": "string",
    "avatar": "file"
}
```

AI-GUIDED ONBOARDING (LANDLORD)

- **POST** (/api/ai/onboarding/landlord/start)
 - Purpose: Start AI onboarding session
 - Payload: (aiOnboardingStartPayload)

- **POST** (/api/ai/onboarding/landlord/chat)
 - Purpose: Send message to Al bot
 - Payload: (aiBotMessagePayload)

```
json
{
    "message": "I need help setting up my property listing",
    "sessionId": "ai_sess_456"
}
```

- **POST** (/api/ai/onboarding/landlord/complete)
 - Purpose: Complete AI onboarding
 - Payload: No body required
- GET (/api/ai/onboarding/landlord/history)
 - Purpose: Get AI onboarding history
 - Payload: No body required
- **POST** (/api/landlord/ai-onboarding)
 - Purpose: Submit AI onboarding step
 - Payload: (landlordAiOnboardingPayload)

```
json

{
  "landlordId": "string",
  "step": "number",
  "answers": [
     { "questionId": "string", "answer": "string" }
  ]
}
```

LANDLORD VISIT MANAGEMENT

Visit Scheduling

- **GET** (/api/landlord/visits/scheduled)
 - Purpose: Get scheduled visits
 - Payload: No body required
- **GET** (/api/landlord/visits/history)
 - Purpose: Get visit history
 - Payload: No body required
- **GET** (/api/landlord/visits)
 - Purpose: Get visits with status filter
 - Query Params: (?status=scheduled|history)

Visit Actions

- **POST** (/api/landlord/visits/:visitld/reschedule)
 - Purpose: Reschedule visit
 - Payload: (visitReschedulePayload)

```
json
{
    "newDate": "2025-08-15",
    "timeSlot": "2 PM - 4 PM"
}
```

- PATCH (/api/landlord/visit/:id/reschedule)
 - **Purpose**: Update visit schedule
 - **Payload**: (visitUpdatePayload)

```
json
{
    "newDate": "YYYY-MM-DD",
    "newTime": "HH:mm"
}
```

Tenant Communication

- POST (/api/chat/send-message)
 - **Purpose**: Message tenant regarding visit
 - Payload: chatMessagePayload

- POST (/api/landlord/message-tenant)
 - Purpose: Send message to tenant
 - Payload: (landlordTenantMessagePayload)

```
json
{
    "landlordId": "string",
    "tenantId": "string",
    "message": "string"
}
```

LANDLORD SELF-MANAGEMENT DASHBOARD

Rental Management

- **GET** (/api/landlord/rental-management/:propertyld)
 - Purpose: Get rental management data for property
 - **Payload**: No body required

Reminders & Services

- PATCH (/api/landlord/reminders)
 - **Purpose**: Update reminder preferences
 - Payload: (landlordRemindersPayload)

```
json
{
    "landlordId": "string",
    "remindersEnabled": true
}
```

- **POST** (/api/landlord/home-services)
 - **Purpose**: Request home services
 - **Payload**: (landlordHomeServicesPayload)

```
{
    "landlordId": "string",
    "serviceName": "string",
    "serviceDate": "YYYY-MM-DD",
    "status": "requested|completed"
}
```

LANDLORD RENTAL & PAYMENTS

Payment Overview

- **GET** (/api/landlord/payments)
 - **Purpose**: Get payment overview
 - Query Params: (?status=overview|upcoming|received)

Penalty & Split Management

- **POST** (/api/landlord/penalty)
 - Purpose: Apply penalty to tenant
 - Payload: (landlordPenaltyPayload)

```
json
{
    "landlordId": "string",
    "tenantId": "string",
    "amount": "number",
    "reason": "string"
}
```

- PATCH (/api/landlord/split-rent)
 - **Purpose**: Manage split rent
 - Payload: (landlordSplitRentPayload)

```
json
{
    "agreementId": "string",
    "splitDetails": [
      { "tenantId": "string", "amount": "number" }
    ]
}
```

Security Deposit

- **GET** [/api/landlord/security-deposit/:agreementId]
 - **Purpose**: Get security deposit details
 - Payload: No body required

PROPERTY POSTING & MANAGEMENT

Property Creation

- POST (/api/landlord/property)
 - Purpose: Create new property listing
 - Payload: (landlordPropertyPayload)

```
| json
| {
| "name": "string",
| "location": "string",
| "rent": "number",
| "purchaseType": "string",
| "furnishing": "string",
| "area": "number",
| "availableFrom": "YYYY-MM-DD",
| "tenantType": "string"
| }
| }
| }
|
```

Property Details

- **POST** (/api/landlord/property-description)
 - **Purpose**: Add property description
 - Payload: (landlordPropertyDescriptionPayload)

```
json
{
    "propertyId": "string",
    "description": "string"
}
```

- POST (/api/landlord/property-images)
 - Purpose: Upload property images
 - Payload: (landlordPropertyImagesPayload)

```
json
```

```
{
    "propertyld": "string",
    "images": ["file", "file"]
}
```

Tenant Preferences

- **POST** (/api/landlord/tenant-preference)
 - **Purpose**: Set tenant preferences
 - **Payload**: (landlordTenantPreferencePayload)

```
json

{
    "propertyId": "string",
    "preferences": {
        "gender": "string",
        "occupantType": "string",
        "leaseDuration": "string",
        "language": "string",
        "petsAllowed": true,
        "smokingAllowed": false,
        "coupleFriendly": true
    }
}
```

LANDLORD CHAT MANAGEMENT

Conversation Management

- **GET** /api/chat/conversations
 - Purpose: Fetch all conversations for landlord
 - Response:

```
json
```

```
[

"conversationId": "c123",

"contactName": "Ravi Kumar",

"lastMessage": "Hello!",

"lastMessageTime": "2025-08-08T10:30:00Z",

"unreadCount": 2,

"status": "online"

}
```

- GET (/api/chat/conversations/:conversationId/messages)
 - Purpose: Fetch messages in specific conversation
 - Response:

- POST (/api/chat/conversations)
 - Purpose: Start new conversation
 - **Payload**: newConversationPayload

```
json
{
    "contactId": "tenant456",
    "initialMessage": "Hello, I am your landlord."
}
```

- **DELETE** (/api/chat/conversations/:conversationId)
 - **Purpose**: Delete/close conversation
 - Payload: No body required

Message Management

• **POST** (/api/chat/messages

- Purpose: Send message in conversation
- Payload: (chatMessagePayload)

```
json
{
  "conversationId": "c123",
  "senderId": "landlord123",
  "message": "Please schedule the maintenance tomorrow."
}
```

- PATCH (/api/chat/messages/:messageld/read)
 - Purpose: Mark message as read
 - Payload: (messageReadPayload)

Contacts & Notifications

- **GET** /api/chat/contacts
 - Purpose: Fetch possible chat contacts
 - Response:

- **GET** /api/chat/unread-count
 - **Purpose**: Fetch unread message count per conversation
 - Response:

```
json
```

TENANT LEASE MANAGEMENT

Current Lease Information

- **GET** (/api/tenant/lease)
 - Purpose: Get current lease details
 - Response:

```
json

{
    "leaseld": "LSE12345",
    "propertyName": "Lavender Manor",
    "leaseEndingInDays": 45,
    "status": "Renewal Pending",
    "rent": 25000,
    "deposit": 200000
}
```

Lease Renewal Process

- **POST** (/api/tenant/renewal-request)
 - **Purpose**: Request lease renewal
 - Payload: (tenantRenewalRequestPayload)

```
json
{
    "leaseId": "LSE12345",
    "requestedRent": 25500,
    "requestedDurationMonths": 12
}
```

GET (/api/tenant/renewal-status)

- Purpose: Get renewal request status
- Response:

```
json
{
    "status": "Under Review",
    "steps": [
    {
        "step": "Request Submitted",
        "date": "2025-02-05"
    },
    {
        "step": "Under Review",
        "date": "2025-02-06"
    }
}
```

Vacancy Planning

- **GET** (/api/tenant/vacancy-forecast)
 - **Purpose**: Get vacancy forecast and alternative suggestions
 - Response:

```
| currentProperty": "Lavender Manor",
| "suggestions": [
| {
| "propertyId": "PROP001",
| "name": "Sun Tower",
| "rent": 24000,
| "location": "Mumbai"
| }
| ]
| }
```

GENERAL APIS

SUBSCRIPTION & PLANS MANAGEMENT

Plan Categories & Selection

- **GET** (/api/subscriptions/categories)
 - Purpose: Load all subscription categories
 - Payload: No body required
- **GET** (/api/subscriptions/category/:categoryId/plans)
 - Purpose: Fetch all plans for a specific category
 - Response:

- **GET** (/api/subscriptions/plan/:planId)
 - **Purpose**: Get full details for a single plan
 - Payload: No body required
- GET (/api/subscriptions/plans)
 - Purpose: Get all available subscription plans
 - Payload: No body required

Plan Selection & Payment

- **POST** (/api/subscriptions/select-plan)
 - Purpose: Select a plan before payment
 - Payload: planSelectionPayload

```
json
{
    "planId": "PLAN_PRO_001",
    "userId": "USER123"
}
```

- **GET** /api/payments/methods
 - **Purpose**: Retrieve available payment methods
 - Payload: No body required
- **POST** (/api/subscriptions/confirm)
 - Purpose: Confirm subscription and process payment

• **Payload**: (subscriptionConfirmPayload)

```
json

{
    "planId": "PLAN_PRO_001",
    "userId": "USER123",
    "paymentMethod": "credit_card",
    "paymentDetails": {
        "cardNumber": "**** **** 4242",
        "expiry": "12/28",
        "cvv": "***"
    }
}
```

Subscription Management

- **GET** (/api/subscriptions/user-active-plan)
 - Purpose: Get user's currently active plan
 - Payload: No body required
- **GET** (/api/subscriptions/user/:userld/active)
 - **Purpose**: Show user their currently active plan
 - Payload: No body required
- POST (/api/subscriptions/cancel)
 - Purpose: Cancel an active subscription plan
 - Payload: (subscriptionCancelPayload)

```
json
{
    "subscriptionId": "SUBS_001",
    "userId": "USER123",
    "reason": "No longer needed"
}
```