

LLMsVerifier “ Fork “,Ž Upstream Reconciliation Decision

Revision: 1 **Last modified:** 2026-06-23T00:00:00Z **Status:** OPEN “ operator decision required (merge direction) **Scope:** submodules/llms_verifier (was root LLMsVerifier) vs upstream vasic-digital/LLMsVerifier

Summary

The catalogizer-embedded LLMsVerifier (now relocated to submodules/llms_verifier, snake_case per §11.4.29) is a **catalogizer-specific fork** that has diverged from its GitHub/GitLab upstream vasic-digital/LLMsVerifier in a **mutually incompatible** way. A true git-submodule conversion to the current upstream is therefore **CONVERT-UNSAFE** and was **not** performed (§11.4.122 no silent content removal, §11.4.6 no-guessing). The safe relocate (content-preserving git mv, both modules build green) stands as the current state.

Evidence (captured 2026-06-23)

Axis	Embedded (submodules/llms_verifier)	Upstream (vasic-digital/LLMsVerifier)
Go module path	digital.vasic.llmsverifier	llmsverifier (different)
pkg/helixqa (imported by helix_qa)	present	MISSING
pkg/ tree	catalogizer-specific (42 tracked files)	divergent superset (~300+ files)
Embedded-unique	.env.example, ARCHITECTURE.md, docs/ARCHITECTURE.md, docs/ PROVIDER_USAGE_CONFIGURATION.md, the whole pkg/	“

helix_qa/go.mod replaces digital.vasic.llmsverifier => ../llms_verifier and imports digital.vasic.llmsverifier/pkg/helixqa. The upstream provides **neither** that module name **nor** pkg/helixqa, so pinning a submodule at the upstream HEAD would: 1. **Break helix_qa’s build** (missing package + wrong module path), and 2. **Delete catalogizer-specific code** (the embedded pkg/ incl. pkg/helixqa).

Options (operator decision “ merge direction)

1. **Keep the fork as-is (current state).** submodules/llms_verifier stays a tracked in-repo directory at the correct snake_case path. helix_qa builds green. No upstream change. (Lowest risk; the fork is not shared back.)

2. **Promote the fork upstream.** Push the catalogizer fork (module `digital.vasic.llmsverifier + pkg/helixqa`) to upstream – e.g. to a clearly-named branch first (non-destructive), then reconcile with `main` deliberately. Then convert submodules/`llms_verifier` to a true submodule pinned at the reconciled commit. *(Affects the shared `vasic-digital/LLMsVerifier` repo – requires explicit intent so other consumers’ work on the diverged upstream is not lost; §11.4.113 no force.)*
3. **Adopt upstream + port `helix_qa`.** Convert to the upstream submodule and port `helix_qa` (and any other consumer) off `pkg/helixqa` / the `digital.vasic.llmsverifier` module name onto upstream’s API. *(Largest code change; only if the fork is obsolete.)*

Recommendation

Default to **Option 1** until the operator decides the fork’s fate. Options 2/3 mutate a shared repository / break a consumer and must not be done silently (§11.4.66 / §11.4.122).

Cross-references

§11.4.6 · §11.4.28 · §11.4.29 · §11.4.66 · §11.4.113 · §11.4.122