Herald

Herald

Field	Value
Revision	3
Created	2026-05-15
Last modified	2026-05-20
Status	active
Status summary	Updated spec links to V3 (active) + archive/ for V1/V2; repo-layout block reflects current docs/specs/mvp/ tree.
Issues	none
Issues summary	—
Fixed	spec-path references updated to specification.V3.md path
Fixed summary	aligned README with the V1→V2→V3 supersession chain
Continuation	—

Table of contents

Ingesting system events and reliably fanning them out to multiple notification channels so every alert reaches the right destination without confusion.

Status

Herald is **pre-implementation** (2026-05-15). The repository currently contains:

- This README.
- The current specification at `docs/specs/mvp/specification.V3.md` — comprehensive (~3900 lines): project-integration contract, inbound processing pipeline, LLM/agent dispatch with Claude Code, tri-stage reply protocol, versioned reports, multi-format outbound attachments, nine refined flavors. V1 and V2 preserved in `docs/specs/mvp/archive/` for traceability.
- Project-specific Constitution + operator/agent guides under `docs/guides/`.
- Mirror declarations at `upstreams/` — one shell script per host that exports `UPSTREAMABLE_REPOSITORY`.
- The inheritance gate + paired mutation meta-test at `tests/`.
- `.gitignore` tuned for Go (`*.test`, `go.work*`, `coverage.*`) and `.DS_Store`.

There is no `go.mod`, no Go source code, and no build tooling yet. Intended language is Go; standard `cmd/` + `internal/` layout will be used when scaffolding starts.

Mission

Herald sits between systems that **emit events** and humans/services that **want to be told about them**. It guarantees:

- Every event is delivered to every configured channel for its category.
- Duplicate suppression and routing are explicit, not accidental.
- Delivery failures on one channel never block delivery to other channels.

Deployment model

Herald is designed to be consumed as a **git submodule** of a larger project (the "consuming project"). The consuming project provides:

- The **Helix Constitution** submodule at its own `<consuming-project>/constitution/`.
- Its own CI / build orchestration that drives Herald.
- Any project-wide configuration (credentials, deployment targets, channel registries).

Herald therefore **does not carry its own copy** of the constitution. See `docs/guides/CONSTITUTION_INHERITANCE.md` for the full rationale and the discovery contract that lets Herald locate the constitution at runtime from any nested depth.

Governance — Helix Constitution inheritance

Herald inherits unconditionally from the Helix Universal Constitution. Inheritance is enforced by a paired gate + mutation meta-test under `tests/` (see below). Herald-specific extensions live in `docs/guides/HERALD_CONSTITUTION.md`; there are currently no overrides of any universal clause.

Key invariants Herald inherits from the constitution:

- **No bluffing** — every PASS carries positive evidence (§11.4).
- **Mutation-paired gates** — every new gate has a paired mutation proving it catches regressions (§1.1).
- **No guessing language** — `likely`, `probably`, `maybe`, `seems`, `appears` are forbidden when reporting causes (§11.4.6).
- **Credentials never tracked** — `.env` git-ignored, runtime-load only (§11.4.10).
- **Multi-upstream push** — every commit fans out to GitHub + GitLab + GitFlic + GitVerse (§2.1).
- **Hardlinked backup before destructive ops** (§9).

The constitution lives at https://github.com/HelixDevelopment/HelixConstitution and is mirrored to GitLab, GitFlic, and GitVerse.

Repository layout

```
Herald/
├── README.md                                    # this file
├── CLAUDE.md                                    # guidance for Claude Code
├── AGENTS.md                                    # guidance for generic CLI
├── LICENSE
├── .gitignore
├── docs/
│   ├── guides/
│   │   ├── HERALD_CONSTITUTION.md               # Herald's project constitu
│   │   └── CONSTITUTION_INHERITANCE.md          # operator/agent guide for
│   └── specs/
│       └── mvp/
│           ├── specification.V3.md             # active spec (operator-prod
│           └── archive/
│               ├── specification.V1.md         # historical, superseded
│               └── specification.V2.md         # historical, superseded
├── upstreams/                                   # Herald's mirror declarati
│   ├── GitHub.sh
│   ├── GitLab.sh
│   ├── GitFlic.sh
│   └── GitVerse.sh
└── tests/
    ├── test_constitution_inheritance.sh         # inheritance gate
    └── test_constitution_inheritance_meta.sh    # paired mutation meta-test
```

Quickstart for developers and agents

1. Place a copy of the Helix Constitution alongside Herald

If you cloned Herald standalone (not as a submodule of a larger project), put a clone of the constitution **next to** Herald (not inside it — see §104 of the Herald Constitution):

```
git clone git@github.com:HelixDevelopment/HelixConstitution.git \
    $(dirname "$PWD")/constitution
```

This is only needed for standalone work. When Herald is consumed as a submodule of a larger project, that project already provides `<parent>/constitution/`.

2. Verify the inheritance contract

```
bash tests/test_constitution_inheritance.sh        # gate (7
        invariants)
bash tests/test_constitution_inheritance_meta.sh   # paired §1.1
        mutation proof
```

Both MUST exit 0. The gate prints `PASS …` / `FAIL …` per invariant and a summary line. The meta-test prints `✓ META-TEST PASS` when the gate correctly fails on a mutated constitution.

If `I1` fails (constitution not found), follow the message — clone the constitution alongside Herald.

3. Read the inherited rules

In this order, read fully before submitting any change:

1. `<discovered-constitution>/CLAUDE.md` + `Constitution.md` — universal Helix rules.
2. `<discovered-constitution>/AGENTS.md` — anti-bluff, no-guessing, paired mutations.
3. This README — Herald overview.
4. `CLAUDE.md` / `AGENTS.md` — Herald-specific guidance.
5. `docs/guides/HERALD_CONSTITUTION.md` — Herald's articles §101–§106.
6. `docs/guides/CONSTITUTION_INHERITANCE.md` — the discovery contract and gate semantics.
7. `docs/specs/mvp/specification.V3.md` — current spec (active). Historical V1/V2 in `docs/specs/mvp/archive/`.

Operator setup guides

Every supported messenger and every supported LLM / agent dispatcher has its own step-by-step setup guide under `docs/guides/`. **Live** ones are detailed end-to-end (obtain credentials → set env vars → verify integration tests → troubleshooting). **Planned** ones are placeholder stubs that reserve the env-var names so your `.env` stays stable as features land.

Messengers

Channel	Status	Guide
Telegram	**LIVE** (HRD-011 code complete; awaiting live evidence)	`docs/guides/messengers/TELEGRAM.md`
Slack	Planned (V2)	`docs/guides/messengers/SLACK.md`
Email (SMTP + Resend)	Planned (V2)	`docs/guides/messengers/EMAIL.md`
Max	Planned (V2)	`docs/guides/messengers/MAX.md`
Microsoft Teams	Planned (V3)	

Channel	Status	Guide
		docs/guides/messengers/TEAMS.md
Lark / Feishu	Planned (later)	docs/guides/messengers/LARK.md
Discord	Planned (later)	docs/guides/messengers/DISCORD.md
WhatsApp Business	Planned (later)	docs/guides/messengers/WHATSAPP.md
Viber	Planned (later)	docs/guides/messengers/VIBER.md

LLM / agent dispatchers

Dispatcher	Status	Guide
Claude Code	**LIVE** (HRD-012 Fixed — live E18 evidence captured)	docs/guides/dispatchers/CLAUDE_CODE.md
OpenCode	Planned	docs/guides/dispatchers/OPENCODE.md
Aider	Planned	docs/guides/dispatchers/AIDER.md
Gemini	Planned	docs/guides/dispatchers/GEMINI.md
Cursor	Planned	docs/guides/dispatchers/CURSOR.md
Anthropic Managed Agent	Planned	docs/guides/dispatchers/ANTHROPIC.md

Credentials master guide

docs/guides/OPERATOR_CREDENTIALS.md is the umbrella reference covering:

- The 12-factor resolution order (CLI flag > shell exports > `.env` > defaults)
- How to set credentials via `~/.bashrc` / `~/.zshrc` (shell-export path) AND `.env` (project-local path) — both supported per spec V3 §3.3
- Pre-commit secrets audit checklist (`.env` not tracked; no obvious-format secrets; `.env.example` only has placeholders)
- Quickstart-compose vs native pherald operating modes
- Troubleshooting (SQLSTATE 28P01, "DSN not set", SKIP-with-reason logic per §11.4.3, …)

Per Universal Constitution §11.4.10: `.env` **files MUST NEVER be committed**. The repo's `.gitignore` already covers `.env`. The committed `quickstart/.env.example` is the only credentials-file that lives in git, and it contains only placeholder values.

Mirror & push convention

Herald is mirrored to four hosts. The `origin` remote is **fan-out**: one fetch URL + four push URLs. A single `git push origin main` propagates to every mirror in one operation.

Remote name	URL
`github`	`git@github.com:vasic-digital/Herald.git`
`gitlab`	`git@gitlab.com:vasic-digital/herald.git`
`gitflic`	`git@gitflic.ru:vasic-digital/herald.git`
`gitverse`	`git@gitverse.ru:vasic-digital/Herald.git`
`origin`	(fetch from `github`; push fans out to all four)

Each entry under `upstreams/` is a shell script that exports a single `UPSTREAMABLE_REPOSITORY=…` URL and is meant to be **sourced**, not executed for its output. Capitalization matches each host's brand (GitFlic, GitVerse); do not normalize to lowercase or collapse into one file — external mirror-push tooling keys on the per-file split.

If you ever need to rebuild the fan-out configuration, the constitution submodule ships `install_upstreams.sh` that consumes `Upstreams/*.sh` declarations and configures git remotes accordingly; the same pattern can be adapted for Herald.

License

LICENSE — see file for terms.

Contact / contribution

Substantive contributions land via PRs on GitHub; mirrors are read-only for external consumers. Inheritance rules and the gate apply to every PR.