Herald

Herald — Fixed

Field	Value
Revision	23
Created	2026-05-20
Last modified	2026-05-31
Status	active
Status summary	**r23: §11.4.19 received HRD-117 (Wave 7 T8 spec-doc) from Issues.md — closed because its deliverable is verified present in active spec V4 (§11.0/§32.2/§43; doc-only, product code already Fixed under HRD-116/118/119/120/121). Inserted after the HRD-116 Wave-7 cluster row. Prior r22: §11.4.90 + §11.4.19 atomic Obsolete→Fixed migration — received the 4 `Obsolete`-status HRDs from `Issues.md`: HRD-143 (`TestSubscribe_LiveBotAPI` legacy attended live test, superseded by §11.4.98 + HRD-140's MTProto `TestMTProto_Subscribe_AutonomousRoundTrip`), HRD-144 (`tests/test_wave6_live_loop.sh` legacy closed-loop script, superseded by §11.4.98 + HRD-141's `TestMTProto_Wave6_AutonomousClosedLoop`), HRD-145 (`qaherald lifecycle --manual` interactive mode, superseded by §11.4.98 + HRD-142's `TestMTProto_Wave65_LifecycleAutonomous`), HRD-015 (Go-scaffold inheritance-gate I8 invariants, superseded-by-design-change — the I8 gate slot was repurposed for the §107 covenant I8a/b/c). Each carries its full `**Obsolete-Details:**` line (Since / Reason / Superseding-item / triple-check evidence per §11.4.90); each superseding artefact was re-verified present on disk before migration (the three HRD-140/141/142 MTProto tests under `qaherald/internal/lifecycle/`, the I8a/b/c checks at `tests/test_constitution_inheritance.sh:133-137`). Commit column reads "Obsolete (no code change)" — these are doc-status migrations, not feature closures. Prior **r21: added two participant-attribution columns — `Created-By` + `Assigned-To` — to the Fixed pipe-table, placed immediately AFTER the `Criticality` column (before `Title`) so the metadata stays grouped and the long `Title` stays at the right edge (per `docs/design/PARTICIPANT_ATTRIBUTION.md` §4c). Table widens 7→9 columns; header + separator + every data row updated programmatically (`/tmp/add_attribution_cols.py`) so every row's `
Issues	

Field	Value
	see `Issues.md` — r47 (Issues.md) records this r22 §11.4.90+§11.4.19 atomic Obsolete→Fixed migration of the 4 Obsolete HRDs (HRD-143/144/145 + HRD-015); 10 items remain open in Issues.md.
Issues summary	10 still open in `Issues.md`: HRD-008, HRD-081 (operator/upstream); HRD-115 (Slack adapter — operator-gated on LIVE round-trip evidence per §107.x); HRD-117 (spec doc-only); HRD-131, HRD-150, HRD-155, HRD-156, HRD-157, HRD-158 (ATMOSphere/SSoT externally gated). The 4 Obsolete HRDs (HRD-143/144/145 + HRD-015) migrated here per §11.4.90.
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-011, HRD-012, HRD-013, HRD-014, HRD-015, HRD-016, HRD-017, HRD-018, HRD-019..HRD-025, HRD-026, HRD-027, HRD-028, HRD-029..HRD-056, HRD-080, HRD-085..HRD-089, HRD-090, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097, HRD-098, HRD-099, HRD-100, HRD-110, HRD-111, HRD-112, HRD-113, HRD-114, HRD-116, HRD-118, HRD-119, HRD-120, HRD-121, HRD-122, HRD-123, HRD-124, HRD-125, HRD-126, HRD-127, HRD-128, HRD-129, HRD-130, HRD-132, HRD-133, HRD-134, HRD-135, HRD-136, HRD-137, HRD-138, HRD-139, HRD-140, HRD-141, HRD-142, HRD-143, HRD-144, HRD-145, HRD-146, HRD-147, HRD-148, HRD-149, HRD-151, HRD-152, HRD-153, HRD-154
Fixed summary	v1.0.0 closure-migration (r19 — 51 HRDs: flavor constitution bindings HRD-019..025, §43 command catalogue HRD-029..056, Batch-D pgxTaskRepository ops HRD-085..089, Wave 7 multi-channel HRD-116/118/119/120/121, ATMOSphere workable-items features HRD-148/149/151/152/153/154 — each re-verified against committed code + passing tests + e2e invariant + docs/qa before migration). Wave 8 Track B (HRD-139/140/141/142 — MTProto user-account harness proves §11.4.98 full-automation end-to-end with 3 live MTProto-driven tests PASSING LIVE 2026-05-28; v0.6.0 tag covers the closure); Tgram-completeness wave (HRD-133/134/135/136/137/138 — 6 HRDs across 3 sub-waves A/B/C, full tgram suite 26/26 PASS 0 SKIP); GAP-3 §11.4.85 stress+chaos suite (HRD-122..HRD-130 Completed) + HRD-132 Runner idempotency-window fix (claim-before-dispatch, exactly-once dispatch `sends==1`); spec V1→V3 r9; Go module foundation + Foundation M1/M2/M3; HRD-010 commons_storage live wiring; HRD-011 Telegram live (live `message_id=5` evidence 2026-05-22); HRD-012 Claude Code dispatcher live; HRD-016 pherald `/v1/events` Runner wiring (Wave 3b live — 7-stage pipeline + e2e E37-E42); universal §11.4.73 + §11.4.74 mandates propagated; I6 gate refined; Wave 2 flavor scaffolds (HRD-092..097) closed atomically; Wave 3a substrate (HRD-099 commons_auth JWT verifier) + 2 live REST routes (HRD-028, HRD-098) closed atomically.

Continuation see `CONTINUATION.md`.

Table of contents

Recently fixed

ID	Type	Criticality	Created-By	Assigned-To	Title
HRD-147	task	low	Claude	@milos85vasic	

ID	Type	Criticality	Created-By	Assigned-To	Title
					Governance-plane dead-letter subscriber — durable c events into a `DeadLetterSink` (`MemoryDeadLe` `PostgresDeadLetterSink` is a drop-in behind t `boot.go` now wires the REAL emitter into `newPgx` the nil-emitter) + stands up a `DeadLetterSubscr` error-counted), guarded to build only alongside the Po if emitter construction fails (a dead-letter move must r Mirrors the `commons_constitution.AuditSt` tests (move→emit→subscribe→sink end-to-end, failu `-race`, idempotent Close) + the 3 existing MoveToD `PostgresDeadLetterSink` behind the interface
HRD-146	task	middle	Claude	@milos85vasic	`pherald listen` dispatch hardening — bounded inbound→`claude_code.Dispatch` path. The pr ctx (`pherald listen` gctx → subscriber goroutin child could block the subscriber indefinitely (HRD-14 Added `DefaultDispatchTimeout=120s` + `HE` env knob + `SetDispatchTimeout()`; `Dispatc` `deadline, budget)` (a tighter caller still wins; c `setProcessGroup` (Setpgid + `Cmd.Cancel`→`k` holding child can't wedge `Output()` past the deadli `30` shim is KILLED in 702ms (vs 30s) with the timed 402ms; happy-path 26ms. `-race -count=3` green
HRD-143	task	low	Claude	@milos85vasic	**[Obsolete → §11.4.90]** `TestSubscribe_LiveBo` §11.4.98 + HRD-140. **Obsolete-Details:** Since 2026- mandate; Superseding-item=Universal §11.4.98 (full- §108.m + HRD-140 (`TestMTProto_Subscribe_` commit `367d58b`); Triple-check evidence: (a) git-gre `commons_messaging/channels/tgram/sub` the literal source comment "requires the operator to h within the 60s window" (direct §11.4.98 violation — execution), (b) git-log shows `367d58b` (HRD-140) i replacement, (c) runtime path: the new HRD-140 test zero human action per `docs/qa/HRD-LIVE-MTPR` `E135_subscribe/transcript.txt`. Action: f (commented `t.Skipf(§11.4.98 supersessi` HRD-140's MTProto path.
HRD-144	task	low	Claude	@milos85vasic	**[Obsolete → §11.4.90]** `tests/test_wave6_liv` — superseded by §11.4.98 + HRD-141. **Obsolete-De** Reason=superseded-by-later-mandate; Superseding-it HRD-141 (`TestMTProto_Wave6_Autonomous` `7e50ed0`+`d7d6524`+`0797e85`); Triple-check evid `test_wave6_live_loop.sh` confirms file exists log shows `7e50ed0` (HRD-141) introduced the MTP replacement with journal-based §11.4.98 autonomy as PASSED LIVE in 48.58s with full bidirectional `tgra` `cc.reply` journal trace per `docs/qa/HRD-LIVE` `E136_wave6_closed_loop/transcript*.t` reference; new e2e flow goes through HRD-141.
HRD-145	task	low	Claude	@milos85vasic	**[Obsolete → §11.4.90]** `qaherald lifecycle -` by §11.4.98 + HRD-142. **Obsolete-Details:** Since 202 mandate; Superseding-item=Universal §11.4.98 + He

ID	Type	Criticality	Created-By	Assigned-To	Title
					(`TestMTProto_Wave65_LifecycleAutonom` Triple-check evidence: (a) `grep -n '"manual"'` `lifecycle.go` confirms `cmd.Flags().BoolV` `false, ...)` is wired in the Cobra subcommand, introduced the 3-scenario MTProto-driven autonomou paths, journal-based assertions), (c) runtime path: HR subtests PASS per `docs/qa/HRD-LIVE-MTPROT` `E137_wave65_lifecycle/transcript*.tx` hoc operator debugging but explicitly NOT a §11.4.9 MTProto build-tag path from HRD-142.
HRD-015	task	low	Claude	@milos85vasic	**[Obsolete → §11.4.90]** Inheritance gate I8 invariants types.go + null adapter test passes) — superseded by 2026-05-30; Reason=superseded-by-design-change; S slot was repurposed for the §107 end-user-usability co `test_constitution_inheritance.sh:133` HRD-015 requested is now covered by the broader an invariant; Triple-check evidence: (a) `grep -nE 'I` `test_constitution_inheritance.sh` show assert the §107 covenant anchors in CLAUDE.md/AG — NOT the Go-scaffold (the `I8` number was reassign adapter (`commons_messaging/channels/nul` and `commons/types.go` exists + builds green (`go` regenerated on clone); the 2026-05-30 green-baseline inheritance gate 15 PASS / 0 FAIL, (c) runtime: HRD is continuously satisfied by `go test ./...` + `sc` separate I8 scaffold invariant is redundant. Action: clo
HRD-019	task	high	Claude	@milos85vasic	`cherald` constitution bindings — `cherald/inte` cherald-owned §42.3 rules as concrete `commons_co` through 5 event classes (`.policy.violation/.gate.failed/.gate` over the Batch-A emit+persist+audit foundation; `POS` surface drives detect→emit→persist→audit, visible o pull surface. Vertical-slice bespoke detectors landed (§11.4.44 doc-revision-header, §11.4.18 script-docs, § remaining 25 rules use the shared marker-check mech catalogue command / sweep) with the full emit-routin remaining bespoke detector is per-rule follow-up.
HRD-020	task	high	Claude	@milos85vasic	`sherald` host-safety + repo-safety constitution bind `bindings` Pipeline registers the 15 sherald-owned § §11.4.24/.26/.32/.36/.41/.47/.71, §12.1/.2/.3/.6) as con `commons_constitution.Evaluator` impls ro (`.host.safety.breach/.repo.safety.bre` over the Batch-A emit+persist+audit foundation, mirr pattern. The 3 named DETECTION hooks landed as detector (§9.1: rm/git-reset/clean without backup → . interceptor (§11.4.41/§9.2: force-push without merge- `.repo.safety.breach`), mem-budget watcher (`.host.safety.breach`) — plus forbidden-host- remaining rows. CRITICAL §12-safety: every detecto string description; NONE performs the destructive op

ID	Type	Criticality	Created-By	Assigned-To	Title
					allocates memory (the mem-budget watcher reads a fa §43 command bodies (HRD-033/046/056) supply the
HRD-021	task	middle	Claude	@milos85vasic	`bherald` CI/test bindings — `bherald/interna` bherald-owned §42.3 CI/test gate-result rules (§1, §1. §11.4.2/.3/.4/.5/.7/.9/.13/.14/.24/.27/.30/.39/.43/.46/.4 `commons_constitution.Evaluator` impls ro (`.gate.failed`/`.gate.recovered` via the buil `.policy.violation` + `.repo.safety.brea` row) over the Batch-A emit+persist+audit foundation, Pipeline pattern. bherald is the BUILD/CI flavor; it en that integrate with the consuming project's CI workflo result classification (§1/§11.4.50 — PASS/FAIL/flaky `.gate.failed`/`.gate.recovered`), test-tier-ve matrix; a missing tier FAILs), anti-bluff-PASS detecti WITHOUT a captured-evidence artefact is a §11.4 PA shared marker-check mechanism (verdict decided ups full emit-routing framework in place.
HRD-022	task	middle	Claude	@milos85vasic	`rherald` release constitution bindings — `rherald` registers the 4 rherald-owned §42.3 release-lifecycle r multi-format export [shared with cherald], §11.4.38 in retest before release tag) as concrete `commons_con` through 2 event classes (`.release.gate.block` `ReleaseGateBlocked` emitter surface for §4/§11 for the shared §5 changelog row; a release recovery m companion since the release class family has no distin emit+persist+audit foundation, mirroring the proven E the RELEASE flavor. 4 bespoke PURE detectors land parent but missing on any owned mirror, `with_tag` `.release.gate.blocked`), changelog-conforma changelog OR stale multi-format export → `.policy` (§11.4.40 CRITICAL — tag attempted without a gree `.release.gate.blocked`), installable-asset-evi install check → `.release.gate.blocked`). CRI CLASSIFIES a recorded release-op outcome string; N downloads, or installs — the live release-op intercepti (HRD-031/032/045).
HRD-023	task	middle	Claude	@milos85vasic	`pherald` project bindings (§2 commit+push, §3 sub §11.4.11/.15/.21/.22/.34/.37/.42/.55/.66/.71/.74) — Ba `bindings/` Pipeline + §42.3-owned rule set + 5 bes discipline / submodule-propagation-order / pre-push-f through the commons_constitution Evaluator+audit fo Live op-interception deferred to §43 HRD-029/030/0
HRD-024	task	middle	Claude	@milos85vasic	`iherald` constitution-rule escalation bindings (§11. + §11.4.66 operator-blocked escalation) — Batch B: Pipeline routing `.credential.leak` (forced-criti detectors wired through commons_constitution Evalu no-real-secret attestation. Live paging deferred to §43
HRD-025	task	low	Claude	@milos85vasic	`scherald` scheduled-audit bindings (§11.4.45 perio compliance digest) — Batch B: `scherald/inter` `.policy.violation` + 3 bespoke detectors (statu

ID	Type	Criticality	Created-By	Assigned-To	Title
					through commons_constitution Evaluator+audit; -race scheduler deferred to §43 HRD-047.
HRD-029	task	middle	Claude	@milos85vasic	§2 `pherald commit-push` — single-entrypoint C: implemented as gitops command (§11.4.74 wrap o hermetic temp-repo tests -race green
HRD-030	task	middle	Claude	@milos85vasic	§3 `pherald submodule propagate` — owned Batch C: implemented as gitops command (§11.4.74 binding; hermetic temp-repo tests -race green
HRD-031	task	middle	Claude	@milos85vasic	§4 `rherald tag mirror` — assert tag exists on implemented as rherald §43 release command (`rher release_cmds.go`) feeding the HRD-022 rherald hermetic -race green
HRD-032	task	low	Claude	@milos85vasic	§5 `rherald changelog generate` — Conven `<v>.md` + multi-format export — Batch C: impleme (`rherald/cmd/rherald/release_cmds.go` reuses shared `commons/gitops`; hermetic -race gr
HRD-033	task	high	Claude	@milos85vasic	§9.1 `sherald destructive guard <op>` — prerequisite checks — Batch C: implemented as shera `sherald/sysops_cmds.go`) feeding the HRD-0 (detects+classifies+exits-nonzero, never performs the fix so the CLI runs without a JWT secret
HRD-034	task	middle	Claude	@milos85vasic	§9.3 `sherald backup-snapshot <target>` straggler: implemented in `sherald/cmd/sheral` refuses overwrite, classifies §9.3 SubjectBackup → . equality -race green
HRD-035	task	middle	Claude	@milos85vasic	§11.4.2 `bherald evidence capture <test_` Batch C: implemented as bherald §43 build/CI comm `build_cmds.go`) feeding the HRD-021 bherald bi
HRD-036	task	high	Claude	@milos85vasic	§11.4.10 `cherald creds scan` — gitleaks/truffl `.credential.leak` — Batch C: implemented as (`cherald/cmd/cherald/checkops_cmds.g` detect-only; hermetic -race green (routed to §11.4.10 secret value printed)
HRD-037	task	low	Claude	@milos85vasic	§11.4.12 `cherald docs sync` — regen Issues_S Status_Summary — Batch C: implemented as cherald `cmd/cherald/docops_cmds.go`) feeding the H `--apply` to regenerate; ships the §107 lazy-verifier hermetic -race green
HRD-038	task	low	Claude	@milos85vasic	§11.4.18 `cherald script-docs check` — ass Batch C: implemented as cherald §43 verify/check co `checkops_cmds.go`) feeding the HRD-019 cheral (routed to §11.4.60 — §11.4.62 has no cherald rule)
HRD-039	task	low	Claude	@milos85vasic	§11.4.19 / .23 `cherald fixed align` + `chera` HTML colorizer — Batch C: implemented as cherald `cmd/cherald/docops_cmds.go`) feeding the H `--apply` to regenerate; ships the §107 lazy-verifier hermetic -race green
HRD-040	task	high	Claude	@milos85vasic	§11.4.26 `sherald constitution pull` — wra `.bundle.updated` — Batch C: implemented as sh

ID	Type	Criticality	Created-By	Assigned-To	Title
					sherald/sysops_cmds.go) feeding the HRD-0 (detects+classifies+exits-nonzero, never performs the fix so the CLI runs without a JWT secret
HRD-041	task	middle	Claude	@milos85vasic	§11.4.27 bherald test-tier verify — 8-tie implemented as bherald §43 build/CI command (bhe build_cmds.go) feeding the HRD-021 bherald bi
HRD-042	task	low	Claude	@milos85vasic	§11.4.31 cherald submanifest verify — S Batch C: implemented as cherald §43 verify/check co checkops_cmds.go) feeding the HRD-019 chera
HRD-043	task	high	Claude	@milos85vasic	§11.4.36 pherald install-upstreams — ins implemented as gitops command (§11.4.74 FindScrip HRD-023 binding; hermetic temp-repo tests -race gre
HRD-044	task	middle	Claude	@milos85vasic	§11.4.37 pherald fetch-guard — pre-edit fetc implemented as gitops command (§11.4.74 wrap of g hermetic temp-repo tests -race green
HRD-045	task	high	Claude	@milos85vasic	§11.4.40 rherald gate retest — pre-tag full- rherald §43 release command (rherald/cmd/rhe HRD-022 rherald binding; reuses shared commons/
HRD-046	task	high	Claude	@milos85vasic	§11.4.41 sherald force-push gate — merge Batch C: implemented as sherald §43 command (she sysops_cmds.go) feeding the HRD-020 sherald b (detects+classifies+exits-nonzero, never performs the fix so the CLI runs without a JWT secret
HRD-047	task	middle	Claude	@milos85vasic	§11.4.45 / .56 scherald status-digest — pe regen — Batch C straggler: implemented in schera feeding the HRD-025 scherald binding (§11.4.45 statu regenerates Status_Summary); hermetic -race green
HRD-048	task	low	Claude	@milos85vasic	§11.4.53 cherald fixed-summary sync — st C: implemented as cherald §43 docs-pipeline comma docops_cmds.go) feeding the HRD-019 cherald b regenerate; ships the §107 lazy-verifier fix so the CLI green
HRD-049	task	middle	Claude	@milos85vasic	§11.4.55 pherald reopen <HRD-NNN> — Issu Batch C: implemented as gitops command (the Wave emit feeds HRD-023 binding; hermetic temp-repo tes
HRD-050	task	middle	Claude	@milos85vasic	§11.4.59 cherald readme sync — README d Batch C: implemented as cherald §43 docs-pipeline c docops_cmds.go) feeding the HRD-019 cherald b regenerate; ships the §107 lazy-verifier fix so the CLI green
HRD-051	task	high	Claude	@milos85vasic	§11.4.60 cherald composite-gate — canonic COMPOSITE-SYNC — Batch C: implemented as ch (cherald/cmd/cherald/checkops_cmds.g detect-only; hermetic -race green
HRD-052	task	middle	Claude	@milos85vasic	§11.4.65 cherald export — bulk Markdown exp implemented as cherald §43 docs-pipeline command (docops_cmds.go) feeding the HRD-019 cherald b regenerate; ships the §107 lazy-verifier fix so the CLI green

ID	Type	Criticality	Created-By	Assigned-To	Title
HRD-053	task	high	Claude	@milos85vasic	§11.4.71 `pherald pre-push` — fetch + investiga as gitops command (§11.4.74 wrap of git binary); --er repo tests -race green
HRD-054	task	middle	Claude	@milos85vasic	§11.4.73 `cherald spec-version check` — R implemented as cherald §43 verify/check command (`checkops_cmds.go`) feeding the HRD-019 cheral
HRD-055	task	middle	Claude	@milos85vasic	§11.4.74 `cherald catalogue-check <pr>` — runner over vasic-digital + HelixDevelopment — Bat check command (`cherald/cmd/cherald/chec` cherald binding; detect-only; hermetic -race green
HRD-056	task	high	Claude	@milos85vasic	§12.6 `sherald mem-budget watch` — daemon `.host.safety_breach` — Batch C: implemente `cmd/sherald/sysops_cmds.go`) feeding the H GATE (detects+classifies+exits-nonzero, never perfor verifier fix so the CLI runs without a JWT secret
HRD-085	task	middle	Claude	@milos85vasic	Implement single-task admin operations on `commons` `GetByID`, `Update`, `Delete`. Required for Requeu operator tooling. Currently all three return `ErrUnsu` BackgroundTask row by ID; full-row Update includin decision per §107.
HRD-086	task	middle	Claude	@milos85vasic	Implement worker-side running-task state mutations c `commons_infra.pgxTaskRepository` — `Up` `UpdateHeartbeat`, `SaveCheckpoint`. Require reaper. Currently all four return `ErrUnsupported` guarded by valid-state-machine check; progress as `(f` `updated_at = now()` writeback; checkpoint as c task row.
HRD-087	task	low	Claude	@milos85vasic	Implement admin / stats / audit reads on `commons_i` `GetByStatus`, `GetPendingTasks`, `CountByS` `v1/queue/*` introspection endpoints + Peek delega `ErrUnsupported (HRD-087)`. Scope: status-fil Peek; status-bucketed counts; per-task execution-histo `task_execution_history` table.
HRD-088	task	middle	Claude	@milos85vasic	Implement queue-recovery reads on `commons_inf` `GetStaleTasks`, `GetByWorkerID`. Drives the s loop. Currently both return `ErrUnsupported (H` against `updated_at`; per-worker assignment looku
HRD-089	task	low	Claude	@milos85vasic	Implement resource-monitor I/O on `commons_infr` `SaveResourceSnapshot`, `GetResourceSnap` samples for capacity-planning + post-mortem. Curren `(HRD-089)`. Scope: append-only insert keyed by `(t` paginated read in reverse-chronological order. Schem table not yet in the §9.6 migration set — adding it is p
HRD-116	task	middle	Claude	@milos85vasic	Wave 7 T7 — qaherald Slack `MessengerClient` `internal/messenger/{slack.go,builder` 11 `MessengerClient` methods (Me/Send/SendPh WaitForReply/Download/Preflight/GetChatMember/C `conversations.history+oldest=<ts>` wat `MessageID` = dotted-float ts string; channel-keyed E

ID	Type	Criticality	Created-By	Assigned-To	Title
					unknown→error). Token NEVER in errors — `sanit` `TestSlack_Send_ErrorDoesNotLeakToken` `SUPERSECRET-must-not-leak-7777`. 30 herm time pin `var _ MessengerClient = (*Slac` CLEANUP: ships `files.upload` V1 (deprecated — functionally equivalent for the httptest seam, swap `slack.go` header.
HRD-117	task	low	Claude	@milos85vasic	Wave 7 T8 — spec V3 r12→r13: §11.0 `channels.` §32.2 Telegram/Slack marked LIVE + §43 multi-chan the Wave 7 framework + Slack adapter (T6) + qaheral catches up to shipped code (no new product code in T
HRD-118	task	high	Claude	@milos85vasic	Wave 7 T9 — e2e_bluff_hunt.sh E124-E131 multi-ch resolution, E125 tgram self-filter post-Wave-7 (pure-r (interface satisfied + auth.test + chat.postMessage wi **Slack** (env-gated `HERALD_SLACK_BOT_TOKEN+HERALD_SLACK_` triple-guard to prevent silent "no tests to run" PASS-b E129 generalized IsSelfEcho (Username+UserID+em wiring, E131 qaherald messenger.Build dispatch. sc_
HRD-119	task	high	Claude	@milos85vasic	Wave 7 T10 — paired §1.1 mutation gate `tests/te` PASS / 0 FAIL): **M1** blank `IsSelfEcho` → `TestI` hazard caught) → restored → PASS; **M2** drop slack `c` `TestSlackRegisteredViaInit` FAILs → rest append in `send.go` → `TestSlackSendReplyU` + **quiescence** assertion (no `MUTATED W7-` residue i Reuses Wave 6 canonical `.git/MUTATION_IN_P` flight dirty-tree-and-residue guard + byte-for-byte `as` ONLY (§107.y / no-concurrent-mutation operator ma
HRD-120	task	high	Claude	@milos85vasic	Wave 7 T11 — §11.4.85 multi-channel stress + chaos `pherald/listen_stress_chaos_test.go` `TestListen_MultiChannel_StressBurst` ONE runListen — pins no-loss/no-double + **per-cha** `perChannelCountingReplier` keyed on `rcpt` NOT cross-wire; throughput ~9-19k ev/s under -race; `TestListen_MultiChannel_ChaosOneCha` fires 1 event then errors; slack ticks 50 events at 2ms via conjunction: ≥5 slack dispatches landed BEFORE surfaces tagged `channel="tgram-stub"` + `sub` `-count=3` (3 iterations × 2 new + 2 sibling HRD-12 found: **fail-loud-tears-down-siblings** (per-channel su doc-comment warns against silent change). Evidence `multichannel_no_drop_under_burst=1` (s `multichannel_concurrency_proven=1` + `multichannel_one_channel_death_surfa`
HRD-121	task	low	Claude	@milos85vasic	Wave 7 T12 — `docs/guides/MESSENGER_CHA` sections + 3 siblings .html/.pdf/.docx): §1 architecture commons_messaging/channels.Channel inbound + re ASCII fan-in diagram), §2 `HERALD_CHANNELS` sel Telegram live setup (BotFather → token → chat-id), Socket Mode + scopes + `xoxb-`/`xapp-` tokens; §10 `TestSlack_Send_ErrorDoesNotLeakToken`

ID	Type	Criticality	Created-By	Assigned-To	Title
					`{HERALD_INBOX_DIR}/<channel>/<sha256` (cross-the-wire-then-cache contract), §7 URL scheme channel" implementer checklist + companion "what y come for free), §9 10-entry troubleshooting cookbook invalid_auth / wrong inbox / HERALD_CHANNELS deploy audit mirroring OPERATOR_CREDENTIALS V3 §11/§32.2/§43 + Wave 7 plan + adapter source pat `REGEN_ALL=1 bash scripts/export_docs`
HRD-148	feature	high	Claude	@milos85vasic	**ATMOSphere integration WS-1** — `commons_wor` **(LANDED + tested 2026-05-29).** New L1 module: S `sqlite`, no CGO) mirroring the workable-items sch `(atm_id,current_location)` + `item_hist` set); full CRUD repo (Create/GetByID/Update/Delete validation); per-property `Diff(prev,curr)` chang `item.deleted/item.status.changed/item` `item.content.updated` with exact old→new; REAL `## §… [ATM-NNN]` + `**Status:**/**T` real-SQLite tests `-race -count=3` green. Keystor
HRD-149	feature	high	Claude	@milos85vasic	**ATMOSphere integration WS-2** — `commons_wat` **2026-05-29).** New L1 module: fsnotify watcher (direc debounce-coalesce + SQLite-WAL polling fallback (W raise reliable fsnotify Write on the main `.db`); gracef `-race` green. Feeds R1/R2.
HRD-151	feature	high	Claude	@milos85vasic	ATMOSphere integration WS-3 — change→CloudEv per-property-diff message formatter (reuse the existin fan-out; add only the workable-event producer + form
HRD-152	feature	high	Claude	@milos85vasic	ATMOSphere integration WS-4 — inbound action reg `investigation.start` + `ItemMutator` (write orchestrator (**act-with-confirmation** per operator 202
HRD-153	feature	middle	Claude	@milos85vasic	ATMOSphere integration WS-2 — watcher daemon e watch→diff→notify loop; promote to a `wherald` fla
HRD-154	task	middle	Claude	@milos85vasic	ATMOSphere integration WS-3 — enforce preference `QuietHours` types exist but the resolver ignores the
HRD-090	task	middle	Claude	@milos85vasic	Dead-letter handling on `commons_infra.pgxTas` (was the last `ErrUnsupported` Batch-D stub). Mig (.up/.down, FK→background_tasks ON DELETE CA Tx-atomic move: INSERT a full JSONB task snapsho mark `background_tasks.status='dead_le` preserve the events/snapshots FK children); JSONB p SQLSTATE-22P02 lesson. New 13th OPERATIONA `ClassQueueDeadLetter` ("queue.dead_letter") + `DeadLetter()` emit method (governance set §42.2 12→13); wired nil-tolerantly into the repo via `newPg` (boot.go keeps the nil-emitter — the Foundation plan emitting there would be an emit-into-the-void §107 bl HRD-147 follow-up). Best-effort emit AFTER the du swallowed. **Four-layer closure (CONST-048):** 3 her (`TestRepoMoveToDeadLetter_RoundTripA` terminal-state + dlq snapshot + real-bus `.queue.de` chaos (50 concurrent moves race-clean, emit-failure-a

ID	Type	Criticality	Created-By	Assigned-To	Title
					§1.1 mutation gate (`tests/test_hrd090_muta` `-race` green.
HRD-133	task	high	Claude	@milos85vasic	Tgram-completeness Wave B — token-redaction sym `channels/tgram/errors.go` + send.go wraps) `token) string` strips the bot token from every Se can NEVER appear in observable output — 6 error-re withRetry429 paths in both Send + SendReply). `TestTgram_Send_ErrorDoesNotLeakToker` `not-leak-9999`, drives an httptest 401 path, asser returned `err.Error()` (mirrors slack's `TestSlac` Unit-level `TestTgram_SanitizeTgramError_` captured in the source: `%w` error-wrap replaced with % `sanitizeTgramError(err.Error(), toke` operates on the string form — the error chain is sacrif Composes with HRD-134 (the 429 retry's log line + f logging never leaks the token).
HRD-134	task	high	Claude	@milos85vasic	Tgram-completeness Wave B — Bot API rate-limit 4 (`commons_messaging/channels/tgram/se` `errors.go::extractRetryAfter`). `withRe` telebot `bot.Send` call sites (Send text body + SendI out). On `429 + retry_after=N` → sleep N seco **attempts** total, clamp per-retry wait to **60s** (defense-in `retry_after` extracted via `errors.As(err, &telebot.FloodError{}).RetryAfter` (tel Logged retry line goes through `sanitizeTgramEr` (composes with HRD-133). Injectable `sleeper` fiel + fake-clock both supported via `SetSleeperForT` (HonorsRetryAfter / GivesUpAfter3Attempts / Respe unit test (ExtractRetryAfter_Unit) — 5 total, all `-rac`
HRD-135	task	middle	Claude	@milos85vasic	Tgram-completeness Wave A — edited-message + bo ignore-and-log handlers (`commons_messaging/c` `bot.Handle(telebot.OnEdited, …)` builds does + `Raw["edited"]=true`; `bot.Handle(t` `botKickedFromUpdate` detects status transitions **specifically** (Alice-left + promotion-to-Admin false-p `log.Printf "tgram: bot kicked from c` `ErrBotKicked"`; `serviceHandler` registered a (UsersJoined / UserLeft / NewGroupTitle / etc.) emits `tgram: ignored service message kind=` `ErrBotKicked = errors.New("tgram: bo` (callable via `errors.Is`). The OnMyChatMember poller keeps running for OTHER chats. 17/17 PASS `subscribe_lifecycle_test.go` + 14 existing
HRD-136	task	low	Claude	@milos85vasic	Tgram-completeness Wave A — Bot API webhook `s` (`commons_messaging/channels/tgram/we` http.Handler validates `X-Telegram-Bot-Api-Se` `subtle.ConstantTimeCompare` (timing-attack time (`NewWebhookHandler("",…)` errors loud – empty body on header mismatch / missing header (no 400 on malformed JSON body; 405 on wrong metho InboundHandler error. Forwards a decoded `tele.Up`

ID	Type	Criticality	Created-By	Assigned-To	Title
					shape `OnText`/`OnEdited` produce — unified down `pherald listen --webhook` + the `setWebho` the public-endpoint TLS listener are deferred to V1.x; tested so the future flip is a one-flag affair. 7/7 hermet ValidSecret_Dispatches, InvalidSecret_Returns401_N GET_Returns405, MalformedJSON_Returns400, Em ConstantTimeCompare.
HRD-137	task	high	Claude	@milos85vasic	Tgram-completeness Wave C — §11.4.85 stress + cha `channels/tgram/stress_chaos_test.go`) `TestTgram_Stress_MultiRecipientFanOu` `Adapter.SendReply` via `NewAdapterWithBa` iterations = 400 total calls against 20 UNIQUE chat_i asserts no-loss (every chat_id received exactly 20 hits confusion (uniform per-chat distribution, no cross-wir (observed 5215-6422 ev/s, p99=9.73-15.20ms). `TestTgram_Chaos_GetUpdatesPollerResi` with-reason to a real httptest-driven fault-injector PAS fix: threads `a.baseURL` into `telebot.Setting` `ensureBot` pattern at `tgram.go:60-67`; product `""`). 8-phase fault matrix (3× 500 + 2× 1.5s hangs ho connection-close + 2× success), bot-username-aware `from @someuser`, not `chaostestbot`). Determ §11.4.50 — all 3 iterations IDENTICAL: `recovery` `fault_modes(500=12 hang=8 close=3 ok` `deadline exceeded goroutines 3→4 (le` tgram suite **26/26 PASS, 0 SKIP** post-fix (was 24/24 captured-evidence per-iteration table; P2 blast-radius only when unused (production unaffected); P3 cross-f `ensureBot` pattern, no novel state; P4 deep-researc under fault (poller logs + continues, no internal retry) atomics, ctx-aware subscribe return, no goroutine leal from REAL Subscribe poller, not synthetic.
HRD-138	task	low	Claude	@milos85vasic	Tgram-completeness Wave A — `docs/guides/TE` dive guide (810 lines, 11 §-sections, 58 subsections, 3 overview (inbound `getUpdates` + outbound `Send` walkthrough (`/newbot` → token → `/setprivacy` `HERALD_TGRAM_CHAT_ID` (3 methods: getUpdate pre-deploy smoke-test commands; §5 attachment size 50MB document Bot-API-cap workaround = local Bo path; §6 chat-type matrix (private/group/supergroup/c per type); §7 reply threading via `reply_to_messa` (Wave 6.5 mutation gate M3); §8 self-filter contract (loop hazard if skipped — Wave 6 T12 M1); §9 12-ent (401/400/429/413/403/echo-loop/long-poll-stuck/409 §10 6-subsection pre-deploy operator audit (tick-box `OPERATOR_CREDENTIALS.md` style); §11 referen HRDs + source paths). Cross-linked from existing `do` `TELEGRAM.md` (HRD-011 setup, preserved untouch
HRD-139	task	high	Claude	@milos85vasic	Wave 8 Track B — `qaherald/internal/mtpro` wiring (gotd/td v0.144.0 vendored as `submodules/` Client interface (`Connect` / `SendMessage` / `Wait`

ID	Type	Criticality	Created-By	Assigned-To	Title
					gotd/td's `telegram.Client` with session-storage a `mtproto.session` (mode 0600, encrypted MTPro `login/whoami/logout` Cobra subcommands dri phone-from-env, 2FA password from env, OOB-code `HERALD_MTPROTO_ALLOW_NON_TTY=1` env ove piped flow for §11.4.98-compliant headless login). Co contribution = one-time paste of 5-digit Telegram OO fundamentally requires this; session persists thereafte verified leak-free across all evidence (token-shape reg runtime artifact removed; .gitignore hardened).
HRD-140	task	high	Claude	@milos85vasic	Wave 8 Track B Test 1 — `TestMTProto_Subscr` (`qaherald/internal/lifecycle/mtproto_` `integration_mtproto`). §11.4.98 replacement f `TestSubscribe_LiveBotAPI` Bot-API-only pa (a bot can never send-to-itself, so the legacy test requ drives the closed loop end-to-end via MTProto user-a stimulus) → poll bot.getUpdates for delivery confirm within timeout. Honest-SKIP per §11.4.3 when MTPr (never falls back to manual-dep path). Conductor-veri §11.4.98-pure interpretation (chain runs without huma
HRD-141	task	high	Claude	@milos85vasic	Wave 8 Track B Test 2 — `TestMTProto_Wave6_` `internal/lifecycle/mtproto_wave6_loo` `integration_mtproto`). §11.4.98 replacement f `test_wave6_live_loop.sh` (which required m `listen` as a child process with `cmd.Dir = repo` `docs/Issues.md` relative to its CWD), pre-acks p `consumePendingUpdates(t, botToken)` he `getUpdates(offset=max+1)` to ACK stale cha preventing TLS-connection-reset storms from prior ru based §11.4.98 autonomy assertion polls pherald's `--` `tgram.message` (in) + `cc.dispatch` + `cc.rep` text string rather than message_id (MTProto's int64 m API's chat-local message_id — §11.4.98 contract is " action", not "Claude generates perfect content"). PAS
HRD-142	task	high	Claude	@milos85vasic	Wave 8 Track B Test 3 — `TestMTProto_Wave65` `internal/lifecycle/mtproto_wave65_li` `integration_mtproto`). §11.4.98 replacement f interactive mode (which required operator typing per- Wave 6.5 fast-path scenarios — Help / Status / Contin subtest spawns pherald + sends MTProto stimulus + a `tgram.message in` + `cc.reply
HRD-018	task	high	Claude	@milos85vasic	`commons_constitution` Go package: Evaluator `constitution_state/constitution_bind` mode-ladder runtime config + **constitution_audit wr** Evaluator framework, emit helpers, bundle-hash, mod `state.Postgres`, `ladder.Memory/ladder.` 000006/000007/000008 were all coded in r1. v1.0.0 E bluff: migration 000006 defined `constitution_a` `Runner.Run` set `RunOutcome.Audited=true` `AuditStore` interface (`audit.go`) + `state.Me` `state.PostgresAudit` (RLS-guarded INSERT-

ID	Type	Criticality	Created-By	Assigned-To	Title
					append-only is enforced by the migration's no-update/ now writes a durable audit row for every CHANGED recording old/new decision, old/new digest, bundle ha ModeEnforce — the EXACT emitted event ID (new PolicyViolationID/PolicyClearedID; emi NewRunner gained a required AuditStore arg (nil = ha RED (compile-fail before backends) → GREEN, -ra DB-level SELECT shows enforce rows carry emitted_
HRD-026	task	middle	Claude	@milos85vasic	Constitution-bundle hash captureer — computes SHA evaluation time; persists on every emitted event for re Capture/CaptureBytes/Captureer) was code emitted-event metadata (bundle_hash hex). v1.0.0 32-byte bundle_hash is now stored on every cons constitution_audit row (verified by the DB-le encode(bundle_hash,'hex') in the evidence audit row), closing the §42.1.3 replay-correlation requ
HRD-027	task	middle	Claude	@milos85vasic	Mode-ladder runtime config (constitution_bin flip allow/warn/enforce per binding per tenant withou ladder.Memory/ladder.Postgres (reading c time) were coded in r1. v1.0.0 Batch A added the adm modes — GET /v1/compliance/modes (list b compliance/modes/:rule_id (one binding's e compliance/modes/:rule_id (flip allow/warn mutated_by). JWT-gated via the existing common mounted in cherald serve (a single shared PG pool bluff: 401 no-auth / 401 bad-tenant / 400 bad-mode (l proof: a PUT flip to warn is reflected by a subsequent evaluation hot path — runtime config, no redeploy.
HRD-132	bug	high	Claude	@milos85vasic	§11.4.85/§32.1 Runner idempotency-window FIX — duplicate-dispatches a notification (FINDING from H idempotency.go:64-72 treated a Redis-SETNX §32.1 "Redis-lies-PG-truths" design) while the even written at Stage 7 (OutcomeRecorder.Process arriving in the Stage-2→Stage-7 window ALL dispatc archival exactly-once via PG UNIQUE + ON CONFL only bounded = duplicate-alert delivery under load). I BEFORE dispatch — INSERT events_process moved to Stage 2 (the PG row, serialized by PRIMAR now the AUTHORITATIVE exactly-once dispatch ga dispatch), preserving the nil-Redis PG-only degrade. CachedRcpt.WasReplay data race (mutated a po HRD-125 stress test was upgraded to assert sends== — the stronger assertion HRD-125 deliberately could on-discovery). §11.4.92 multi-pass: Pass-1 independe storage green; Pass-5 sends==1 is code-true (RED retired (4f45f26) — Stage-7 Insert now redundant, claim.
HRD-130	task	high	Claude	@milos85vasic	§11.4.85 / §1.1 paired mutation gate for the GAP-3 st test_stress_chaos_mutation_meta.sh (C hermetic stress/chaos detector is genuinely LOAD-BE test_wave6.5_mutation_meta.sh idiom: .g

ID	Type	Criticality	Created-By	Assigned-To	Title
					dirty-tree + pre-existing-residue refusal pre-flights, `r` marker landed → run detector EXPECT-FAIL → `gi` `assert_restored` vs HEAD → re-run EXPECT- scan asserting no `MUTATED SC-M*` markers leaked against a hermetic detector: SC-M1 drop ctx from cla `exec.CommandContext→exec.Command` → t sleep → watchdog FAIL; SC-M2 swallow the claude_ truncated-reply test returns nil → FAIL; SC-M3 make `default: panic` instead of `return …err` → de events `mapErrorToStatus` `event_parser: 4` FAIL; SC-M5 swallow the commons_storage `apply` ENOSPC reports success → silent-swallow guard FA FOREGROUND (§107.y + the 2026-05-27 concurren result: 6 PASS / 0 FAIL (5 mutations load-bearing).
HRD-129	task	high	Claude	@milos85vasic	§11.4.85 stress+chaos suite wired into the canonical a `e2e_bluff_hunt.sh` as new invariants E81-E88 ONLY append after E80 (E1-E80 logic untouched). E stress/chaos test via the existing `check` helper AND `docs/qa/<run-id>/stress_chaos/` as its §1 through a new `sc_anchor` helper that greps a SPEC artefact FAILs as a §11.4 PASS-bluff; absent evidence runner exactly-once-archive + bounded dispatch (HR + duplicate-key + auth-storm (HRD-123, anchor `eve` `all_malformed_rejected_no_5xx`); E83 `/v` `/v1/safety_state` concurrent-mutation (HRD-1 malformed-Raw panic-free + extract-degrade (HRD- timeout-cancel + truncated-reply (HRD-127); E87 dis E88 §12.6 host-mem headroom (HRD-128). All eight fill / container-OOM variants are SKIP-with-reason i (HERALD_STRESS_LIVE_*=1 gated). Verified `ba` deterministic; header bumped E1..E80→E1..E88. Ful reports 78 PASS / 0 FAIL (was 60; +18).
HRD-128	task	high	Claude	@milos85vasic	§11.4.85 container-orchestrated / resource-exhaustion §6 T7 + §7 host-safety) — `commons_storage/re` (hermetic core) + `tests/test_resource_stre` HERMETIC PASS (×2 deterministic): (1) disk-full er `database.Database/Tx` injects `syscall.ENO` REAL `RunMigrations → applyMigration` v error NOT swallowed, error tagged `commons_stor` `errors.Is(err, syscall.ENOSPC)` true, 0 r mem headroom — `HostMemHeadroom()` pre/post `used_fraction_delta` ≈0 (host needle did not r (deterministic SKIP without env): real bounded-scratc `HERALD_STRESS_LIVE_DISK=1`. LIVE containe safety-gated): container OOM-confinement + connect PG, gated `HERALD_STRESS_LIVE_OOM=1` + a §1 REFUSES to add pressure when host used-fraction ≥ SKIP). §12/§12.6 honoured: NO host-OOM, NO real- `test -race -count=3` green (PASS×3/PASS×3
HRD-127	task	high	Claude	@milos85vasic	§11.4.85 claude_code dispatch stress+chaos tests (GA `commons_messaging/dispatch/claude_co`

ID	Type	Criticality	Created-By	Assigned-To	Title
					dispatch_stress_chaos_test.go (in-packa bootstrapSession/parseReply) + 5 committ claude-*.sh. Per §11.4.27 only the EXTERNAL New(binaryPath,…) seam; NO production sourc invoked. STRESS: (1) N=24×25=600 concurrent Di every reply really parsed, every call resumed the SAM p50=62.9ms/p95=96.4ms; (2) N=16 concurrent COL one anchor UUID persists, -race clean. CHAOS: (a -KILL $$ → tagged error, no hang (watchdog), par 30s-sleep shim vs 800ms ctx → cancellation fires, Di <<<HERALD-REPLY>>> → explicit decode rep FINDING-1: cold-start concurrent bootstrap is last-w not bootstrap_count==1 bluff). FINDING-2: ti claude being a single process (hardening direction owner). go test -race -count=3 deterministi
HRD-126	task	high	Claude	@milos85vasic	§11.4.85 pherald listen inbound-path stress+ch pherald/internal/inbound/stress_chac unexported extractReplyToMessageID) + phe listen_stress_chaos_test.go (drives the R the channel Subscriber + CC CodeDispatcher bo routing switch + runListen fan-in + clean-shutdov N=16×50=800 concurrent Dispatcher.Handle (800/800), 0 goroutine leak, p50=0.41ms ~25k dispat runListen — nothing dropped, clean shutdown on Raw payloads (nil map, missing/nil/string/bool/slice/ extractReplyToMessageID degrades to (0,err) 64-dispatch corrupt-Raw flood panic-free (recover-gu subprocess fault (killed/truncated/marker-less/empty/ inbound: error, no reply leak, no hang; (c) once-on same issue.open collapse to exactly-ONE durable deterministically green ×3 on both packages. NO pro
HRD-125	task	high	Claude	@milos85vasic	§11.4.85 Runner 7-stage pipeline stress+chaos tests (pherald/internal/runner/stress_chaos runner.Run (only the external boundary — PG ev SETNX seam — faked per §11.4.27; orchestrator + 7 goroutines × 40 iters concurrent same-key replay + fr duplicate flood @ 50 parallel under live atomic Redis fallback degrade; (b) hermetic PG-deadlock (SQLSTA events_processed Insert. SURFACED HRD-132: disp under concurrent replay (events_processed archived a of a 1000× flood); tests asserted the honest code-true dispatch) pre-fix, then upgraded to sends==1 once test -race -count=1 green.
HRD-124	task	high	Claude	@milos85vasic	§11.4.85 Gin /v1/compliance (cherald) + /v1/ stress+chaos tests (GAP-3 plan §1 row 2 / §6 T3) — compliance_stress_chaos_test.go + she safety_stress_chaos_test.go, each driving process httptest server dialed by net/http.Cl (cli.TOONMiddleware → auth → handler). Only NO production source edited, NO new dep. STRESS -race clean — 0 errors, 0 5xx, all 200 (compliance

ID	Type	Criticality	Created-By	Assigned-To	Title
					Content-negotiation correctness under concurrency — `application/toon` vs `application/json` — Accept header (0 codec-bleed), every toon body real PG-drop (`errStore`) → 2000/2000 fail-loud 500 ea fabricated 2xx (a swallowed-error 200 `{results:[` violations" — the §107 mode this gate forbids); safety code-true analogue (concurrent state-mutation under instead; (b) auth storm — 1000 random tokens throug `commons_auth.GinMiddleware`+HMAC(HS2 `test -race -count=3` green ×3.
HRD-123	task	high	Claude	@milos85vasic	§11.4.85 Gin `/v1/events` stress+chaos tests (GAP `internal/http/events_stress_chaos_te` `events` handler (`EventsHandler` → `runner.R` `httptest` server dialed by `net/http.Client` th (`cli.TOONMiddleware` + auth gate). Only the ex `runner.NewFakeRunner`) faked per §11.4.27. ST POSTs, `-race` clean — 0 errors, 0 5xx, all 202; p50 duplicate-key-under-load (1200 POSTs, per-worker k input-corruption (8 MiB random, truncated JSON, no empty) × 5 → every body a tagged `event_parser` 1000 random tokens through the REAL `commons_a` → 1000×401, 0 bypass; (a) live PG-drop → SKIP-wi FINDING (→ HRD-132 at HTTP layer): a SHARED triggers the REAL `runner.go:132 CachedRcpt` HRD-132). E82 anchor re-captured as `all_malfor` transport-rejection-of-8-MiB-body is valid).
HRD-122	task	middle	Claude	@milos85vasic	§11.4.85 stress+chaos shared scaffold — Go-native c package (GAP-3 plan §2 / §6 T1). Provides: a bounde workers × M iterations of a closure via stdlib `sync.` rank percentile math (`Percentiles` → `{p50,p9` `latency.json` + `latency_histogram.csv`; `<run-id>/stress_chaos/<surface>/`; and (`HostMemHeadroom` — `vm_stat`+`sysctl hw.` on linux) for the §12.6 60%-ceiling proof (degrades t failure). Self-tested: 8 unit tests (percentile correctnes creation, bounded-goroutine proof, host-mem best-eff `test -race -count=1`. Lowest sensible layer p importable by every flavor).
HRD-114	task	high	Claude	@milos85vasic	Wave 7 T5 — multi-channel `pherald listen` (H goroutines → 1 dispatcher). `pherald/internal/` Wave-6 `TgramReplier` interface (Telegram-native signature) → generic `inbound.Replier` with `Se` `commons.Recipient, body string, repl` `[]commons.Attachment) (string, erro` satisfy it. `Config.TgramReply` → `Config.Rep` `Dispatcher.reply` field + the `Handle` "reply" migrated to build a `commons.Recipient{Chann` `strconv.Itoa(replyToID)` (`""` when 0). `phe` `listenConfig.Subscriber` (singular) → `Sub` `InboundHandler) error`; `listenConfig.R` `inbound.Replier`; new `loadEnabledChanne`

ID	Type	Criticality	Created-By	Assigned-To	Title
					(comma-split, trim, dedupe; unset/empty → `["tgra` preserved); new `perChannelConfig(name)` rea (`HERALD_TGRAM_BOT_TOKEN`/`HERALD_TGRAM_` `HERALD_SLACK_BOT_TOKEN`/`_APP_TOKEN`/`_CH` loud on missing required creds); `loadListenConf` via the `channels.New(name, cfg)` registry (T2 `Subscribers[name]=ch.Subscribe` + a `cha` `channels.Channel.SendReplyGeneric` → two intentionally-differently-named generic methods `channelRouter` that dispatches each reply to the a loud `no replier for channel %q` on unknow fans in one goroutine per subscriber (manual `sync.W` new dep — errgroup-equivalent semantics) all feedin subscriber error cancels siblings + surfaces (T11 chao listen.go for its `init()` registry registration. `journ` to wrap `inbound.Replier` (records `channel+c` strings; JSONL kind kept `tgram.send_reply` for resolution (Wave 7 plan Step 4): `inbound.Replie` name (the inbound package's own, independent of `channels.Channel.SendReplyGeneric`); pr `channelReplier` shim so the journal decorator + evidence: new `TestRunListenMultiChannelF` publish 1 event) asserts BOTH messages dispatched A `(fake)"] >= 2)` — NOT "both goroutines started the fan-in loop → `seen == map[]` → FAIL). Exis `TestListenWiresHandlerAndExitsOnCanc` `TestRunListenRejectsBadConfig` migrated PASS. `recordingReplier`/`stubReplierJour` journal_test) migrated to the generic signature; numer decode. `go build ./pherald/...` + `go tes` `pherald/... ./commons_messaging/...` a clean.
HRD-113	task	high	Claude	@milos85vasic	Wave 7 T4 — generalize the bot self-filter via `BotSe` `commons_messaging/channels/selffilte` (`RawSenderIsBot`/`RawSenderIdentityKnd`/ `StampSender(raw map[string]any, isBo` `value string)` (records the sender's native identi `IsSelfEcho(ev commons.InboundEvent,` §32.9 anti-echo-loop guarantee made channel-agnosti `IdentityKind`: `username` for Telegram, `user_` deliberately narrow: a DIFFERENT bot is KEPT (mu — the §107 anchor that the filter is not over-broad); a never echoes (conservative KEEP → surfaces as dupl Subscribe refusing to boot on empty self). `commons_` `subscribe.go` migrated: captures `self := cha` `channels.IdentityUsername, Value: bo` (keeping the existing empty-username boot-refusal ec handlers (`OnText`/`OnPhoto`/`OnDocument`/`OnVoi` `stampAndIsSelfEcho(ev, msg, self)` hel `IsBot`+`@username` into `ev.Raw` and delegates to the four Wave-6 `shouldDropBotSelf(msg, se`

ID	Type	Criticality	Created-By	Assigned-To	Title
					native shouldDropBotSelf func + its TestSub SelfFilterForTest (export_test.go) are PRESE paired-mutation gate (tests/test_wave6_muta perl -i -0pe regex on shouldDropBotSelf M1 load-bearing (verified: the M1 regex still matches migration). The live path and the gate now express th the generalized IsSelfEcho, the gate on the tgram- TestIsSelfEchoUsername proves all three user different-bot KEPT, human KEPT; TestIsSelfEc (matching bot id DROPPED, different id KEPT); TestIsSelfEchoEmptySelfNeverEchoes pr builds events via the production StampSender (DR key contract); TestSubscribeBotSelfFilter test -race -count=1 ./commons_messag go vet clean. Live runtime evidence (real Telegram the closed loop) lands via Wave 7 T9 e2e invariant.
HRD-112	task	middle	Claude	@milos85vasic	Wave 7 T3 — per-channel inbox subdirs ~/.heral <sha256>.<ext>. New file commons_messagi channel-agnostic InboxDir(channel string) ~/.herald/inbox/<channel>/, MkdirAll 070 WriteContentAddressed(channel, mime (path, sha256Hex string, err error) <sha256>.<ext> via io.MultiWriter(tmp, full payload — then atomic temp+rename; idempoten the .part temp is dropped and the existing path retu MimeToExt(mime string) (the Wave-6 tgram- VERBATIM to package level so every adapter shares channels/tgram/attachments.go Downlo Telegram-specific bot.File(&telebot.File{ hash-rename to channels.WriteContentAddressed(strin mime, rc) — so tgram attachments land under ~/ channel subdir, was the flat ~/.herald/inbox/ i + the crypto/sha256/encoding/hex/io/os/p from attachments.go (the helper owns them now (*Adapter).DownloadAttachment (T1) dele forms route through the shared helper. §107 evidence InboxDir("tgram") ends in .../inbox/tgr InboxDir("slack") (no flat-inbox regression); TestWriteContentAddressedHashesAndIs classes on real on-disk state — (a) path shape under i re-read on-disk bytes byte-equal the payload (sha in p content returns same (path,sum) and leaves zero the existing Wave-6 TestDownloadAttachment tgram/ path segment) still PASSES end-to-end agai routing change is behaviour-preserving. go test - commons_messaging/... ./pherald/... assumption regressions); go vet clean. Live runtim landing under inbox/tgram/) lands via Wave 7 T
HRD-111	task	high	Claude	@milos85vasic	Wave 7 T2 — channel registry (name→constructor) + commons_messaging/channels/registry.

ID	Type	Criticality	Created-By	Assigned-To	Title
					Constructor)/New(name, Config) (Char the ErrUnknownChannel sentinel, the channel-ag AppToken/Target/BaseURL/Extra), and the Co (Channel, error) type — a sync.RWMutex-g Register panics on duplicate (a typo in two adapte §107 bluff class this framework forbids; mirrors the q New wraps ErrUnknownChannel (fmt.Errorf callers (pherald listen) MUST surface it; a sile commons_messaging/channels/tgram/tgr channels.Register(string(commons.Cha constructor builds NewAdapterWithBaseURL(cf cfg.BaseURL) when cfg.BaseURL != "" (ht NewWithCreds(cfg.Token, cfg.Target) - adapter. §107 evidence: TestRegistryResolves actually constructs + returns a working Channel (c TestRegistryUnknownChannelErrors prove ErrUnknownChannel) for unknown names; Tes the duplicate-Register panic; TestTgramRegis tgram") proves the init() actually registered tgr failing before the init() landed: Names()=[dup after). The shared fakeChannel test stub uses Sen interface method name, NOT SendReply). go tes commons_messaging/... green (tgram regressio go vet ./commons_messaging/... clean. L by name + round-trip) lands via Wave 7 T9 e2e invari
HRD-110	task	high	Claude	@milos85vasic	Wave 7 T1 — extract commons_messaging/cha New package commons_messaging/channels/ commons.Channel — Name/Capabilities/Send/Su inbound-runtime methods Telegram implicitly defined BotSelfIdentity returning SelfIdentity{K the SelfIdentity value type, and the Identity IdentityUserID/IdentityAddress). *tgra (getMe via ensureBot; empty-username → §107 echo (string→int64/int adapter over the native Wave-6 Sen DownloadAttachment (routes the package-level _ channels.Channel = (*tgram.Adapter from plan Step 4 text resolved + documented in chan method is named SendReplyGeneric (not SendR touching its native, §107-mutation-gate-anchored int6 generic signature is T5's scope) — keeping T1 a pure §107 evidence: var _ channels.Channel = assertion in channel_test.go (a renamed metho TestTgramSatisfiesChannel + TestSelfI -race ./commons_messaging/... green (tgr all 16 workspace modules build; go vet ./commo evidence (real getMe self-identity + reply round-trip)
HRD-101	task	high	Claude	@milos85vasic	Wave 6.5 ticket-lifecycle layer — §32.6 deterministic Implementation:/Investigation:/Query: Continue:/Done:/Resolve:/Reopen:/Overr Type+Criticality+Confidence scores; natur DocsIssueOpener (§32.9 — real docs/Issues.md

ID	Type	Criticality	Created-By	Assigned-To	Title
					lockfile) + RunnerEventEmitter (§33.7 — direct `run` HTTP loopback) + `Help:/Status:/Continue: f` second latency — S2 proved 0.74s, no CC bootstrap c Issues?Fixed migration (rollback-via-sha256 test) + fan-out (multipart dispatch) + wiring all of these into (`docs/qa/HRD-101-lifecycle-2026-05-2` language query — real Opus CC dispatch ~31s incl. b inbound `message_id=30` → reply `sent_messag` `reply_to_message_id=30`); S2 `Help:` fast-pa `Confidence:1`, CC dispatch ABSENT (event abse BuiltinHelp catalogue text returned (`reply_to_me` `sent_message_id=33`); transcript.jsonl captures query, Help:, Status: also exercised live). Reproducibl `test_wave6.5_lifecycle.sh` covers 15 scena Done:/Reopen: + classifier edge cases). Spec V3 r13: Tag `v0.5.0`.
HRD-100	task	high	Claude	@milos85vasic	Wave 6 — pherald inbound runtime + Claude Code h Cobra subcommand `pherald listen` runs the clo long-poll (`OnText/OnPhoto/OnDocument/OnVo` anti-echo guard captured at Subscribe construction; re username) + sha256 content-addressed attachment do `<sha256>.<ext>` (idempotent — duplicate downl dispatch with Opus pinned in the spawned argv (`cla` `resume <UUID> --print <envelope>`) + en wording (`"We have received new message` `channel <channel-name>. <classificat` `list>"`) preceding the `<<<HERALD-DISPATCH-v` `REPLY>>>` parser with `action` routing (`reply` de `tgram.Adapter.SendReply(ctx, chatID,` `attachments)` wiring `reply_to_message_ic` `out-dir <path>` flag journals every inbound + ou 12 atomic Wave-6 commits T1=`ad87d7f` (HERALD + .env.example), T2=`0d55274` (Opus model pin), T3 T4=`b4018a3` (bot self-filter), T5=`d9156f1` (OnPho download), T6=`a22a054` (`pherald listen` Cob (`pherald/internal/inbound/` Dispatcher + a (`tgram.SendReply` with `reply_to_message_` script `tests/test_wave6_live_loop.sh`), T JSONL journaling middleware), T11=`01bfd1a` (e2e T12=`96c7c6b` (Wave 6 mutation gate `tests/tes` paired hermetic mutations). §107 evidence: 8 new e2e currently SKIP with documented reasons — E63 lifec sha256 / E66 envelope pre-text / E67 Opus argv / E68 E69 action routing issue.open / E70 live closed-loop). when the operator exports `HERALD_TGRAM_BOT_T` `HERALD_CLAUDE_BIN` and runs `bash tests/te` `out-dir docs/qa/HRD-100-<run-id>/`. Tag T10b live evidence per §107.x) — code-doc closure s
HRD-016	task	middle	Claude	@milos85vasic	pherald `/v1/events` Runner wiring (REST API sur stage event-ingest pipeline lands as 7 concrete structs (EventParser, IdempotencyChecker, TenantResolver,

ID	Type	Criticality	Created-By	Assigned-To	Title
					ChannelDispatcher, OutcomeRecorder) orchestrated b `internal/http/events.go` exposes the live H `{main,stubs}.go` lazily build the Runner + JWT other paths still work without `HERALD_PG_DSN/HE` Accepted + Receipt JSON on fresh event, 200 + `X-H` missing/invalid JWT, 400 on parse failure. §107 evid stage + 3 integration scenarios: happy/duplicate/deny gate-skipped when absent — honest SKIP-with-reaso `test_wave3_mutation_meta.sh` gains M2 (D M4 (skip events_processed.Insert → E38/E42 break). deny-evaluator e2e. Commits T1..T10: `eb9b2f4`, `4` `5468897`, `6ea29a4`, `be71db1`, `c7b89a4`, (this c
HRD-011	task	middle	Claude	@milos85vasic	Telegram channel adapter live integration — telebot.v HealthCheck + Send + Subscribe + outbound_deliver §107 bluff guards. Closed atomically with operator-se delivery `message_id=5` from `@atmosphere_wo` (validated via `getChat`) using the extended wizard HERALD_TGRAM_BOT_TOKEN) + `--chat-id` `--non-interactive` flags. Token→getMe→get end in commit `140a2f1` session.
HRD-099	task	low	Claude	@milos85vasic	commons_auth/ JWT verifier — HMAC + JWKS hyb vendored Herald-internal per §11.4.74 catalogue-chec `catalogue-checks/HRD-099-commons-aut` 3a executing-time anchor) in the post-Wave-3a doc-c `dbbea95..0cc6fad` keep the old HRD-093 in the
HRD-098	task	middle	Claude	@milos85vasic	sherald `/v1/safety_state` live — process-local tick) + Handler with JWT gate via commons_auth.Gi §107 evidence: e2e E46 (no-auth → 401), E47 (valid last_destructive_op=null + uptime_seconds>=1 + ope mem Aggregator) proves E47 catches the regression. trigger awaits HRD-033 body.
HRD-028	task	low	Claude	@milos85vasic	cherald `/v1/compliance` live — paginated + filte surface with JWT gate via commons_auth.GinMiddle ConstitutionStore.ListQuery extended with Since/Unt e2e E43 (no-auth → 401), E44 (valid HMAC + empty page_size=50). E45 SKIP-with-reason — cross-binar Wave 3b (Runner not live yet).
HRD-092	task	middle	Claude	@milos85vasic	commons/cli/ shared CLI scaffold (Wave 2) — NewR Middleware hook) + StubCmd + healthz/readyz/metri §11.4.74 catalogue-check no-match. As-built evidenc checks/HRD-092-commons-cli.md.
HRD-093	task	middle	Claude	@milos85vasic	sherald flavor scaffold — System Herald binary servi (HRD-033/034/040/046/056) + /v1/safety_state 501 s
HRD-094	task	middle	Claude	@milos85vasic	cherald flavor scaffold — Constitution Herald binary stubs + /v1/compliance 501 stub → HRD-028.
HRD-095	task	low	Claude	@milos85vasic	bherald flavor scaffold — Build Herald CLI-only bin
HRD-096	task	low	Claude	@milos85vasic	rherald flavor scaffold — Release Herald CLI-only bi

ID	Type	Criticality	Created-By	Assigned-To	Title
HRD-097	task	low	Claude	@milos85vasic	iherald + scherald flavor scaffolds — Incident Herald HRD-024 + Scheduled-audit Herald CLI-only with 1 has zero §43 stubs.
HRD-012	task	middle	Claude	@milos85vasic	Claude Code dispatcher live integration — claude <envelope> exec + <<<HERALD-REPLY>>> JS persistence per §33. §107 evidence: Plan 2 Task 6 co claude CLI round-trip, structured reply parsed, Outco 4718c0e (live PASS 36.23s — session_state upsert equality assertions on session_uuid + anchor_path + l HRD-085..HRD-090 stay open for upstream-defined Dispatch+session hot path.
HRD-010	task	middle	Claude	@milos85vasic	commons_storage live wiring — pgx pool + RLS-enf fixed RLS-bypass bug via E14 falsifiability) + 9 migr (digital.vasic.background bound via pgxTaskReposit pherald migrate up/status/down/validate subcommand + HRD-085..090 registered for queue-repository stub
HRD-080	task	low	Claude	@milos85vasic	Refine I6 inheritance-gate invariant from blanket .gi constitution/ entry in .gitmodules" — pai test_i6_refinement_meta.sh with 3 anti-bl Helix-stack submodule installs.
HRD-017	task	middle	Claude	@milos85vasic	Propagate Universal §11.4.73 (main-spec versioning (submodule-catalogue-first discovery) into parent co AGENTS.md
HRD-014	task	middle	Claude	@milos85vasic	pherald CLI scaffold — Cobra root + version + 5 stu --json returns canonical build info
HRD-013	task	middle	Claude	@milos85vasic	commons_messaging + null:// adapter — full §11.0 C fail_rate/latency/ceiling URL params + 8-case unit tes
HRD-009b	task	low	Claude	@milos85vasic	commons_prefix module — §8.2 deterministic 3-lette collision-resolution via fnv1a32 + table-driven tests
HRD-009	task	middle	Claude	@milos85vasic	commons module — full §11.0 Go type contract (Cha OutboundMessage + Body + Attachment + Recipient InboundHandler + InboundEvent + Subscriber + Subs TraceContext + Branding + ChannelID + Preference helper + DefaultBranding factory
HRD-007	task	middle	Claude	@milos85vasic	V3 r3 cross-doc sync + tracking-doc scaffold (Issues/ Issues_Summary/Fixed_Summary/CONTINUATION
HRD-006	task	middle	Claude	@milos85vasic	V3 r2 flavor refinement — 9 flavors × per-channel in
HRD-005	task	middle	Claude	@milos85vasic	V3 r1 operator-product layer (§31..§36 + §18.2 expan
HRD-004	task	middle	Claude	@milos85vasic	V2 r3 — Go type contract closure + operational ops d
HRD-003	task	middle	Claude	@milos85vasic	V2 r2 — close prose? definition gaps + add operatio
HRD-002	task	middle	Claude	@milos85vasic	V2 r1 — architectural authoring (CloudEvents/Water
HRD-001	task	middle	Claude	@milos85vasic	V1 — initial MVP specification + Review section + F