Herald — MVP Specification V2 (superseded)

Herald — MVP Specification V2 (superseded)

Field	Value
Revision	4
Created	2026-05-19
Last modified	2026-05-20
Status	superseded
Status summary	Superseded by `specification.V3.md` on 2026-05-20. V2's three revisions (r1–r3) closed the architectural gaps surfaced by V1's Review; V3 layers the operator-product story on top: full project-integration contract, inbound processing pipeline (workers + 30s poll + anti-spam), Claude Code LLM dispatch, tri-stage reply protocol, and refinements across every flavor.
Issues	none
Issues summary	—
Fixed	V2-R-01..V2-R-14 (r2), V3-R-01..V3-R-12 (r3) — both carried into V3 unchanged.
Fixed summary	V2 stays as the historical reference for the architectural baseline; V3 builds on it.
Continuation	See `specification.V3.md` — first-implementation cycle now targets the V3 set: project-integration contract, inbound pipeline, LLM dispatch, reply protocol, refined flavors.

The **bi-directional event fan-out** system: Herald ingests events from heterogeneous sources and reliably fans them out to multiple notification channels so every alert reaches the right destination without confusion, and processes inbound replies/commands back from subscribers in a structured, security-validated way.

Table of contents

---

§1. Upstreams

All existing project upstreams:

- **GitHub** (main repository): `git@github.com:vasic-digital/Herald.git`
- **GitLab**: `git@gitlab.com:vasic-digital/herald.git`
- **GitFlic**: `git@gitflic.ru:vasic-digital/herald.git`
- **GitVerse**: `git@gitverse.ru:vasic-digital/Herald.git`

The local `origin` remote is a fan-out (one fetch URL + four push URLs). A single `git push origin <branch>` propagates to all four hosts (Helix Constitution §2.1 / Herald Constitution §103).

---

§2. Mission and scope

2.1 What Herald is

Herald is the **bi-directional event fan-out mechanism**. It receives input from one or more **sources** and dispatches the resulting content to one or more **destinations** (channels). Depending on the implementation (Flavor) of Herald, sources and destinations are heterogeneous: a single input type or many; a single output channel or many.

For example, the input may be the result of a CI pipeline execution (a build report, a test summary, a security-scan finding). Herald enriches, normalizes, routes, and dispatches that input to messaging channels (Telegram, Slack, Max, Email, Markdown diary, etc.) so that human and machine subscribers can be informed and can interact back.

The possibilities are not limited. The structure of the system MUST be **hierarchical**: shared abstractions live in the **commons** layers (closest to the root); flavor-specific implementations live in `flavors/<flavor>/`.

> **Note:** We MUST NOT be obligated to follow this hierarchical structure rigidly when a parent project's specific custom flavor must exist privately or in a different location. Flexibility is mandatory and fully supported.

2.2 What Herald is NOT

To bound scope (§102 Herald Constitution — mission boundary):

- Herald is **not** a general-purpose chat application; it is an event-driven fan-out + inbound-reply processor.
- Herald is **not** a general-purpose monitoring/observability platform — it integrates *with* them via webhook ingestion (Prometheus Alertmanager, Grafana, Datadog, PagerDuty, OpsGenie) but does not replace them.
- Herald is **not** a transactional/marketing email service provider in itself — it integrates *with* ESPs (SendGrid, Resend, Postmark) as one of its delivery transports.

- Herald is **not** a workflow orchestration platform — Temporal/Argo/Step Functions remain the right tool for that; Herald can be triggered by them and can dispatch notifications about them.

2.3 Architecture diagram





---

§3. Execution model

3.1 Single binary, two modes

Every Herald flavor is a **single statically-linked Go binary** with **Cobra-style subcommands** (per R-02 — cleanest fit, lowest deployment footprint, no duplicate auth/config plumbing). The same binary serves both runtime modes:

- **One-shot mode** — `<flavor>herald send …`: connects, transmits a single event, awaits delivery acknowledgement with a configurable deadline, exits non-zero on failure. Designed for CI integration, cron jobs, AI-agent invocation, pipeline steps.
- **Daemon mode** — `<flavor>herald serve`: long-running listener; blocks on (a) the HTTP ingress for webhook events, (b) per-channel subscriber-reply loops (Telegram long-poll, Slack Socket Mode, Email IMAP, Discord gateway, etc.), (c) scheduled jobs from the River queue.

Both modes share the same configuration loader, channel adapters, storage layer, and observability stack — only the entry point and process lifecycle differ.

Graceful shutdown semantics. Both modes MUST:

1. Trap `SIGTERM` and `SIGINT`.
2. Stop accepting new ingress requests immediately (`/readyz` returns 503).
3. Drain in-flight work with a configurable grace period (default 30 s, env `HERALD_SHUTDOWN_GRACE`).

4. Refuse `Send()` calls that arrive after grace begins (returning `context.Canceled`).
5. Flush the OpenTelemetry exporter (`tracerProvider.Shutdown(ctx)` with its own 5 s sub-deadline).
6. `Close()` the Postgres pool and Redis client.
7. Exit with code `0` if drain completed cleanly, `1` if grace expired with work still in flight.

A second `SIGTERM` within the grace window forces immediate exit. `SIGKILL` is uncatchable by definition; operators MUST size the grace period for their workload's tail latency.

Additional subcommands:

- `<flavor>herald doctor` — verifies environment health (Postgres ping, Redis ping, channel-credential validity, DKIM/SPF/DMARC records, port availability).
- `<flavor>herald migrate` — applies database migrations (idempotent).
- `<flavor>herald deadletter [list | replay <id> | purge]` — operate on the dead-letter table.
- `<flavor>herald subscriber [list | add | verify <token>]` — manage subscribers.
- `<flavor>herald digest …` — generate scheduled summaries (digests, weekly reports).

3.2 Distribution + invocation surfaces

Herald applications are CLI binaries primarily designed for:

- **CI integration** — invoked from GitHub Actions / GitLab CI / Jenkins / CircleCI / Drone steps.
- **Pipelines** — invoked from build/deploy scripts.
- **AI CLI agents** — invoked by Claude Code, OpenCode, Cursor, Aider, etc., as a structured way to surface progress and accept human feedback.
- **`cron`** — scheduled checks and digests.
- **Webhook recipients** — running in daemon mode behind a reverse proxy.

Some Herald application names (illustrative — flavors are fully enumerated in §18):

- `pherald` for **Project Herald** (development-lifecycle events).
- `sherald` for **System Herald** (OS/host/service events).
- `bherald` for **Build Herald** (CI/CD build events).
- `dherald` for **Deploy Herald** (release/deploy events).
- `aherald` for **Alert Herald** (monitoring alert routing).
- `scherald` for **Schedule Herald** (cron/scheduled-task notifications).
- `iherald` for **Incident Herald** (incident management).
- `rherald` for **Release Herald** (release lifecycle).
- `cherald` for **Compliance Herald** (audit/compliance events).

3.3 Configuration & credentials

Configuration precedence (12-factor aligned, per R-04):

1. Explicit CLI flag (highest precedence).

2. Shell-exported environment variable (from `.bashrc` / `.zshrc` / k8s env / Docker `-e`).
3. Value from `.env` (fallback only — does NOT override exported shell vars).
4. Compiled default (lowest).

`.env` MUST BE git-ignored. `.env.example` is the documented template, committed. An opt-in `--env-file-override` flag maps to `godotenv.Overload()` for the rare case operators want the file to win (one-off rescues, debugging).

Configuration file layout (`config.toml`, optional, loaded after `.env`):

```toml
[herald]
flavor       = "pherald"
tenant_id    = "00000000-0000-0000-0000-000000000001"  # default
        if multi-tenancy disabled
locale       = "en-US"
diary_root   = ""                                       # blank →
        discover via parent-walk
admin_port   = 24090                                    # /
        livez, /readyz, /metrics, pprof
http_port    = 24091                                    # webhook
        ingress + reply webhooks

[postgres]
dsn          = "${HERALD_POSTGRES_DSN}"                 # env
        interpolation
max_conns    = 20
rls_enforced = true

[redis]
addr         = "${HERALD_REDIS_ADDR}"
acl_user     = "${HERALD_REDIS_USER}"
acl_password = "${HERALD_REDIS_PASSWORD}"

[channels]
# Apprise-style URLs (see §6.1)
default = [
  "tgram://${TELEGRAM_BOT_TOKEN}/${TELEGRAM_CHAT_ID}?
        tags=oncall,prod",
  "slack://${SLACK_TOKEN}/${SLACK_CHANNEL}?tags=oncall",
  "mailto://herald@example.com?tags=audit",
  "diary://?tags=*",  # always log to diary
]

[observability]
otlp_endpoint = "http://otel-collector:4317"
log_level     = "info"
```

3.4 Worker pools, concurrency, and hot-reload

Worker pool sizing. `herald serve` runs three independently-sized worker pools:

Pool	Default size	Configurable	Workload
HTTP ingress	`2 × NumCPU`	`[server].http_workers`	accepts inbound CloudEvents + webhook deliveries; CPU-bound on signature verification + JSON parsing
Router/ dispatch	`4 × NumCPU`	`[router].workers`	template render + preference filter + tag matching; mostly CPU + small Postgres lookups
River channel-delivery	`8 × NumCPU` (capped at `[river].max_workers`, default 64)	`[river].workers`	I/O-bound HTTP calls to channel APIs (Telegram, Slack, …); bottlenecked by upstream rate limits

Operators tune via env vars (`HERALD_HTTP_WORKERS`, `HERALD_ROUTER_WORKERS`, `HERALD_RIVER_WORKERS`) or `config.toml`. Sizing guidance:

- **Single-tenant small** (≤ 1 alert/sec): defaults (~16 workers total on a 2-vCPU host).
- **Multi-tenant production** (~50 alerts/sec sustained): bump `[river].max_workers` to `min(256, 8 × tenants)`; tune `[postgres].max_conns` to `[router].workers + [river].workers + 4` (admin connections reserved).
- **High-burst CI fanout** (~500 alerts/min in 10-sec spikes): rely on River's backpressure rather than over-provisioning workers; River queues durably in Postgres and drains as channels free up.

Hot-reload via SIGHUP. `herald serve` traps `SIGHUP` and re-reads `config.toml` + `.env` + `channel_addresses` (database-backed) without dropping in-flight work. Reload is constrained to **safe-to-change** sections:

Reloadable on SIGHUP	NOT reloadable (require process restart)
`[channels].*` (channel addresses + tags)	`[server].http_port` / admin port
`[router].workers` (resized live)	`[postgres].dsn` (connection identity)
`[river].workers` / `max_workers`	`[redis].addr`
`[observability].log_level`	

Reloadable on SIGHUP	NOT reloadable (require process restart)
	`[observability].otlp_endpoint` (exporter identity)
`[security].allowlists.*`	binary version / migrations
`[rate_limits].*` (token bucket caps)	RLS policy changes (DB-side)

Reload semantics:

1. Compute the diff between in-memory config and freshly-loaded config.
2. Reject if any "NOT reloadable" key changed — log `ERROR config reload rejected: <key> requires restart`; old config remains active.
3. For reloadable keys, apply atomically (worker pools resize via a lockless swap; channel adapters re-initialize against new addresses; rate-limit buckets refresh with new caps; in-flight work continues against the live config snapshot it captured).
4. Emit `digital.vasic.herald.system.config.reloaded` event with the diff for audit.

No hot-reload in one-shot mode: `herald send` reads config once at startup and exits; SIGHUP is ignored.

3.5 Time / clock abstraction

Herald never calls `time.Now()` directly outside of `commons/clock`. The clock abstraction lets tests fast-forward time (essential for quiet-hours, batching windows, retry backoff, idempotency TTLs, escalation chains).

```go
package commons // L0

// Clock is the time-source abstraction. Production uses
        RealClock;
// tests use FakeClock with controllable Now()/After()/NewTimer().
type Clock interface {
    Now() time.Time
    Since(t time.Time) time.Duration
    Sleep(d time.Duration)
    After(d time.Duration) <-chan time.Time
    NewTimer(d time.Duration) Timer
    NewTicker(d time.Duration) Ticker
}

// RealClock wraps the stdlib time package. Used in production.
type RealClock struct{}

// FakeClock is the test implementation. Advance(d) moves the
        clock
// forward by d and fires any pending timers/tickers whose
        deadlines
// the advance crosses. Available in commons/clock/clocktest.
type FakeClock struct {
    // unexported state
```

```
}

// Default exports a process-global Clock — Herald's CLI bootstrap
// sets it to RealClock; tests swap it in TestMain.
var Default Clock = RealClock{}
```

Rationale: this is the same pattern that `github.com/benbjohnson/clock` popularised; `commons/clock` ships a minimal in-tree implementation rather than depending on a third-party module that has no maintainer activity since 2022. The interface surface is intentionally small — only what Herald needs.

Discipline: anyone calling `time.Now()` outside `commons/clock` is a bug — the lint rule `herald-no-direct-time-now` (custom `golangci-lint` analyzer, planned) flags violations.

---

§4. Event model & wire format

4.1 CloudEvents v1.0 as canonical envelope

Herald speaks **CloudEvents v1.0** (CNCF graduated, Jan 2024) natively on every external boundary — ingress, internal transport, audit/diary record. Inside the binary, events are passed as `cloudevents.Event` values from `github.com/cloudevents/sdk-go/v2`.

Required CloudEvents attributes for every Herald event:

Attribute	Source	Example
`specversion`	constant `"1.0"`	`"1.0"`
`id`	UUIDv7 (natural ordering by time)	`"01931a7c-3f4e-7000-9abc-def012345678"`
`source`	URI of the emitter	`"https://ci.example.com/pipelines/4231"`
`type`	reverse-DNS event type	`"digital.vasic.herald.ci.failed"`
`time`	RFC 3339 timestamp	`"2026-05-19T17:30:00Z"`
`datacontenttype`	media type of `data`	`"application/json"`
`subject`	target hint (channel address, tag, route key)	`"tag:oncall,prod"` or `"channel:slack-incidents"`

Two wire modes accepted on HTTP ingress:

- **Structured mode** — single JSON object: `{"specversion":"1.0","id":"…","type":"…","data":{…}}`.
- **Binary mode** — HTTP headers carry attributes (`ce-id`, `ce-type`, `ce-source`, …), body is the raw `data` payload.

Herald-specific extension attributes:

- `heraldtenant` — tenant UUID (overrides default).
- `heralddempotencykey` — explicit dedup key (overrides `id` if present).
- `heraldpriority` — `low` / `normal` / `high` / `urgent` (ntfy-style 1–5 mapping).

4.2 Herald event-type taxonomy

CloudEvents `type` is a reverse-DNS string. Herald's namespace is `digital.vasic.herald.*`.

Subtree	Used by	Examples
`digital.vasic.herald.ci.*`	`bherald`	`.build.queued`, `.build.started`,`.build.s`
`digital.vasic.herald.project.*`	`pherald`	`.task.opened`, `.task.assigned`, `.task.cl`
`digital.vasic.herald.system.*`	`sherald`	`.host.cpu_high`, `.host.disk_full`,`.servi`
`digital.vasic.herald.deploy.*`	`dherald`	`.deploy.started`, `.deploy.succeeded`,`.de`
`digital.vasic.herald.alert.*`	`aherald`	`.alert.firing`, `.alert.resolved`,`.alert`
`digital.vasic.herald.schedule.*`	`scherald`	`.job.started`, `.job.succeeded`, `.job.fai`
`digital.vasic.herald.incident.*`	`iherald`	`.incident.opened`, `.incident.escalated`
`digital.vasic.herald.release.*`	`rherald`	`.release.tagged`, `.release.published`,`.`
`digital.vasic.herald.compliance.*`	`cherald`	`.audit.access`, `.policy.violation`,`.cert`
`digital.vasic.herald.reply.*`	all	`.reply.received`, `.command.parsed`,`.comm`
`digital.vasic.herald.delivery.*`	internal	`.delivery.accepted`, `.delivery.routed`,

4.3 Idempotency keys

Per R-05 + research Topic 4: **at-least-once delivery with deterministic dedup**.

- Every ingress accepts an `Herald-Idempotency-Key` HTTP header (or `heralddempotencykey` CE extension, or CLI flag `--idempotency-key`).
- If absent, Herald falls back to the CloudEvents `id`.
- Dedup is enforced via a Postgres `idempotency_keys` table:

```
CREATE TABLE idempotency_keys (
    tenant_id        UUID  NOT NULL,
    idempotency_key  TEXT  NOT NULL,
    request_hash     BYTEA NOT NULL,            -- SHA-256 of
        canonical request body
    response_id      UUID,                      -- pointer to
        first response
    locked_at        TIMESTAMPTZ NOT NULL DEFAULT now(),
```

```
    expires_at       TIMESTAMPTZ NOT NULL DEFAULT (now() +
        interval '24 hours'),
    PRIMARY KEY (tenant_id, idempotency_key)
) WITH (FILLFACTOR = 80);

ALTER TABLE idempotency_keys ENABLE ROW LEVEL SECURITY;
ALTER TABLE idempotency_keys FORCE ROW LEVEL SECURITY;
CREATE POLICY idem_isolation ON idempotency_keys
    USING (tenant_id = current_setting('app.tenant_id')::uuid);
```

- Dedup `INSERT … ON CONFLICT DO NOTHING` is in the **same transaction** as the channel-fanout enqueue. Stripe-pattern (cite: Brandur's writeup).
- Redis is used as a **fast-path negative cache** (`SET NX EX <ttl>`) in front of Postgres, never as sole authority.
- TTL: 24h for synchronous API replies (matches Stripe); 7d for delivery-side dedup (matches reply-queue retention).
- Replay (same key, same body) returns the cached response; replay (same key, *different* body) returns HTTP 409 Conflict.

---

§5. Architecture overview

5.1 Components

A Herald flavor binary is composed of these in-process components:

1. **Ingress layer** — HTTP server (CloudEvents binding) + CLI command parser. Verifies signatures (§15.5), enforces idempotency (§4.3), and emits a Watermill message.
2. **Watermill router** — central message bus. Channel adapters, evaluators, and middleware (retry, dedup, throttle, trace, meter) are registered as `HandlerFuncs` on a single router.
3. **Channel adapters** — one per supported channel; implement the `Channel` interface (§10).
4. **Subscriber-reply consumers** — per-channel inbound loops (Telegram `getUpdates` long-poll or webhook, Slack Socket Mode / Events API webhook, Email IMAP, Discord gateway, etc.).
5. **Storage layer** — Postgres (durable state, RLS-isolated per tenant) + Redis (rate-limit token buckets, fast-path dedup, transient state).
6. **Queue backend** — Postgres + River as default; NATS JetStream as opt-in for multi-replica fan-out.
7. **Observability layer** — OpenTelemetry SDK (traces + metrics + logs), OTLP exporter, `/metrics` for Prometheus scrape, `/livez` / `/readyz` / `/startupz` probes.

5.2 Internal routing (Watermill)

Per research Topic 2: **Watermill** (`github.com/ThreeDotsLabs/watermill`, ~8.5k stars, v1.4+) is the routing kernel inside `commons_messaging`.

- Each channel adapter (Telegram, Slack, …) is registered on a single `message.Router` as a `HandlerFunc`.

- Cross-cutting concerns (correlation ID, retry, poison-queue, metrics, throttling, tracing) are implemented as **Watermill middlewares** rather than per-channel code — eliminating ~60% of the plumbing the team would otherwise write.
- Pubsub backend is **pluggable**: Postgres adapter (default), NATS adapter (opt-in), in-memory adapter (tests).

5.3 Queue backend (Postgres + River default, NATS opt-in)

Per research Topic 3:

- **Default: Postgres + `riverqueue/river`** — transactional enqueue (jobs only run if the originating tx commits), built-in retries with backoff, uniqueness constraints. Zero new infrastructure since Postgres is already required.
- **`LISTEN/NOTIFY`** wakes consumers sub-millisecond between polls.
- **Opt-in alternative: NATS JetStream** — for deployments needing fan-out across multiple Herald instances, edge sites, or sub-millisecond cross-host latency (~200k–400k msg/s with persistence, built-in KV/Object stores).
- **Kafka is intentionally NOT the default** — overkill for Herald's alert-volume profile (dozens to low-thousands of events/sec per tenant). Document as Watermill-pluggable for operators who already run Kafka.

5.4 Retries & dead-lettering

Per research Topic 5 and AWS arch blog "Exponential Backoff and Jitter":

- **Backoff curve**: **decorrelated jitter** — `sleep = min(cap, random_between(base, prev_sleep * 3))` with `base = 1s`, `cap = 5min`.
- **Max attempts**: 8 per message for transient errors. Empirically: ~30min worst-case retry window, matching what humans expect of an alert system.
- **No retries on 4xx** from upstream channels — `400` / `401` / `403` / `404` from Telegram/Slack/etc. are permanent.
- Implementation: Watermill `Retry` middleware in front of channel handlers.
- **Dead letter sink: Postgres `dead_letters` table** (NOT a Redis list — operators need to query, triage, replay):

```
CREATE TABLE dead_letters (
    id                UUID PRIMARY KEY DEFAULT uuidv7(),
    tenant_id         UUID NOT NULL,
    original_event_id UUID NOT NULL,
    channel           TEXT NOT NULL,
    attempt_count     INTEGER NOT NULL,
    last_error        TEXT,
    payload_jsonb     JSONB NOT NULL,
    created_at        TIMESTAMPTZ NOT NULL DEFAULT now(),
    triaged_at        TIMESTAMPTZ,
    triage_status     TEXT  -- new | acknowledged | replayed |
        discarded
);
ALTER TABLE dead_letters ENABLE ROW LEVEL SECURITY;
ALTER TABLE dead_letters FORCE ROW LEVEL SECURITY;
```

```
CREATE POLICY dl_isolation ON dead_letters
    USING (tenant_id = current_setting('app.tenant_id')::uuid);
```

- Every entry into `dead_letters` also emits a `digital.vasic.herald.delivery.dead_lettered` CloudEvent — Herald observes its own failures.
- CLI: `<flavor>herald deadletter list | replay <id> | purge`.

5.4.1 Outbound idempotency (channel-side composition)

The §4.3 idempotency table guards **ingress**: same event id arriving twice produces one logical delivery. It does NOT, however, guard against the case where Herald has already called `Channel.Send` once and the call's *response* was lost (network blip, container OOM, channel-API timeout). Under at-least-once semantics, the retry layer (§5.4) WILL re-call `Channel.Send` — and a naive channel adapter would re-post the message, producing visible duplicates.

Resolution: every `Channel.Send` invocation MUST pass an **outbound-idempotency key** derived deterministically from `(tenant_id, EventID, ChannelID, ChannelAddressID)`. Adapters that support upstream idempotency (Slack `idempotency_key` extension, Stripe-style `Idempotency-Key` header on REST channels, Email `Message-ID` header) MUST forward this key. Adapters whose upstream does NOT support idempotency (raw SMTP, Telegram Bot API, Discord) MUST consult a Postgres `outbound_dedup` table inside the same River job transaction:

```
CREATE TABLE outbound_dedup (
    tenant_id           UUID NOT NULL,
    outbound_key        TEXT NOT NULL,                -- "<event_id>:<channel>:<channel_address_id>"
    sent_at             TIMESTAMPTZ NOT NULL DEFAULT now(),
    channel_msg_id      TEXT,                         -- adapter's Receipt.ChannelMsgID
    expires_at          TIMESTAMPTZ NOT NULL DEFAULT (now() + interval '24 hours'),
    PRIMARY KEY (tenant_id, outbound_key)
);
ALTER TABLE outbound_dedup ENABLE ROW LEVEL SECURITY;
ALTER TABLE outbound_dedup FORCE ROW LEVEL SECURITY;
CREATE POLICY od_isolation ON outbound_dedup
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id = current_setting('app.tenant_id')::uuid);
```

The adapter wraps each send in: `INSERT ... ON CONFLICT DO NOTHING; if row already existed, return cached Receipt without re-calling upstream`. The window is short (24h) because we only need to cover the retry-storm window — far shorter than ingress idempotency.

5.5 Webhook ingestion

Per R-16 + research Topic 8. Every webhook source registers a per-source signing secret (rotatable) in the `webhook_sources` table.

The ingress handler enforces, in order:

1. **HMAC-SHA256 signature verification** with `crypto/hmac.Equal` (constant-time) against the source-configured header:
   - GitHub: `X-Hub-Signature-256`
   - Stripe: `Stripe-Signature` (sign `timestamp.payload`)
   - Generic CloudEvents source: `Webhook-Signature`
2. **Timestamp window** ≤ 5 min vs. server clock (replay protection).
3. **Delivery-ID dedup** via the idempotency table (GitHub's `X-GitHub-Delivery`, Stripe's event `id`).
4. **Optional IP allowlist** as L4 defense-in-depth.

Verified payloads are normalized into a CloudEvent and handed to the Watermill router.

`webhook_sources` schema:

```
CREATE TABLE webhook_sources (
    id              UUID PRIMARY KEY DEFAULT uuidv7(),
    tenant_id       UUID NOT NULL,
    name            TEXT NOT NULL,                  -- "github-
        push-prod", "stripe-webhook", ...
    signature_kind  TEXT NOT NULL,                  -- 'hmac-
        sha256' | 'stripe' | 'telegram-secret-token' | 'dkim' |
        'none'
    signature_header TEXT NOT NULL,                 -- 'X-Hub-
        Signature-256', 'Stripe-Signature', ...
    secret_encrypted BYTEA NOT NULL,                -- pgcrypto
        pgp_sym_encrypt
    secret_rotated_at TIMESTAMPTZ NOT NULL DEFAULT now(),
    ip_allowlist    INET[],                         -- optional
        L4 defense-in-depth
    replay_window_s INTEGER NOT NULL DEFAULT 300,   -- 5 min
    enabled         BOOLEAN NOT NULL DEFAULT true,
    created_at      TIMESTAMPTZ NOT NULL DEFAULT now(),
    UNIQUE (tenant_id, name)
);
CREATE INDEX webhook_sources_tenant_idx ON webhook_sources
        (tenant_id) WHERE enabled = true;
ALTER TABLE webhook_sources ENABLE ROW LEVEL SECURITY;
ALTER TABLE webhook_sources FORCE ROW LEVEL SECURITY;
CREATE POLICY ws_isolation ON webhook_sources
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id =
        current_setting('app.tenant_id')::uuid);
```

Secrets are rotatable: `<flavor>herald webhook rotate <name>` generates a new secret, returns it once, and starts accepting the new signature while continuing to accept the old one for `replay_window_s × 4` (default 20 min) to drain in-flight deliveries.

Dev / behind-NAT support: `smee.io` and `gh webhook forward` are documented as supported proxy paths.

5.6 Orchestration of long-running operations (Temporal, opt-in)

Per research Topic 7:

- **Default routing** — Watermill handlers + River jobs cover the vast majority of fan-out cases.
- **Temporal sidecar (opt-in)** — required for operations that genuinely need durable state across hours/days, deterministic replay, and human-friendly timeline UIs:
  - **Incident escalation chains** (page A → wait 5min → escalate to B → wait 10min → page C). Used by `iherald`.
  - **Scheduled digest builders** with human-in-the-loop acknowledgment.
  - **Multi-channel orchestrated rollouts** (used by `dherald` / `rherald`).
- Temporal is explicitly **not** the default — its operational footprint (separate cluster, gRPC, server upgrades) violates Herald's "lightweight CLI" ethos.

5.7 Ingress API URLs (HTTP surface)

Herald's HTTP ingress (port `24091` default per §9.4) exposes a small, stable URL surface. All paths under `/v1/` are public; everything under `/admin/` is admin-port only (port `24090`).

Method	Path	Purpose
`POST`	`/v1/events`	Canonical CloudEvents ingest (binary + structured modes). Body MUST be a CloudEvent per §4.1.
`POST`	`/v1/send`	Convenience REST ingest for ad-hoc senders that don't speak CloudEvents — JSON body `{type, source, data, tags?, idempotency_key?, priority?}` is wrapped into a CloudEvent server-side.
`POST`	`/webhooks/{source_id}`	Verified webhook receiver — `source_id` is a UUID matching `webhook_sources.id`; the handler enforces §5.5 signature + replay + dedup before forwarding.
`GET`	`/v1/events/{id}`	Idempotent replay of a previously-accepted event (returns 200 with cached response if id matches, 409 if id matches but body differs).
`GET`	`/v1/deadletters`	List dead-lettered messages (RLS-isolated to caller's tenant).
`POST`	`/v1/deadletters/{id}/replay`	Replay a dead-lettered message.
`GET`	`/v1/subscribers` / `POST /v1/subscribers`	Subscriber CRUD (operator role required).
`POST`	`/v1/subscribers/{id}/forget`	GDPR right-to-erasure (§16.1).
`GET`		GDPR right-to-portability — emits JSON bundle.

Method	Path	Purpose
	`/v1/subscribers/{id}/export`	
`GET`	`/v1/channels`	List configured channel addresses for the caller's tenant.
`GET`	`/livez`	Liveness probe (admin port — §17.5).
`GET`	`/readyz`	Readiness probe (admin port).
`GET`	`/startupz`	Startup probe (admin port).
`GET`	`/metrics`	Prometheus scrape (admin port).
`GET`	`/admin/version`	Build info (commit SHA, build time, Go version).
`GET`	`/admin/pprof/*`	Go runtime profiling (admin port; loopback-only by default; opt-in `[admin].pprof_external=true`).

Auth model:

- `/v1/events` and `/v1/send` accept either (a) HTTP Basic auth with a per-tenant `ingest_token` from the `tenants` table, or (b) signed bearer token in `Authorization: Bearer <jwt>` (Herald validates against JWKS configured in `[auth.oidc]`). Self-hosted operators MAY enable mTLS via a reverse proxy.
- `/webhooks/{source_id}` does its own signature verification (§5.5) — no token required at the HTTP layer.
- `/v1/subscribers*` requires a JWT with operator-role claim.
- Admin endpoints listen only on the admin port (default loopback or trusted-network only).

Versioning: the `/v1/` prefix is the stable contract; breaking changes ship as `/v2/` with at least 6 months of `/v1/` co-existence. The OpenAPI schema (`docs/api/openapi.v1.yaml`) is the source of truth — `<flavor>herald openapi` prints the embedded spec.

Rate limits: per-tenant token bucket (§16, default 1000 req/min per tenant on `/v1/events`); per-IP secondary bucket for unauthenticated webhook receivers (default 60 req/min/IP).

---

§6. Channel addressing & routing

6.1 URL-scheme channel addresses (Apprise-style)

Per research Topic 1 (notification-platforms): adopt Apprise's URL-scheme channel model. Each destination is a single string that fully captures credentials + endpoint + targeting:

```
tgram://<bot_token>/<chat_id>?tags=oncall,prod
slack://<token_a>/<token_b>/<token_c>/<channel>?tags=oncall
max://<bot_token>/<chat_id>?tags=ru,prod
mailto://<user>:<pass>@<smtp_host>:<port>?
```

```
tags=audit&from=herald@example.com
discord://<webhook_id>/<webhook_token>?tags=community
teams://<incoming_webhook_path>?tags=corp
lark://<app_id>:<app_secret>@<chat_id>?tags=apac
ntfy://<server>/<topic>?priority=high&tags=mobile
gotify://<token>@<server>?priority=5
webhook://<endpoint_url>?secret=<hmac_secret>&format=cloudevent
diary://?tags=*&format=markdown
```

This URL form maps 1:1 to a row in Postgres `channel_addresses` and lets credentials be `.env`-interpolated at config-load time so the URLs themselves stay git-safe in committed `config.toml`.

6.2 Tag-based fan-out

Per Apprise's tag model: every channel address is annotated with one or more **tags**. Senders address tags, not specific channels:

- **OR-union by default**: `--tags=oncall,prod` matches any channel tagged `oncall` OR `prod`.
- **AND-intersection** when explicitly comma-joined inside a single argument: `--tags=oncall+prod` matches channels tagged `oncall` AND `prod`.
- Tag `*` is the wildcard (matches every channel).
- Tag `!oncall` means "exclude oncall" (intersect with negation).

Tag→channel mapping lives in the `channel_addresses` table; senders never reference channel addresses directly. This decouples sender code from topology — the same event can fan out to a different mix of channels per environment without code change.

`channel_addresses` schema:

```
CREATE TABLE channel_addresses (
    id              UUID PRIMARY KEY DEFAULT uuidv7(),
    tenant_id       UUID NOT NULL,
    channel         TEXT NOT NULL,                  -- "tgram",
        "slack", "mailto", ...
    address_url     TEXT NOT NULL,                  -- "tgram://$
        {BOT_TOKEN}/${CHAT_ID}?…" (env-interpolated at load time)
    tags            TEXT[] NOT NULL DEFAULT '{}',   --
        ['oncall','prod']
    priority_floor  INTEGER NOT NULL DEFAULT 1,
        -- ntfy 1..5; messages below floor are dropped for this
        address
    enabled         BOOLEAN NOT NULL DEFAULT true,
    last_health_at  TIMESTAMPTZ,
    last_health_ok  BOOLEAN,
    last_health_err TEXT,
    created_at      TIMESTAMPTZ NOT NULL DEFAULT now(),
    UNIQUE (tenant_id, address_url)
);
CREATE INDEX ch_addr_tags_idx ON channel_addresses USING gin
        (tags) WHERE enabled = true;
```

```
CREATE INDEX ch_addr_tenant_idx ON channel_addresses (tenant_id,
        channel) WHERE enabled = true;
ALTER TABLE channel_addresses ENABLE ROW LEVEL SECURITY;
ALTER TABLE channel_addresses FORCE ROW LEVEL SECURITY;
CREATE POLICY ca_isolation ON channel_addresses
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id =
        current_setting('app.tenant_id')::uuid);
```

The `address_url` MAY contain `${ENV_VAR}` placeholders that are interpolated at config load time (so secrets stay out of the row body — only the placeholder is persisted; secrets remain in `.env` / shell env).

6.3 HeraldBranding (per-flavor visual identity)

Per Apprise's `AppriseAsset`: a `HeraldBranding` struct injected per-flavor:

```
type Branding struct {
    AppName       string  // "Project Herald"
    BinaryName    string  // "pherald"
    IconURL       string  // for rich embeds
    AccentColorHex string // "#2C7BE5"
    DefaultFooter string  // "Sent by pherald 1.0 · github.com/
        vasic-digital/Herald"
}
```

Channel adapters consult `Branding` when rendering rich messages (Slack Block Kit headers, Discord embed `author`, Adaptive Card `Container` accent color, Email From-name).

---

§7. Subscriber model

7.1 Identity & reconciliation (per-channel-id + operator alias)

Per R-07 + research Topic 3 (notification-platforms): the **matterbridge model** is the default — per-channel-id is the source of truth. A subscriber on Telegram is identified by `(channel:"tgram", chat_id:"42"); the same human on Slack is` (channel:"slack", user_id:"U0123")`; these are **separate entries** unless explicitly linked.

Schema:

```
CREATE TABLE subscribers (
    id           UUID PRIMARY KEY DEFAULT uuidv7(),
    tenant_id    UUID NOT NULL,
    handle       TEXT,                              -- operator-
        assigned, e.g. "alice"
    display_name TEXT,
    locale       TEXT DEFAULT 'en-US',
    timezone     TEXT DEFAULT 'UTC',
```

```
    roles        TEXT[] NOT NULL DEFAULT '{}',      -- e.g.
        ['operator','reader','ic']
    metadata     JSONB NOT NULL DEFAULT '{}'::jsonb,
    created_at   TIMESTAMPTZ NOT NULL DEFAULT now(),
    UNIQUE (tenant_id, handle)                      -- handle is
        unique within a tenant
);
CREATE INDEX subscribers_tenant_idx ON subscribers (tenant_id);
ALTER TABLE subscribers ENABLE ROW LEVEL SECURITY;
ALTER TABLE subscribers FORCE ROW LEVEL SECURITY;
CREATE POLICY sub_isolation ON subscribers
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id =
        current_setting('app.tenant_id')::uuid);

CREATE TABLE subscriber_aliases (
    subscriber_id   UUID NOT NULL REFERENCES subscribers(id) ON
        DELETE CASCADE,
    channel         TEXT NOT NULL,
    channel_user_id TEXT NOT NULL,
    verified_at     TIMESTAMPTZ,                    -- self-claim
        verification time
    last_seen_at    TIMESTAMPTZ,
    UNIQUE (channel, channel_user_id)
);
CREATE INDEX subscriber_aliases_sub_idx ON subscriber_aliases
        (subscriber_id);
```

Linking flows:

- **Operator-mapped** (default): operator runs `pherald subscriber link --handle alice --tgram 42 --slack U0123`.
- **Self-claim** (opt-in per tenant): subscriber DMs a one-time token to the bot on each channel; the bot calls `pherald subscriber verify <token>` to record the alias.
- **Never inferred** — Herald does not guess identity across channels.

7.2 Preferences (Knock-style PreferenceSet)

Per research Topic 2 (notification-platforms): a Knock-inspired `PreferenceSet` JSON per subscriber:

```
{
  "categories": {
    "incidents":    { "channels": ["slack","tgram","email"],
"muted": false },
    "deploys":      { "channels": ["slack"], "muted": false },
    "daily_digest": { "channels": ["email"], "muted": false }
  },
  "workflows": {
    "digital.vasic.herald.alert.firing":   { "muted": false,
"channels": ["tgram","slack"] },
    "digital.vasic.herald.alert.resolved": { "muted": true }
  },
```

```
  "quiet_hours": { "tz": "Europe/Belgrade", "start": "22:00",
"end": "07:00", "exempt_categories": ["incidents"] },
  "channel_data": {
    "tgram": { "chat_id": "42", "thread_id": null },
    "slack": { "user_id": "U0123", "im_channel": "D098" }
  }
}
```

- The router consults `PreferenceSet` before dispatching: if `muted` for the workflow/category, drop (and log to diary as "filtered"); otherwise restrict to listed channels and respect quiet hours.
- `channel_data` carries provider-specific routing keys that don't fit the generic alias model (Slack im_channel for DMs, Telegram thread_id for forum-topic posts).

7.3 Quiet hours & throttling

- **Quiet hours** — TZ-aware window per subscriber; exempt categories override.
- **Throttling** — per-`(tenant, subscriber, category)` token bucket in Redis (`herald:t:<id>:rl:<sub>:<cat>` with `INCR`+`EXPIRE`); default cap configurable per tenant.
- **Batching** — per category, optional `batch_window` (e.g. 5min); events within the window collapse into a single digest message. Implementation: River job scheduled `batch_window` after the first event arrives.

7.4 Locale (i18n)

Per research Topic 6 (notification-platforms): **`nicksnyder/go-i18n` v2** with CLDR plural rules.

- One `Bundle` loaded at process start from `commons_messaging/locales/*.toml`.
- One `Localizer` per outgoing message, constructed from the subscriber's stored `locale` field (BCP-47 tag).
- Per-channel templates can override (emoji-heavy Telegram template vs sober email template, both for the same locale).
- Initial locales for V2: `en-US`, `sr-Latn-RS`, `ru-RU`. Additional locales as community contributes them.

7.5 AI-agent subscribers (distinct from human subscribers)

Herald is explicitly a target for AI CLI agent invocation (per §3.2). Agents are a fundamentally different kind of subscriber from humans: they invoke far more frequently, they don't sleep, they don't have quiet hours, and their failure modes (runaway loop, infinite retry, prompt-injection-driven misuse) need stronger throttling. V2 models them as a first-class subscriber kind.

Schema extension to `subscribers`:

- `kind` column (enum: `human` | `agent` | `service`). Default `human`. Indexes added on `(tenant_id, kind)`.

- `agent` rows MUST carry a `metadata.agent_token_id` pointing at a row in `agent_tokens` (separate table, encrypted), used as the auth credential when the agent calls `/v1/send`.
- `agent` rows MUST carry `metadata.parent_subscriber_id` (the human operator who created the agent) so audit + GDPR right-to-erasure cascades correctly.

```
CREATE TABLE agent_tokens (
    id               UUID PRIMARY KEY DEFAULT uuidv7(),
    tenant_id        UUID NOT NULL,
    subscriber_id    UUID NOT NULL REFERENCES subscribers(id) ON
        DELETE CASCADE,
    token_hash       BYTEA NOT NULL,                  -- argon2id
        of the bearer token
    name             TEXT NOT NULL,                   -- "claude-
        code-laptop", "build-bot-prod"
    created_at       TIMESTAMPTZ NOT NULL DEFAULT now(),
    last_used_at     TIMESTAMPTZ,
    expires_at       TIMESTAMPTZ,                     -- nullable
        = no expiry
    revoked_at       TIMESTAMPTZ,
    rate_limit_per_min INTEGER NOT NULL DEFAULT 60,   -- default
        60 req/min per token
    UNIQUE (tenant_id, name)
);
ALTER TABLE agent_tokens ENABLE ROW LEVEL SECURITY;
ALTER TABLE agent_tokens FORCE ROW LEVEL SECURITY;
CREATE POLICY at_isolation ON agent_tokens
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id =
        current_setting('app.tenant_id')::uuid);
```

Default throttling (operator-overridable per token):

Limit	Default	Burst	Notes
`/v1/send` requests	60 req/min/token	10	per the rate_limit_per_min column
`/v1/events` requests	30 req/min/token	5	tighter because CloudEvents body is unbounded
Outbound deliveries per token per min	120	20	a single agent CAN'T flood a tenant's channels
Quarantine threshold	3 consecutive rejected sends → token disabled for 30 min	—	auto-cool-down to prevent prompt-injection loops

Audit + observability: every agent send emits a span with `herald.subscriber.kind="agent"` and `herald.agent.token_id`; dashboards split agent vs human traffic by default. The `cherald` flavor (per §18.10) flags suspicious agent patterns (sudden volume spike, off-hours bursts) as compliance events.

Quiet hours: ignored for `kind=agent` by default — agents are expected to send during off-hours. Operator MAY opt-in to per-token quiet hours via `agent_tokens.metadata.quiet_hours`.

Revocation: `<flavor>herald subscriber agent-token revoke <name>` zeroes the row's `revoked_at` and invalidates the token immediately (Redis cache TTL 30 s for token validity).

---

§8. Workable-item naming prefix

8.1 Static prefix `HRD-`

For all opened workable items for the Herald project (Issues, Issues_Summary, Fixed, Fixed_Summary, Status, Status_Summary, etc.) use the prefix `HRD`. Examples: `HRD-001`, `HRD-002`. Strict zero-padded sequence within each docset.

8.2 Derived 3-letter prefix algorithm

Per R-17 — when a consuming project does NOT define its own workable-item prefix, Herald derives a deterministic 3-letter prefix from the project name. Implementation lives in `commons/prefix`.

Algorithm (~80 LOC):

1. **Normalize**: Unicode NFKD → strip diacritics → retain `[A-Za-z0-9]` → split on CamelCase boundaries and `[-_ /]` into tokens.
2. **Rule A (≥3 tokens)**: first letter of each of the first three tokens. `HeraldRouterCore` → `HRC`.
3. **Rule B (2 tokens)**: first letter of token 1; first letter of token 2; first internal consonant of token 2. `HeraldRouter` → `HRT`; `HeraldRunner` → `HRN`.
4. **Rule C (1 token)**: first letter, first internal consonant, last consonant. `Herald` → `HRD`.
5. Uppercase.
6. **Collision resolution**: maintain committed `.herald/prefix.lock` (TOML `name → prefix`). On collision with a *different* project, compute `fnv1a32(name) mod 26` and replace the third letter with `'A' + (h mod 26)`; iterate up to 26 times, then fall back to numeric suffix `HR0`…`HR9`.
7. **Persistence**: the lock file is committed so the mapping is stable across machines and regenerations.

No mature Go library exists for 3-letter abbreviation generation (the only Go prior art `Defacto2/releaser/initialism` is a curated lookup table, not a generator); Herald ships its own.

8.3 Workable-item lifecycle (`HRD-NNN` flow)

A workable item moves through this lifecycle across `pherald`'s subscriber-command handlers and the `docs/` tracker files (per Universal §11.4.12 + §11.4.53):


Subscriber DM to pherald
e.g. "Bug: telemetry pipe drops every hour"
(security validation §15; allowlist verified)
Command parsed (§15.3)
parser identifies "Bug:" → opens new item
Item allocation
• prefix = "HRD-" (or derived 3-letter via §8.2)
• next sequence number from `workable_items` table
• full id = "HRD-042"
Append row to `docs/Issues.md`
| HRD-042 | Bug | open | <subscriber>
| | <date>| <one-line summary>
(per §11.4.12 Issues format)
Emit `digital.vasic.herald.project.task.opened` event with the new HRD-NNN id
Diary append (§19)
ACK back to the subscriber on the original channel (reply in-thread) — "Tracked as HRD-042."
: ... time passes, subscriber sends commands ...
Resolution: "Done: HRD-042" or "Resolve: HRD-042" (operator role required)
→ mark `Issues.md` row as resolved
→ atomic migration to `Fixed.md` (per §11.4.19)
→ emit `…project.task.closed`

```
│  → ACK in original thread                                    │
└──────────────────────────────────────────────────────────────┘
```

`workable_items` schema (lightweight pointer table — the canonical record lives in the Markdown files for human edit-ability per Universal §6):

```
CREATE TABLE workable_items (
    tenant_id    UUID NOT NULL,
    item_id      TEXT NOT NULL,                    -- "HRD-042"
    prefix       TEXT NOT NULL,                    -- "HRD"
    sequence     INTEGER NOT NULL,                 -- 42
    item_type    TEXT NOT NULL,                    -- 'bug' |
        'issue' | 'query' | 'request' | 'question'
    status       TEXT NOT NULL,                    -- 'open' |
        'in_progress' | 'blocked' | 'resolved' | 'wont_fix'
    opened_by    UUID,                             -- subscriber
        id
    opened_at    TIMESTAMPTZ NOT NULL DEFAULT now(),
    resolved_at  TIMESTAMPTZ,
    source_thread JSONB,                           --
        ConversationRef serialised
    PRIMARY KEY (tenant_id, item_id),
    UNIQUE (tenant_id, prefix, sequence)
);
CREATE INDEX wi_status_idx ON workable_items (tenant_id, status)
        WHERE status <> 'resolved';
ALTER TABLE workable_items ENABLE ROW LEVEL SECURITY;
ALTER TABLE workable_items FORCE ROW LEVEL SECURITY;
CREATE POLICY wi_isolation ON workable_items
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id =
        current_setting('app.tenant_id')::uuid);
```

Sequence allocation: a per-tenant Postgres advisory lock around `MAX(sequence) + 1` inside the transaction; safe under concurrent `Bug:` commands. For high-volume tenants, a per-prefix sequence is preallocated in batches (default batch size 100) cached in Redis to avoid contention.

Reopening: `Reopen: HRD-042` (operator role) reverses the migration: row moves back to `Issues.md`, `status='in_progress'`, `resolved_at` cleared, history preserved in `docs/Reopens/HRD-042.md` per Universal §11.4.55.

---

§9. Technology stack

9.1 Go (single-binary, multi-flavor)

Herald and all flavors MUST BE written in **Go**.

Toolchain pin: Go **≥ 1.22** is mandatory (stdlib `log/slog`, OTel `slog` bridge, `slices` + `maps` generics). The repo's `go.mod` files declare `go 1.22` and set `toolchain go1.22.x` to the current patch release. Bumps to ≥ 1.23 are allowed when CI proves no regression; the `commons` module is the authoritative version (every flavor MUST follow).

License: Herald is published under the terms in `LICENSE` (parent project's chosen license). All `go.mod` files MUST declare the same license via a top-level comment, and every `LICENSE` file in vendored submodules MUST remain present. License compliance is checked by the planned `cherald` flavor (per §18.10) on every CI run when configured.

Layout (per R-18, research Topic 5):

```
Herald/
├── go.work                 # local dev only, .gitignored
├── commons/      go.mod    # module github.com/vasic-digital/
herald/commons
├── pherald/      go.mod    # module github.com/vasic-digital/
herald/pherald → cmd/pherald
├── sherald/      go.mod    # module github.com/vasic-digital/
herald/sherald → cmd/sherald
├── bherald/      go.mod    # ... etc
├── .goreleaser.yaml        # one config, builds all flavors
└── docs/, tests/, …
```

Each flavor's `go.mod` declares `require github.com/vasic-digital/herald/commons vX.Y.Z`. **Lockstep release**: one git tag triggers GoReleaser to build all flavors and tag `commons/vX.Y.Z`. Use release-please in `manifest` mode to bump from Conventional Commits. `go.work` is git-ignored so CI catches forgotten bumps.

9.2 Postgres + Row-Level Security

Postgres is the main database, deployed via the `containers` submodule. Schema highlights:

- Every business table carries `tenant_id UUID NOT NULL`; composite indexes `(tenant_id, …)`.
- `FORCE ROW LEVEL SECURITY` enabled on every multi-tenant table.
- Runtime role: `herald_app` (no `BYPASSRLS`). Migration role: `herald_migrator` (`BYPASSRLS`).
- `SET LOCAL app.tenant_id = '<uuid>'` at the start of every transaction.
- UUIDv7 (`uuidv7()` function) for time-ordered primary keys.

9.3 Redis (per-tenant ACL)

Redis is the in-memory store, deployed via `containers` submodule.

- **Per-tenant ACL user**: `redis-cli ACL SETUSER tenant_<id> on >pwd ~t:<id>:* +@read +@write ….`
- **Key prefixing**: `t:<tenant_id>:…` on every key.
- Usage: rate-limit token buckets, fast-path idempotency-cache, transient deduplication, hot subscriber lookups.

9.4 Container ports (`24XXX`)

Per R-01: all Container host ports start with **`24XXX`** prefix (1024–49151 IANA User Ports, below the Linux ephemeral floor at 32768, above all common service defaults — Postgres 5432, Redis 6379, web 3000/5000/8000/8080/9000).

Reserved sub-blocks:

Range	Purpose
`24000–24099`	flavor app data ports (one per flavor instance)
`24090–24099`	flavor admin ports (`/livez`, `/readyz`, `/metrics`, pprof)
`24100–24199`	Postgres instances (default 24100)
`24200–24299`	Redis instances (default 24200)
`24300–24399`	NATS JetStream (when enabled)
`24400–24499`	OpenTelemetry Collector (default OTLP gRPC 24417, HTTP 24418)
`24500–24599`	Prometheus / Grafana (when self-hosted alongside)
`24600–24699`	Temporal (when enabled)
`24700–24999`	reserved for future / per-tenant

9.5 `containers` submodule

The full Docker/Podman Compose stack is provided by `vasic-digital/containers` as a Git submodule (per R-12, the owned-submodule set in `HERALD_CONSTITUTION.md` will be updated in the PR that introduces the submodule). All container names MUST start with prefix `herald`.

9.6 Database migration tooling

Herald uses `golang-migrate/migrate` (the de-facto standard Go migration tool) embedded as a library inside `commons_storage`. Rationale: `golang-migrate` is binary-distributable AND embeddable, supports up/down, file checksums (drift detection), `schema_migrations` table version locking, and ships idempotent migrations.

File layout (`commons_storage/migrations/`):

```
commons_storage/migrations/
├── 000001_init_core.up.sql        # tenants, roles, encryption
keys
├── 000001_init_core.down.sql
```

```
├── 000002_idempotency_keys.up.sql
├── 000002_idempotency_keys.down.sql
├── 000003_subscribers.up.sql      # subscribers +
subscriber_aliases (§7.1)
├── 000003_subscribers.down.sql
├── 000004_channel_addresses.up.sql       # §6
├── 000004_channel_addresses.down.sql
├── 000005_webhook_sources.up.sql         # §5.5
├── 000005_webhook_sources.down.sql
├── 000006_thread_refs.up.sql             # §12
├── 000006_thread_refs.down.sql
├── 000007_quarantined_messages.up.sql    # §15.2
├── 000007_quarantined_messages.down.sql
├── 000008_dead_letters.up.sql            # §5.4
├── 000008_dead_letters.down.sql
├── 000009_email_suppressions.up.sql      # §11.9
├── 000009_email_suppressions.down.sql
├── 000010_river_jobs.up.sql              # River queue schema
(managed by river/cmd/river)
├── 000010_river_jobs.down.sql
└── 000011_rls_policies.up.sql            # FORCE RLS on every
multi-tenant table
```

Numbering: zero-padded 6-digit sequence (`000001..000999` reserved for V2 baseline; `001000..` reserved for V3+). Down migrations MUST exist for every up migration so `<flavor>herald migrate down -n 1` is always safe.

Runtime contract:

- `<flavor>herald migrate up [--steps N]` — apply pending migrations forward.
- `<flavor>herald migrate down --steps N` — rollback N migrations (gated behind interactive confirmation unless `--yes`).
- `<flavor>herald migrate status` — show current version + pending count.
- `<flavor>herald migrate force <version>` — recovery only; sets the version without running migrations (operator MUST verify manually).
- `<flavor>herald migrate validate` — checksum every applied migration against the source files; fails if drift detected.

Roles (per §16):

- `herald_migrator` — `BYPASSRLS`, owns schema, runs DDL. Only used by `migrate` subcommand.
- `herald_app` — runtime role; cannot run DDL.

Forward compatibility (per §26.3): migrations MUST be backward-compatible for **two minor versions** so rolling restarts during a deploy don't break the running fleet. Practical patterns: add nullable columns first, backfill, then add NOT NULL; never drop a column the previous binary version still reads; never rename a column — add the new one, dual-write, then drop the old in a later release.

---

§10. Commons (architecture layers)

Per the layering principle in V1: `commons -> commons level 1 -> … -> commons level N -> Flavor`. V2 names the layers concretely:

Layer	Module	Owns
L0	`commons`	CloudEvents envelope, `Channel` interface, `Branding`, error types, time/uuid helpers
L1	`commons_messaging`	Watermill router, retry/throttle/dedup middlewares, channel adapters (Telegram, Slack, …), templating, i18n
L1	`commons_storage`	Postgres connection + RLS middleware, River queue setup, Redis client + tenant ACL, migrations
L1	`commons_security`	HMAC verifiers (Slack/GitHub/Telegram/ generic), DKIM/SPF/DMARC helpers, allowlist evaluator, command parser
L1	`commons_observability`	OTel setup, span helpers, metrics registration, log handler wiring (`slog` + `otelslog`)
L1	`commons_prefix`	3-letter prefix algorithm (§8.2)
L1	`commons_diary`	append + export + sync (§19)
L2	`commons_workflows`	Temporal workflow scaffolding (escalation chains, digest builders) — opt-in
Flavor	`pherald`, `sherald`, …	Per-flavor commands, event-type handlers, flavor-specific subscriber commands

Rule of thumb (carry from V1): put new shared code in the **lowest layer that still makes sense**; flavors inherit upward.

---

§11. Channels — per-channel capabilities matrix

11.0 Channel adapter contract (Go interface + value types)

Each channel adapter implements the `Channel` interface defined in `commons` (L0). The full contract:

```
package commons // L0

import "context"

// Channel is the interface every channel adapter implements.
type Channel interface {
    Name()
        string                                                    //
        "tgram", "slack", ...
```

```
    Capabilities()
        Capabilities                                          //
        declarative feature flags
    Send(ctx context.Context, msg OutboundMessage) (Receipt,
        error)
    Subscribe(ctx context.Context, h InboundHandler)
        error              // long-running; called by `serve`
    HealthCheck(ctx context.Context) error
}

// Capabilities advertises what an adapter supports at runtime.
// Routers consult Capabilities before dispatching; mismatches are
        logged
// and the message is dropped or downgraded (per the adapter's
        choice).
type Capabilities struct {
    Text             bool
    Markdown         bool   // adapter's native markdown flavor
        (Slack mrkdwn, Telegram MarkdownV2, etc.)
    HTML             bool
    Attachments      bool
    AttachmentMaxMiB int
    Threads          bool   // first-class reply threading
    InteractiveURL   bool   // URL buttons / link actions
    InteractiveCall  bool   // callback handlers (advanced tier)
    DeliveryCeiling  DeliveryEvidence // see §17 / R-05
}

// DeliveryEvidence enumerates the strongest reachable signal per
        channel.
type DeliveryEvidence int

const (
    DeliveryUnknown   DeliveryEvidence = iota
    DeliveryAccepted                   // hop-by-hop ack (SMTP
        250)
    DeliveryRouted                     // platform stored &
        broadcast (Telegram/Slack API ok)
    DeliveryDelivered                  // recipient transport
        confirmed (Email DSN, WA delivered receipt)
    DeliveryRead                       // recipient read (Email
        MDN, Telegram Business read marker)
)

// OutboundMessage is the value passed to Channel.Send.
type OutboundMessage struct {
    EventID         string             // CloudEvents id (§4)
    IdempotencyKey  string             // explicit; falls back to
        EventID
    TenantID        string
    To
        []Recipient        // resolved from subscriber preferences
        + tag fan-out
    Subject         string             // optional (Email, RSS-
        like channels)
```

```
    Body            Body              // rendered per-channel
        template output
    Attachments     []Attachment
    Thread          *ConversationRef   // optional; per §12
    Priority        Priority          // ntfy-compatible 1..5
    Actions         []Action          // optional interactive
        buttons
    Branding        Branding          // per-flavor (§6.3)
    Trace           TraceContext      // OTel propagation
}

// Body carries one or more rendered representations; adapter
        picks the best
// match for its Capabilities (e.g., HTML for email, Markdown for
        Telegram,
// Block-Kit JSON for Slack).
type Body struct {
    Plain    string
    Markdown string
    HTML     string
    Native   map[string]any          // adapter-specific (Slack
        blocks, Adaptive Card JSON, ...)
}

// Attachment is a single attached file.
type Attachment struct {
    Filename  string
    MIMEType  string
    SizeBytes int64
    Reader    func() (io.ReadCloser, error) // lazy open so the
        adapter streams without buffering
    CID       string                        // optional inline-
        image Content-ID (Email)
}

// Recipient is a resolved (channel, channel_user_id) pair.
type Recipient struct {
    Channel       string  // "tgram", "slack", "mailto", ...
    ChannelUserID string  // chat_id, U0xxx, email address, ...
    DisplayName   string  // best-effort, for templating
}

// Action is an interactive UI hint (rendered as URL button,
        callback button,
// Adaptive Card action, ntfy X-Action, etc. depending on
        Capabilities).
type Action struct {
    Type
        ActionType   // ActionView | ActionURL | ActionCallback |
        ActionHTTP | ActionCopy
    Label  string
    URL    string       // for ActionView / ActionURL / ActionHTTP
    Method string       // "GET" | "POST" (ActionHTTP)
    Body   []byte       // ActionHTTP
```

```
    Data   string       // ActionCallback payload (provider-
        defined, e.g. Telegram callback_data)
}

type ActionType int

const (
    ActionView     ActionType = iota // open a URL
    ActionURL                        // synonym for ActionView;
        provider-specific styling
    ActionCallback                   // round-trip back into
        Herald via inbound handler
    ActionHTTP                       // fire-and-forget HTTP
        request from the recipient device (ntfy)
    ActionCopy                       // copy text to clipboard
        (ntfy)
)

// Priority maps to ntfy 1..5 and to per-channel native
        priorities.
type Priority int

const (
    PriorityLow     Priority = 1
    PriorityNormal  Priority = 3
    PriorityHigh    Priority = 4
    PriorityUrgent  Priority = 5
)

// Receipt is what Channel.Send returns on success — the adapter's
        evidence
// of acceptance/routing/delivery so the router can decide whether
        to retry.
type Receipt struct {
    Evidence       DeliveryEvidence
    ChannelMsgID   string            // Slack ts; Telegram
        message_id; SMTP queue-id; ...
    SentAt         time.Time
    LatencyMillis  int64
    Native         map[string]any    // adapter-specific raw
        response (for diary)
}

// InboundHandler receives messages emitted by the adapter's
        Subscribe loop.
// Implementations enqueue events back into the router (§5).
type InboundHandler interface {
    Handle(ctx context.Context, ev InboundEvent) error
}

// InboundEvent is a CloudEvent constructed from a subscriber
        message.
type InboundEvent struct {
    EventID        string                // UUIDv7
```

```
    CloudEvent      CloudEventEnvelope     // §4.1
    Sender          Recipient              // who sent it
    Subscriber      *Subscriber            // resolved via
        subscriber_aliases, nil if unknown
    Body            Body
    Attachments     []Attachment
    Thread          *ConversationRef
    Raw
        map[string]any         // adapter-specific raw payload
        (for diary)
}

// Subscriber is the in-memory projection of one row from
        `subscribers`
// (§7.1) plus all linked `subscriber_aliases` for the resolved
        channel.
// Pointer fields are nullable; consumers MUST nil-check before
        use.
type Subscriber struct {
    ID           uuid.UUID
    TenantID     uuid.UUID
    Handle       string             // empty if not operator-
        mapped
    DisplayName  string
    Locale       string             // BCP-47, e.g. "en-US", "sr-
        Latn-RS"
    Timezone     string             // IANA, e.g. "Europe/
        Belgrade"
    Roles        []string           // e.g.
        ["operator","ic","reader"]
    Metadata     map[string]any     // free-form per-subscriber
        data
    Aliases      []SubscriberAlias  // all channels this human is
        reachable on
    Preferences  *PreferenceSet     // see §7.2; nil ⇒ tenant
        defaults apply
}

// SubscriberAlias is one row from `subscriber_aliases`.
type SubscriberAlias struct {
    Channel       string             // "tgram", "slack",
        "mailto", ...
    ChannelUserID string             // chat_id, U0xxx, email
        address, ...
    VerifiedAt
        *time.Time         // nil ⇒ operator-mapped (not self-
        verified)
    LastSeenAt    *time.Time
}

// CloudEventEnvelope is Herald's typed projection of a
        CloudEvents v1.0
// payload. SDK type used at the boundaries is cloudevents.Event
        from
```

```go
// github.com/cloudevents/sdk-go/v2 — this struct is the in-process
// canonical form after parsing/validation.
type CloudEventEnvelope struct {
    SpecVersion      string                // "1.0"
    ID               string                // UUIDv7 (natural ordering)
    Source           string                // URI
    Type             string                // reverse-DNS, e.g. "digital.vasic.herald.ci.failed"
    Time             time.Time             // RFC 3339
    Subject          string                // tag:/channel:/ empty
    DataContentType  string                // e.g. "application/json"
    Data             []byte                // opaque payload
    Extensions       map[string]string     // heraldtenant, heraldidempotencykey, heraldpriority, ...
}

// TraceContext carries OpenTelemetry trace propagation across Herald
// boundaries (HTTP ingress → router → River job → channel adapter).
// Stored alongside messages so spans link correctly even when a job
// runs asynchronously minutes after the originating request returned.
type TraceContext struct {
    TraceID    string  // 32-hex chars (W3C Trace Context)
    SpanID     string  // 16-hex chars (the parent span at handoff)
    TraceFlags byte    // sampling flags (W3C)
    TraceState string  // vendor-specific (W3C tracestate header)
    Baggage    string  // W3C baggage header value
}

// Branding is the per-flavor visual identity (§6.3 reference).
// One Branding is constructed per flavor binary at startup and threaded
// through OutboundMessage so adapters render channel-specific bling.
type Branding struct {
    AppName        string  // "Project Herald", "System Herald", ...
    BinaryName     string  // "pherald", "sherald", ...
    IconURL        string  // for rich embeds (Slack auth user, Discord author, ...)
    AccentColorHex string  // "#2C7BE5" — used as Slack attachment color, Discord embed color, Adaptive Card accent
    DefaultFooter  string  // "Sent by pherald 1.0 · github.com/vasic-digital/Herald"
}
```

```go
// ChannelID is the canonical channel identifier. It MUST match
        the
// scheme used in `channel_addresses.address_url` and in the URL
// scheme registered by the adapter (e.g. "tgram", "slack",
        "mailto").
type ChannelID string

const (
    ChannelTelegram ChannelID = "tgram"
    ChannelMax      ChannelID = "max"
    ChannelSlack    ChannelID = "slack"
    ChannelDiscord  ChannelID = "discord"
    ChannelTeams    ChannelID = "teams"
    ChannelLark     ChannelID = "lark"
    ChannelWhatsApp ChannelID = "whatsapp"
    ChannelViber    ChannelID = "viber"
    ChannelEmail    ChannelID = "mailto"
    ChannelNtfy     ChannelID = "ntfy"
    ChannelGotify   ChannelID = "gotify"
    ChannelWebhook  ChannelID = "webhook"
    ChannelDiary    ChannelID = "diary"
    ChannelNull     ChannelID = "null"  // §11.14 sandbox/no-op
        adapter for tests
)

// PreferenceSet is a typed view of the per-subscriber preferences
        JSON
// stored in `subscribers.metadata.preferences` (§7.2). See §7.2
        for the
// JSON shape; this is the Go decoded form.
type PreferenceSet struct {
    Categories  map[string]CategoryPref   // category_id → pref
    Workflows   map[string]WorkflowPref   // CloudEvents type →
        pref
    QuietHours  *QuietHours               // nil ⇒ no quiet hours
        configured
    ChannelData map[ChannelID]any         // provider-specific
        routing data
}

type CategoryPref struct {
    Channels []ChannelID
    Muted    bool
}

type WorkflowPref struct {
    Channels []ChannelID  // may be empty (= use Category default)
    Muted    bool
}

type QuietHours struct {
    TZ                string    // IANA TZ
    Start             string    // "HH:MM" 24h
    End               string    // "HH:MM" 24h
```

```
    ExemptCategories  []string  // categories that override quiet
        hours
}
```

These types live in `commons/types.go` and `commons/preferences.go`. Every adapter under `commons_messaging/channels/<name>` consumes them; no adapter is allowed to invent its own equivalent (the contract is the contract). Additional helpers in `commons/cloudevents.go` (CloudEventEnvelope ⇄ cloudevents.Event), `commons/branding.go` (per-flavor Branding factory), `commons/trace.go` (TraceContext propagation), `commons/uuidv7.go` (UUIDv7 generator).

11.1 Telegram

- **SDK**: `gopkg.in/telebot.v3` (tucnak/telebot) primary; `github.com/mymmrac/telego` alt for 1:1 Bot API fidelity.
- **V1 (MVP)** features:
  - `sendMessage` with MarkdownV2 parse mode.
  - `sendPhoto` / `sendDocument` for attachments.
  - `InlineKeyboardMarkup` with URL buttons + `callback_data`.
- **V2 advanced**:
  - `callback_query` handler (interactive replies).
  - `editMessageText` (in-place updates for ongoing incidents).
  - `web_app` buttons (open Mini-Apps).
  - `sendMediaGroup` (galleries).
  - Forum-topic threads via `message_thread_id`.
- **Out-of-scope** (V2): full Mini-App SDK, payments, Telegram Passport.
- **Delivery evidence ceiling**: `Routed` via Bot API; `Read` only via Business Bot connection with `can_read_messages` right (separate setup).
- **Webhook secret**: `setWebhook?secret_token=<token>`; verify `X-Telegram-Bot-Api-Secret-Token` header on inbound.

11.2 Max (max.ru)

- **SDK**: `github.com/max-messenger/max-bot-api-client-go` (official-adjacent, Apache-2.0, English+Russian docs).
- **Gating**: behind build tag `herald_max` and documented sanctions advisory in the operator manual. VK Group parent `VK Company Limited` is not on the OFAC SDN list at time of writing, but several VK-affiliated individuals are designated and EU restrictive measures evolve frequently — operators must check at deploy time.
- **Bot registration**: via in-app `MasterBot`.
- **V1**: send text message, send media; basic inline keyboard.
- **V2 advanced**: per `dev.max.ru` docs as they expand.
- **Delivery evidence ceiling**: `Routed` (API ack = stored & queued).

11.3 Slack

- **SDK**: `github.com/slack-go/slack` (pin ≥ v0.23.1 — GHSA-gxhx-2686-5h9g fixed empty-secret bypass).

- **V1**:
  - `chat.postMessage` with Block Kit `header` + `section` + `divider` + `image` + `actions` (URL buttons only).
  - Threading via `thread_ts` (R-08 mapping).
- **V2 advanced**:
  - `block_actions` callback handler (interactivity).
  - `views.open` modals.
  - Message shortcuts.
  - Socket Mode for daemon ingress.
- **Out-of-scope**: Workflow Builder steps, Slack Connect, Enterprise Grid management.
- **Delivery evidence ceiling**: `Routed` (`ok:true` + `ts` proves posted to channel; no per-user read event).
- **Signing**: HMAC-SHA256 verification using `slack.NewSecretsVerifier` over `v0:{X-Slack-Request-Timestamp}:{rawBody}`, comparing with `X-Slack-Signature`, 5-min replay window.

11.4 Discord

- **SDK**: `github.com/bwmarrin/discordgo` (~5.7k stars, BSD-3-Clause, stable).
- **V1**:
  - Incoming Webhook with embeds (title, description, fields, footer, thumbnail, color).
  - Threads via webhook + `?thread_id=`.
- **V2 advanced**:
  - Bot token; components (buttons + select menus).
  - Slash commands.
  - Forum channels.
- **Out-of-scope**: modals, voice, stage channels.
- **Delivery evidence ceiling**: `Routed`.

11.5 Microsoft Teams

- **SDK**: `github.com/atc0005/go-teams-notify/v2` (incoming-webhook-only — **no official Microsoft Go SDK** for full Graph access).
- **V1**:
  - Incoming Webhook with Adaptive Card v1.5: `TextBlock`, `Image`, `Container`, `FactSet`, `ActionSet` with `Action.OpenUrl`.
- **V2 advanced**:
  - `Action.Execute` / Actionable Messages with HMAC-signed tokens.
  - Bot Framework via Azure Bot Service (separate setup, complex).
- **Out-of-scope**: full Bot Framework conversational state, meeting extensions.
- **Delivery evidence ceiling**: `Routed`.

11.6 Lark / Feishu

- **SDK**: `github.com/larksuite/oapi-sdk-go` (**official**, MIT, code-gen flavor — verbose but accurate).
- **V1**: send text + rich message + image; basic interactive cards.
- **V2 advanced**: Mini-program cards, chatbot @-mentions, group management.
- **Delivery evidence ceiling**: `Routed`.

11.7 WhatsApp

Two transports for two use cases:

- **WhatsApp Web multi-device** — `go.mau.fi/whatsmeow` (`tulir/whatsmeow`, ~5.5k stars, MPL-2.0). Reverse-engineered WA Web; **not** for official Business API.
- **WhatsApp Business Cloud API** — `github.com/twilio/twilio-go` (official, multi-product; WA via Twilio Senders).
- **V1**: text + media via either transport; template-message support on Business Cloud API.
- **V2 advanced**: button-template messages, list messages, conversation pricing windows.

11.8 Viber

- **No official Go SDK.** Community: `mileusna/viber`, `strongo/bots-api-viber`.
- **V1**: hand-rolled REST client against the documented Viber REST API. Send text + media + carousel.
- **V2 advanced**: rich-media keyboards.

11.9 Email (deep)

The most operationally complex channel — Email gets the deepest treatment.

Two interchangeable transports behind one `Channel` interface:

1. **Raw SMTP + DKIM** — `net/smtp` (stdlib) + `github.com/emersion/go-msgauth/dkim`. Suitable for self-hosted operators.
2. **ESP HTTP API** — Resend (preferred), Postmark (fallback), SendGrid (alternative). Better deliverability + built-in bounce/complaint webhooks + suppression lists.

Mandatory features for every outbound email (V1):

- **DKIM signing** (RFC 6376) via `go-msgauth/dkim`.
- **List-Unsubscribe** (RFC 8058) — `List-Unsubscribe: <https://…>, <mailto:…>` + `List-Unsubscribe-Post: List-Unsubscribe=One-Click`. DKIM-signed.
- **Plain-text alternative** generated from the HTML body (MJML-rendered).
- **Inline images** via `Content-ID:` MIME parts (`cid:` references in HTML).
- **Suppression list lookup** — consult `email_suppressions` table before send; skip suppressed addresses and log to diary.

Bounce pipeline:

- Inbound mailbox parsed for RFC 3464 DSN parts, OR ESP webhook consumed for bounce/complaint/unsub events.
- Hard bounces, complaints, and manual unsubscribes write to `email_suppressions`:

```
CREATE TABLE email_suppressions (
    tenant_id    UUID NOT NULL,
    address      TEXT NOT NULL,            -- normalized lowercase
    reason       TEXT NOT NULL,            -- 'hard_bounce' |
        'complaint' | 'unsubscribe'
    source_event UUID,
    created_at   TIMESTAMPTZ NOT NULL DEFAULT now(),
    PRIMARY KEY (tenant_id, address)
);
ALTER TABLE email_suppressions ENABLE ROW LEVEL SECURITY;
ALTER TABLE email_suppressions FORCE ROW LEVEL SECURITY;
```

Doctor command: `<flavor>herald doctor email` verifies SPF, DKIM, DMARC records for the configured sending domain at startup. Without correct DNS, Gmail/Yahoo's 2024 sender requirements quietly bin the mail.

Templating: MJML (`<mj-section>`, `<mj-column>`, `<mj-image>`, `<mj-button>`) compiled to inline-CSS HTML at **template-author time** (vendored MJML CLI; check in the compiled HTML alongside the `.mjml` source). The compiled HTML then runs through `html/template` for variable substitution at send time. No Node.js in the runtime container.

Delivery evidence ceiling: `Accepted` by default (relay 250 OK), upgradable to `Delivered` by parsing DSN, `Read` only when recipient voluntarily returns RFC 8098 MDN (rare).

11.10 ntfy / Gotify

Per research Topic 3 (notification-platforms): adopt ntfy's wire model as both an **inbound ingest format** (alongside CloudEvents) and as a first-class outbound channel.

- Map: `X-Priority` (1–5) → Herald priority enum; `X-Tags` → Herald tags; `X-Click` → action URL; `X-Actions` (view/http/broadcast/copy) → Herald `Action` schema; `X-Attach`/PUT body → attachment.
- **Gotify** application/client token split: application token authenticates publishers; client token authenticates subscribers; both revocable independently.
- **V1**: send to ntfy/gotify topic with priority + tags + attachment.
- **V2 advanced**: receive via WebSocket / SSE for live updates.

11.11 Generic outbound webhook

Adapter `webhook://<url>?secret=<hmac>&format=<cloudevent|json|form>`:

- Sends Herald events as CloudEvents (binary or structured mode), or as plain JSON, or as form-encoded — chosen by query param.
- HMAC-signs outbound requests (`Webhook-Signature` header) so receiving side can verify.
- Retries per §5.4.

11.12 Diary (Markdown + PDF + HTML)

See §19 for full schema and sync strategy.

11.13 Feature matrix summary

Channel	Text	Markdown	Attachments	Threads	Interactive buttons	Signed-source verify
Telegram	✓	MarkdownV2 / HTML	✓	forum topic_id	✓ V1 url, V2 callback	secret_tok
Max	✓	platform-specific	✓	V2	V2	tba
Slack	✓	Block Kit	✓	thread_ts	✓ V1 url, V2 callback	X-Slack-Signature
Discord	✓	embeds	✓	thread_id	webhook url, bot components	webhook URL secrecy
MS Teams	✓	Adaptive Card	inline	conv references	OpenUrl / Action.Execute	webhook secret
Lark	✓	rich card	✓	V2	interactive card	event subscriptio
WhatsApp	✓	text/template	✓ (Cloud API)	conversation window	Cloud API templates	Twilio signing / Meta toke
Viber	✓	rich-media	✓	—	rich-media keyboard	sig param
Email	✓	MJML→HTML	✓ (MIME)	In-Reply-To/ References	url buttons only	DKIM/SP DMARC
ntfy	✓	X-Markdown	✓	—	X-Actions	basic auth token
Gotify	✓	extras.client::display	✓	—	extras actions	bearer tok
Webhook	✓	CloudEvent JSON	embedded	n/a	n/a	HMAC
Diary	✓	source format	path-refs	logical via parent ref	n/a	local FS
`null://`	✓	✓	✓ (counted only)	✓	✓ (recorded)	n/a

11.14 `null://` sandbox channel (test-only)

The `null://` adapter is the in-process equivalent of `/dev/null` with full instrumentation. It implements the entire `Channel` interface but performs no I/O — every `Send` call records the `OutboundMessage` to an in-memory ring buffer (configurable size; default 1000), increments per-tag counters, and returns the configured `DeliveryEvidence` ceiling.

Use cases:

- **Unit tests** for `commons_messaging` routing: assert that a given event with a given preference set produces the expected fan-out without touching any real channel.

- **Load tests**: route traffic through `null://` to measure router/queue throughput without hitting upstream rate limits.
- **Quickstart / training**: operators can send test events to confirm routing logic before adding real channel credentials.
- **Chaos testing**: configure `null://` to return `error` for X% of sends to exercise retry / dead-letter paths.

URL grammar:

```
null://[?
seed=<int>&fail_rate=<0..1>&latency_ms=<int>&ceiling=<Accepted|
Routed|Delivered|Read>&tags=<csv>]
```

Examples:

- `null://?tags=test` — happy path, instant, returns `Routed`.
- `null://?fail_rate=0.1&tags=chaos` — 10% of sends return transient error (exercises retry).
- `null://?latency_ms=500&ceiling=Delivered&tags=load` — adds 500 ms artificial latency, claims `Delivered` ceiling.

Inspector API (test-only HTTP endpoint, mounted when `[testing].null_inspector=true`):

Method	Path	Purpose
`GET`	`/admin/null/messages`	Recent ring-buffer contents (last N OutboundMessages).
`GET`	`/admin/null/stats`	Per-tag counters + send/fail tally.
`POST`	`/admin/null/clear`	Empty the ring buffer + reset stats.
`POST`	`/admin/null/inject`	Inject a synthetic inbound message (test the inbound path without a real subscriber).

`null://` MUST NOT be enabled in production deployments — the operator gate `CM-NULL-CHANNEL-DISABLED-IN-PROD` (planned) verifies that `null://` is absent from `channel_addresses` when `[herald].environment=production`. Operators that need null behaviour in prod (e.g., feature-flagged channels) use the `[channel_address].enabled=false` toggle instead.

Channel adapter test fixtures pattern. Every `commons_messaging/channels/<name>/` package SHOULD ship:

- `testdata/` — recorded HTTP request/response pairs (`go-vcr`-compatible cassettes).
- `<name>_test.go` — unit tests against `testdata/` (no network).
- `<name>_integration_test.go` (build tag `integration`) — runs against the channel's sandbox/test mode (Telegram test bot, Slack workspace `T0000` test team, etc.).
- `<name>_e2e_test.go` (build tag `e2e`) — only runs in nightly CI against real credentials in a dedicated test tenant.

---

§12. Messaging flows

Three mandatory message flows per channel (where the channel API supports them):

- **Simple message** — textual content sent to the channel; displayed to all subscribers.
- **Message with attachment(s)** — content + 1..N attachments; subscribers can download attachments.
- **Quote / reply message** — content sent as a reply to an existing channel message (uses §11 thread mapping: Telegram `reply_to_message_id`, Slack `thread_ts`, Discord `thread_id`, Email `In-Reply-To`); may include 0..N attachments.

Subscriber inbound flows (Project Herald and any flavor that opts into reply processing):

- **Direct reply to a Herald message** — parsed for commands (`Bug:`, `Issue:`, `Query:`, `Request:`, `Question:`).
- **Standalone message tagged for Herald** — same parsing, no parent message.
- **Thread continuation** — full thread context (chained replies from start) is parsed and processed.

Conversation reference per R-08:

```
type ConversationRef struct {
    Channel         ChannelID  // "tgram", "slack", ...
    ThreadID        string     // Slack thread_ts; Telegram
        message_thread_id (forum); Email References[0]
    ParentMessageID string     // Slack ts; Telegram
        reply_to_message_id; Email In-Reply-To
    RootMessageID   string     // first message in the thread
}
```

Persisted in the `thread_refs` table so re-sends to the same logical thread find the right native handle on every channel:

```
CREATE TABLE thread_refs (
    tenant_id          UUID NOT NULL,
    logical_thread_id  UUID NOT NULL,
        -- Herald's stable identifier across channels
    channel            TEXT NOT NULL,
        -- "tgram", "slack", "email", ...
    thread_id          TEXT,                              -- Slack
        thread_ts, Telegram message_thread_id (forum), Email
        References[0]
    parent_message_id  TEXT,
        -- Slack ts (parent), Telegram reply_to_message_id, Email
        In-Reply-To
    root_message_id    TEXT,                              -- first
        message in the thread
    last_activity_at   TIMESTAMPTZ NOT NULL DEFAULT now(),
    PRIMARY KEY (tenant_id, logical_thread_id, channel)
);
```

```
CREATE INDEX thread_refs_recent_idx ON thread_refs (tenant_id,
        last_activity_at DESC);
ALTER TABLE thread_refs ENABLE ROW LEVEL SECURITY;
ALTER TABLE thread_refs FORCE ROW LEVEL SECURITY;
CREATE POLICY tr_isolation ON thread_refs
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id =
        current_setting('app.tenant_id')::uuid);
```

A *logical thread* is Herald's tenant-stable conversation identifier; the per-channel rows map it to native handles. `last_activity_at` enables time-window garbage collection (default: 90 days after last activity, configurable).

---

§13. Templating & message composition

Three-layer stack per research Topic 5 (notification-platforms):

- **Layer 0 (engine)** — Go stdlib `text/template` (plaintext / Markdown / JSON channels) and `html/template` (HTML email body, auto-escaping).
- **Layer 1 (helpers)** — Sprig (`date`, `upper`, `default`, `trunc`, etc.) — universally expected by template authors; used by Helm, kubectl templates.
- **Layer 2 (email-specific)** — MJML compiled to HTML at template-author time (vendored MJML CLI; check in the compiled `.html` alongside `.mjml`), then `html/template` for runtime substitution.

Rejected: Liquid (extra runtime, no Go stdlib affinity); runtime MJML compilation (Node dependency in Go hot path).

Template directory layout:

```
commons_messaging/templates/
├── ci.failed/
│   ├── tgram.md.tmpl
│   ├── slack.json.tmpl       # Block Kit JSON
│   ├── email.mjml            # source
│   ├── email.html            # compiled, committed
│   └── diary.md.tmpl
├── deploy.succeeded/
│   └── …
└── _shared/                  # template helpers
    └── footer.tmpl
```

---

§14. Localization (i18n)

Per research Topic 6 (notification-platforms): **`nicksnyder/go-i18n` v2**.

- One `Bundle` loaded at process start from `commons_messaging/locales/*.toml`:

```toml
# locales/active.en-US.toml
[ci.failed.title]
other = "Build failed: {{.JobName}}"

# locales/active.sr-Latn-RS.toml
[ci.failed.title]
other = "Build pao: {{.JobName}}"
```

- Plurals handled via CLDR rules (built-in to go-i18n): `1 alert / 2 alerta / 5 alerti / 21 alert` for Serbian works correctly without custom code.
- Per-subscriber `locale` (BCP-47 tag) stored on the `subscribers` row.
- Per-channel templates may override (Telegram emoji-heavy variant vs sober email variant).

V2 initial locales: `en-US`, `sr-Latn-RS`, `ru-RU`. RTL rendering tweaks and dynamic locale negotiation from incoming events are deferred.

---

§15. Security model

Per R-16: a **three-layer pipeline** runs *before* any routing logic.

15.1 Transport-level (channel signature verification)

Per-channel signature verifier (constant-time HMAC comparison via `crypto/hmac.Equal`):

Channel	Header	Algorithm	Replay window
Slack	`X-Slack-Signature`	HMAC-SHA256 over `v0:{ts}:{body}`	5 min
GitHub-style	`X-Hub-Signature-256`	HMAC-SHA256 over body	configurable
Telegram	`X-Telegram-Bot-Api-Secret-Token`	shared-secret compare	n/a (no timestamp)
Stripe	`Stripe-Signature`	HMAC-SHA256 over `{ts}.{body}`	5 min
Email	DKIM-Signature header + DMARC alignment	RSA-SHA256 / Ed25519	per DKIM TTL

Generic webhook sources register their own per-source secret in `webhook_sources`.

15.2 Sender-level (allowlist + verified subscribers)

After transport verification, sender authority is checked:

- Per-channel allowlist keyed by canonical user-id (Slack `team_id+user_id`, Telegram `chat_id`, email DKIM-aligned `From`) loaded from `.herald/subscribers.toml` and/or the `subscribers` + `subscriber_aliases` tables.
- Unknown senders enter a **quarantine queue** (`quarantined_messages` table), never the live fan-out.
- An operator (or auto-policy) reviews the quarantine and either promotes the sender or discards.

`quarantined_messages` schema:

```
CREATE TABLE quarantined_messages (
    id              UUID PRIMARY KEY DEFAULT uuidv7(),
    tenant_id       UUID NOT NULL,
    received_at     TIMESTAMPTZ NOT NULL DEFAULT now(),
    channel         TEXT NOT NULL,
    sender_channel_user_id TEXT NOT NULL,
    sender_display  TEXT,
    reason          TEXT NOT NULL,                  --
        'unknown_sender' | 'unverified_signature' | 'rate_limited'
        | 'content_flagged'
    payload_jsonb   JSONB NOT NULL,                 -- full
        inbound message
    triage_status   TEXT NOT NULL DEFAULT 'pending', -- 'pending'
        | 'promoted' | 'discarded' | 'expired'
    triaged_at      TIMESTAMPTZ,
    triaged_by      UUID
        -- subscriber id of operator
);
CREATE INDEX qm_pending_idx ON quarantined_messages (tenant_id,
        received_at DESC)
    WHERE triage_status = 'pending';
ALTER TABLE quarantined_messages ENABLE ROW LEVEL SECURITY;
ALTER TABLE quarantined_messages FORCE ROW LEVEL SECURITY;
CREATE POLICY qm_isolation ON quarantined_messages
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id =
        current_setting('app.tenant_id')::uuid);
```

Pending entries auto-expire after 30 days (`triage_status='expired'`) so the queue doesn't grow unbounded on a noisy channel. CLI: `<flavor>herald quarantine [list | promote <id> | discard <id> | purge]`.

15.3 Content-level (parsing & sanitization)

After sender verification, content is parsed:

- Commands (`Bug:`, `Issue:`, `Query:`, `Request:`, `Question:`, plus flavor-specific verbs) parsed with a strict regex-anchored tokenizer.
- **Never** shell out with user-provided content.
- **Never** `text/template` user input into shell or SQL.

- Command bodies are length-bounded (default 8 KiB).
- Attachments are scanned for MIME mismatch + size limits (default 25 MiB per attachment, 100 MiB per message).
- Optional malware scan via ClamAV when `commons_security` is configured with the integration.

15.4 Credential handling

Per Constitution §11.4.10:

- `.env` is git-ignored (the `.gitignore` MUST contain `.env`).
- `.env.example` is committed.
- Resolution order: CLI flag > shell env > `.env` > compiled default (§3.3).
- Credentials NEVER logged. The OTel logger has a redaction middleware that filters keys matching `(?i)(token|secret|password|key|credential|authorization)` to `***`.
- Credentials in Postgres are encrypted-at-rest with `pgcrypto` (`pgp_sym_encrypt`) using a key from `HERALD_DB_ENC_KEY` env var.

15.5 Webhook ingestion (defense-in-depth)

See §5.5. Four ordered checks: signature → timestamp → delivery-ID dedup → optional IP allowlist.

---

§16. Multi-tenancy & isolation

Per research Topic 6 (event-fanout) + Topic 4 (operations):

- **Primary boundary**: PostgreSQL Row-Level Security.
- **Every business table** carries `tenant_id UUID NOT NULL` with a composite index `(tenant_id, …)` leading every secondary index (RLS is 10–100× slower without it).
- **Policy template**:

```
ALTER TABLE <table> ENABLE ROW LEVEL SECURITY;
ALTER TABLE <table> FORCE ROW LEVEL SECURITY;
CREATE POLICY tenant_isolation ON <table>
    USING (tenant_id = current_setting('app.tenant_id')::uuid)
    WITH CHECK (tenant_id =
        current_setting('app.tenant_id')::uuid);
```

- **Roles**:
  - `herald_app` — runtime role, no `BYPASSRLS`. The `pgx` connection wrapper in `commons_storage` runs `SET LOCAL app.tenant_id = …` at transaction start.
  - `herald_migrator` — schema-change role, `BYPASSRLS`.
- **Redis** — per-tenant ACL user (Redis 6+), key pattern `~t:<tenant_id>:*`.
- **Rate limits** — token bucket per `(tenant_id, channel)` in Redis.
- **Schema-per-tenant** is reserved for high-isolation enterprise customers; documented as opt-in but not the default (overhead: connection-pool fragmentation, slow migrations N × M, harder backups).

16.1 Data retention & privacy

Herald processes content that may contain personally identifiable information (names, email addresses, IP addresses, organization data). Retention windows MUST be configurable per tenant and enforced by scheduled `River` jobs.

Default retention policy (overridable per tenant):

Class	Default retention	Purge mechanism
`idempotency_keys`	7 d after `expires_at` (already in §4.3)	nightly River job
`dead_letters` (triaged)	90 d	nightly River job
`dead_letters` (untriaged)	365 d (legal/audit floor)	manual triage prompt
`quarantined_messages` (pending)	30 d → auto `expired`	nightly River job
`quarantined_messages` (triaged)	90 d	nightly River job
`thread_refs`	90 d after `last_activity_at`	nightly River job
`email_suppressions`	indefinite (compliance — hard bounces must persist)	manual remove via CLI
`subscribers` (deleted)	tombstone 30 d, then hard delete	GDPR right-to-erasure flow
Diary entries (`docs/herald/diary/main.md`)	tenant-configurable; default unlimited (git history)	per-tenant rotation policy
OpenTelemetry data	controlled by Collector → backend (out of Herald scope)	n/a

GDPR / privacy mechanics:

- `<flavor>herald subscriber forget <id>` initiates right-to-erasure: tombstones the row, schedules hard-delete after 30 days, anonymises subscriber references in `dead_letters` / `quarantined_messages` / diary entries (replaces `display_name` with `<redacted>`, hashes `channel_user_id`).
- `<flavor>herald subscriber export <id>` (right-to-portability) emits a JSON bundle of every record referencing the subscriber.
- **Diary redaction** — when a subscriber is forgotten, the diary writer SHOULD overwrite their entries with a redaction note (in-place edit + re-export); operators that want immutable audit trails MUST opt-out per `[privacy].diary_redaction_on_forget = false`.

Data sovereignty: the `containers` submodule deploys Postgres + Redis to operator-chosen regions; Herald itself stores nothing outside that pair. Cross-region replication is the operator's choice (logical replication / streaming replication) and is documented in `docs/operations/replication.md`.

---

§17. Observability & SLOs

Per research Topic 1 (operations):

17.1 OpenTelemetry pipeline

- **All three signals** instrumented from day one:
  - **Traces** — `go.opentelemetry.io/otel/trace` spans across the full event flow (ingest → route → enqueue → deliver → ack).
  - **Metrics** — `go.opentelemetry.io/otel/metric` counters + histograms.
  - **Logs** — stdlib `slog` shipped as OTel log records via `go.opentelemetry.io/contrib/bridges/otelslog`.
- **Default export**: OTLP/gRPC to an OpenTelemetry Collector sidecar/DaemonSet on `localhost:4317` (no auth) — production deployments override via env vars.
- **Collector** fans out to Prometheus (scrape `/metrics`), Tempo/Jaeger (traces), Loki (logs).
- Instrumentation lives in `commons_observability` (L1) so every flavor inherits.

Standard OTel SDK env vars Herald honours (per OpenTelemetry SDK spec — values are NOT re-invented):

Variable	Default	Purpose
`OTEL_SDK_DISABLED`	`false`	Hard kill switch — wh `true`, instrumentation no-op.
`OTEL_EXPORTER_OTLP_ENDPOINT`	`http://localhost:4317`	Single endpoint for all signals (gRPC).
`OTEL_EXPORTER_OTLP_TRACES_ENDPOINT`	inherits	Per-signal override.
`OTEL_EXPORTER_OTLP_METRICS_ENDPOINT`	inherits	Per-signal override.
`OTEL_EXPORTER_OTLP_LOGS_ENDPOINT`	inherits	Per-signal override.
`OTEL_EXPORTER_OTLP_PROTOCOL`	`grpc`	`grpc` | `http/protobu` `http/json`.
`OTEL_EXPORTER_OTLP_HEADERS`	unset	Authn (e.g. `Authorization=Bear` …).
`OTEL_EXPORTER_OTLP_INSECURE`	`false`	Disable TLS for `http:` endpoints.
`OTEL_RESOURCE_ATTRIBUTES`	(Herald sets `service.name`, `service.version`, `herald.flavor`, `herald.tenant_id`)	Operator adds `deployment.environ` `service.namespace`,
`OTEL_SERVICE_NAME`	`<flavor>herald`	Convenience equivaler `service.name`.
`OTEL_TRACES_SAMPLER`	`parentbased_traceidratio`	Sampler choice.
`OTEL_TRACES_SAMPLER_ARG`	`1.0`	Ratio when sampler supports it.
`OTEL_METRIC_EXPORT_INTERVAL`	`60000` (ms)	Push cadence.

Variable	Default	Purpose
`OTEL_BSP_SCHEDULE_DELAY`	`5000` (ms)	Batch-span-processor d

Herald's own resource defaults:

```
service.name=<flavor>herald
service.version=<git-tag-or-commit-sha>
service.instance.id=<hostname>-<pid>
herald.flavor=<flavor>
herald.tenant_id=<tenant_uuid>          # one-of label, set per
request
telemetry.sdk.name=opentelemetry
telemetry.sdk.language=go
```

OTel semantic conventions tracked: **messaging v1.30+** (the spec moved out of experimental in 2025).

17.2 Metrics catalogue

OTel semantic conventions for messaging where they fit, Herald-specific names where they don't:

Metric	Type	Labels
`messaging.client.sent.messages`	counter	`messaging.system="herald"`, `messaging.destination.name=<ch` `herald.tenant_id`, `herald.flavor`
`messaging.client.operation.duration`	histogram	+ `messaging.operation.name="de` `messaging.operation.type="send`
`herald_delivery_attempts_total`	counter	`channel`, `outcome={ok,retry,drop,dead_le` `tenant_id`
`herald_queue_depth`	gauge	`queue`, `tenant_id`
`herald_retry_backoff_seconds`	histogram	`channel`, `attempt_bucket`
`herald_template_render_duration_seconds`	histogram	`template_id`
`herald_subscriber_count`	gauge	`tenant_id`, `channel`
`herald_dead_letter_count`	gauge	`tenant_id`, `channel`

Cardinality budget: never `recipient_id` or message UUIDs as labels. Per-tenant labels are allowed; per-subscriber labels are NOT.

Canonical Grafana dashboard JSON shipped in `deploy/grafana/herald-overview.json`.

17.3 Span model

Canonical span names (and parent→child relationship):

```
herald.ingest              (root, per inbound CloudEvent)
├── herald.signature_verify
```

```
├── herald.idempotency_check
├── herald.route_match
├── herald.preference_filter
├── herald.template_render
├── herald.enqueue
└── herald.deliver
    ├── herald.channel.<name>
    │   └── herald.channel.<name>.api_call
    └── herald.diary_append
```

Attributes on every span: `herald.tenant_id`, `herald.flavor`, `cloudevents.type`, `cloudevents.id`.

17.4 SLOs

V2 published SLOs (per-tenant rolling 30-day):

SLO	Target
Ingress availability (HTTP 2xx + 4xx vs 5xx)	99.9%
End-to-end delivery (ingest → channel API `Accepted`) — p95	< 5 s
End-to-end delivery — p99	< 30 s
Delivery success rate (excluding 4xx from upstream channels)	99.5%
Dead-letter rate	< 0.1%
Doctor-CLI checks (SPF/DKIM/DMARC, DB ping, Redis ping)	run every 5 min, alert on 3 consecutive fail

17.4.1 Per-channel SLO budgets

The aggregate SLO table above can hide bad behaviour on one channel behind good behaviour on another. V2 also commits to **per-channel SLO budgets** — error budgets tracked independently so a single misbehaving adapter or upstream incident is visible immediately:

Channel	Delivery success target	p95 latency target (ingest → upstream `accepted`)	Notes
Telegram	99.5%	< 2 s	Telegram Bot API is famously reliable; alert if budget burn > 2× expected.
Slack	99.5%	< 3 s	`chat.postMessage` rate-limited per workspace; back off cleanly.
Discord	99.0%	< 3 s	Webhook rate limits are aggressive; expect retries.
MS Teams	98.0%	< 5 s	Incoming-webhook backend has visible jitter.

Channel	Delivery success target	p95 latency target (ingest → upstream `accepted`)	Notes
Lark	99.0%	< 4 s	
Max	99.0%	< 4 s	Subject to network reachability from non-RU operator regions.
Email (SMTP self-hosted)	95.0%	< 30 s	Includes DNS + greylist + tarpit latency.
Email (ESP — Resend/ Postmark/ SendGrid)	99.5%	< 5 s	ESP carries the deliverability risk; Herald sees `Accepted` quickly.
WhatsApp (Cloud API)	99.0%	< 3 s	Conversation-window restrictions can drop messages outside 24h windows.
Viber	98.0%	< 5 s	Hand-rolled REST client; expect rougher edges.
ntfy / Gotify	99.5%	< 2 s	Self-hosted = operator's own infra.
Webhook (generic outbound)	depends on operator's endpoint	< operator's deadline	Tracked but no Herald-side target.
Diary	99.99%	< 100 ms	Local file system + Pandoc batching; outliers indicate disk pressure.

Per-channel burn-rate alerts (multi-window, multi-burn-rate per Google SRE Workbook): page on **2-hour 14× burn** AND **6-hour 6× burn** simultaneously crossed; warn on either alone. Alerts route through the same Herald pipeline that any other event uses — Herald-monitoring-Herald MUST work, but operators are advised to also run a separate stand-by notifier for the case where Herald itself is the failure.

17.5 Health probes (livez / readyz / startupz)

Per research Topic 3 (operations): three endpoints on the **admin port** (`24090` default, separate from data port so probes don't compete for worker capacity):

- **`GET /livez`** — returns `200` unless an unrecoverable internal invariant trips (deadlock detector, fatal goroutine panic flag). Cheap, no downstream calls.
- **`GET /readyz`** — checks Postgres + Redis ping, queue consumer attached, ≥1 channel adapter healthy. Returns `503` during graceful shutdown.
- **`GET /startupz`** — used by Kubernetes startup probe while migrations / warm-up run; once `200`, liveness/readiness take over.

Liveness `failureThreshold` ~3× readiness so a transient downstream blip removes the pod from Service but does NOT restart it.

17.6 `doctor` CLI

`<flavor>herald doctor` runs a battery of environment checks:

- Postgres connectivity + RLS policy presence.
- Redis connectivity + ACL.
- All configured channel credentials valid (probes API per channel).
- DKIM/SPF/DMARC DNS records for the configured sending domain (cite Gmail/Yahoo 2024 sender requirements).
- OTLP collector reachable.
- Disk space, port availability.

Exits with non-zero status code on any failure + writes a structured report to stdout (machine-readable JSON option `--json`).

---

§18. Flavors (the implementations)

18.1 Common flavor contract

Every flavor binary MUST:

- Be named `<prefix>herald` and built from `<prefix>herald/cmd/<prefix>herald/main.go`.
- Implement the same Cobra-subcommand surface (`send`, `serve`, `doctor`, `migrate`, `deadletter`, `subscriber`, `digest`, `version`).
- Embed `commons` + `commons_messaging` + `commons_storage` + `commons_security` + `commons_observability` + `commons_diary` at the same pinned versions.
- Publish a flavor-specific event-type subtree (`digital.vasic.herald.<flavor>.*`).
- Register flavor-specific subscriber commands (the `Bug:` / `Query:` / etc. tokens that map to flavor-specific handlers).
- Provide a flavor-specific `HeraldBranding` (app name, icon, accent color).
- Ship its own user manual under `docs/flavors/<flavor>/`.

18.2 Project Herald (`pherald`)

Focus: Software-project development lifecycle. Integrates with VCS, code review, task tracking. Designed for AI-CLI-agent + developer-team workflows.

Event subtree: `digital.vasic.herald.project.*` and `digital.vasic.herald.reply.*`.

Sources:

- Git hooks (`post-commit`, `post-merge`, `pre-push`).
- VCS webhooks (GitHub, GitLab, GitFlic, GitVerse — `push`, `pull_request`, `review`, `issue`).
- AI CLI agents (Claude Code, OpenCode, Cursor, Aider) emitting structured progress events.
- Code-review-tool webhooks (CodeRabbit, Greptile, Sourcery).

Subscriber inbound commands (extends the V1 base set):

Command	Behaviour
`Bug:` / `Issue:`	Open an issue (writes to `docs/Issues.md` per Universal §11.4.12).
`Query:` / `Request:` / `Question:`	Request information; routes to LLM-driven research workflow if configured.
`Status:`	Reply with current project status from `docs/Status.md`.
`Continue:`	Pointer to `docs/CONTINUATION.md` for next agent.
`Done:`	Mark referenced item resolved (writes to `docs/Fixed.md`).
`Spec:`	Cite or modify spec section (subject to §23 spec-change rule).
`Run: <tool>`	Authorized operator only — execute an approved tool (gated by allowlist).

Quote-thread processing: Subscriber's reply automatically includes the full thread context (chained replies from bottom to thread start) — full chain parsed and processed per R-08 `ConversationRef`.

Security validation (extends §15):

- Subscriber commands accepted only from verified, allowlisted subscribers.
- `Run:` requires elevated subscriber privilege (`subscriber_aliases.verified_at` plus `roles` array).
- All commands logged to diary with subscriber identity and timestamp.

Derived workable-item prefix (per §8.2): if the consuming project hasn't set one, the algorithm runs over the project name (from `package.json`, `go.mod`, `pyproject.toml`, or the git remote name).

18.3 System Herald (`sherald`)

Focus: OS/host/service health and security. Designed for systems-administration teams + on-call rotation.

Event subtree: `digital.vasic.herald.system.*`.

Sources:

- `journalctl` watcher (configurable `_SYSTEMD_UNIT` filters).
- `auditd` events.
- Prometheus Alertmanager webhook receiver.
- Loki/Grafana log alerts.
- File-integrity-monitoring (AIDE, Tripwire) hooks.
- SNMP traps (via a small SNMP-to-CloudEvent adapter).
- Kernel events (oom-kill, panics) — via `journald` filter.

Event types:

- `digital.vasic.herald.system.host.cpu_high` (threshold-crossing).

- `digital.vasic.herald.system.host.disk_full` (filesystem).
- `digital.vasic.herald.system.host.memory_pressure`.
- `digital.vasic.herald.system.service.restarted`.
- `digital.vasic.herald.system.service.crashed`.
- `digital.vasic.herald.system.service.flapping` (≥3 restarts in 5min).
- `digital.vasic.herald.system.security.login_anomaly` (failed SSH burst, unusual IP).
- `digital.vasic.herald.system.security.privilege_escalation`.
- `digital.vasic.herald.system.cert.expiring` (X.509 certificate ≤30d).
- `digital.vasic.herald.system.backup.missed`.

Subscriber commands:

- `Ack:` — acknowledge an alert (silences future fires of the same fingerprint for a window).
- `Silence: <fingerprint> for <duration>` — manual silencing.
- `Resolve: <fingerprint>` — manual resolution.
- `Status:` — current open-alerts snapshot.
- `Runbook: <fingerprint>` — link to the runbook for this alert type.

Integrations: `sherald` is often paired with `aherald` and `iherald` — the three flavors share the `commons_alert` package.

18.4 Build Herald (`bherald`)

Focus: CI/CD build lifecycle events. Designed for development teams + release engineers.

Event subtree: `digital.vasic.herald.ci.*`.

Sources:

- GitHub Actions workflow webhook (`workflow_run`, `check_suite`).
- GitLab CI webhook (`Pipeline Hook`).
- Jenkins post-build steps invoking `bherald send`.
- CircleCI / Drone / Buildkite via their respective webhooks.
- Tekton / Argo Workflows via CloudEvents emitters (native).

Event types:

- `digital.vasic.herald.ci.build.queued | started | succeeded | failed | cancelled`.
- `digital.vasic.herald.ci.test.passed | failed | flaky | skipped`.
- `digital.vasic.herald.ci.security_scan.finding` (Semgrep, Snyk, Trivy, gitleaks).
- `digital.vasic.herald.ci.dependency.outdated | vulnerable`.
- `digital.vasic.herald.ci.coverage.dropped`.
- `digital.vasic.herald.ci.lint.failed`.

Routing logic:

- Failed builds with @-mentions of the author (via `subscriber_aliases` mapping git-author-email → subscriber).
- Flaky tests batched into a daily digest (per §7.3 throttling).
- Security findings of CRITICAL severity bypass quiet hours.

Subscriber commands:

- `Retry:` — re-trigger the failed build (if integration grants permission).
- `Snooze: <duration>` — silence a flaky test.
- `Triage: <finding>` — mark a security finding for review.

18.5 Deploy Herald (`dherald`)

Focus: Release / deployment / rollout events.

Event subtree: `digital.vasic.herald.deploy.*`.

Sources:

- ArgoCD / Flux webhook (`application synced`, `health degraded`).
- Spinnaker pipeline notifications.
- Kubernetes `Event` watcher (Deployment rolled out, ReplicaSet failed).
- Custom deploy scripts invoking `dherald send`.

Event types:

- `digital.vasic.herald.deploy.started | succeeded | failed | rolled_back`.
- `digital.vasic.herald.deploy.canary.promoted | canary.aborted`.
- `digital.vasic.herald.deploy.feature_flag.toggled`.
- `digital.vasic.herald.deploy.config.drift_detected`.

Routing:

- Production deploys notify `#prod-deploys` + an Email to release-eng.
- Failed deploys with rollback option button (Slack Block Kit `Action`).

Subscriber commands:

- `Rollback: <deploy_id>` — initiate rollback (gated by elevated privilege).
- `Hold: <env>` — freeze further deploys to env.
- `Status: <env>` — current state of env.

Composes with `rherald` for the full release pipeline.

18.6 Alert Herald (`aherald`)

Focus: Monitoring-alert routing. Sits between alert producers (Alertmanager, Datadog, Grafana) and human/on-call channels (PagerDuty, OpsGenie, Slack). Provides smarter routing than Alertmanager's native receivers.

Event subtree: `digital.vasic.herald.alert.*`.

Sources:

- Prometheus Alertmanager webhook.
- Grafana alert webhook.
- Datadog webhook.
- OpenTelemetry-native alert sources.

- Generic CloudEvents alert producers.

Routing features:

- **De-duplication**: same alert fingerprint within window → single notification.
- **Grouping**: related alerts (same `service` label + `severity`) collapse into a digest.
- **Inhibition**: parent alert silences child alerts (per Alertmanager's `inhibit_rules`).
- **Escalation**: integrates with Temporal workflow for time-based escalation chains.
- **Quiet hours** override only for `severity=critical` + `category=incidents`.

Subscriber commands:

- `Ack:`, `Silence:`, `Resolve:` (same as `sherald`).
- `Escalate:` — bump severity, route to on-call.

18.7 Schedule Herald (`scherald`)

Focus: Scheduled jobs + recurring notifications (cron-like).

Event subtree: `digital.vasic.herald.schedule.*`.

Sources:

- River queue periodic jobs.
- `scherald serve` runs an internal cron-style scheduler.
- External cron jobs invoking `scherald send`.

Event types:

- `digital.vasic.herald.schedule.job.started | succeeded | failed | skipped`.
- `digital.vasic.herald.schedule.digest.daily | weekly | monthly`.
- `digital.vasic.herald.schedule.reminder.due` (scheduled human reminders).

Built-in digest builders:

- Daily ops digest (yesterday's alerts + deploys + failed builds).
- Weekly project digest (PRs merged, issues opened/closed, contributors).
- Monthly compliance digest (per `cherald` if installed).

Subscriber commands:

- `Snooze: <reminder_id> for <duration>`.
- `Cancel: <reminder_id>`.
- `Remind me: <prose>` — parse and create a one-shot reminder.

18.8 Incident Herald (`iherald`)

Focus: Incident lifecycle — declare, escalate, resolve, postmortem.

Event subtree: `digital.vasic.herald.incident.*`.

Sources:

- PagerDuty / OpsGenie webhooks (incident open/escalated/resolved).
- Internal `iherald send` from on-call tools.
- Auto-escalation triggered by `aherald` after N min unacknowledged.

Event types:

- `digital.vasic.herald.incident.opened | escalated | resolved | reopened`.
- `digital.vasic.herald.incident.commander.assigned`.
- `digital.vasic.herald.incident.update.posted`.
- `digital.vasic.herald.incident.postmortem.due | published`.

Workflow (Temporal):

- On open: page primary on-call → wait 5 min → if no ack, escalate to secondary → wait 10 min → page manager.
- On resolve: schedule postmortem reminder 24h out.
- On postmortem.published: notify stakeholders.

Subscriber commands:

- `Page: <person>` — manual escalation.
- `IC:` (incident-commander) — assign IC role.
- `Update: <prose>` — post a public update.
- `Resolve:` — close the incident.

18.9 Release Herald (`rherald`)

Focus: Release lifecycle — tags, changelogs, dependency notifications.

Event subtree: `digital.vasic.herald.release.*`.

Sources:

- Git tag webhooks.
- GoReleaser / Release-Please / semantic-release pipeline hooks.
- Renovate / Dependabot PR webhooks (`dependency.update.available`).
- OCI registry push events (`oci.image.pushed`).

Event types:

- `digital.vasic.herald.release.tagged | published`.
- `digital.vasic.herald.release.changelog.generated`.
- `digital.vasic.herald.release.dependency.update.available | major.update.available`.
- `digital.vasic.herald.release.sbom.generated | provenance.signed`.
- `digital.vasic.herald.release.security_advisory.published` (CVE for a project dep).

Composes with `dherald` — release publish event triggers deploy pipeline notification chain.

Subscriber commands:

- `Promote: <version> to <env>`.
- `Approve: <dep_update>` — approve a Renovate PR via authorised channel.

18.10 Compliance Herald (`cherald`)

Focus: Audit + compliance + governance events. For regulated environments (SOC2, HIPAA, PCI-DSS, GDPR).

Event subtree: `digital.vasic.herald.compliance.*`.

Sources:

- Cloud audit logs (AWS CloudTrail, GCP Cloud Audit Logs, Azure Activity Log) via OpenTelemetry / native exporters.
- IAM change webhooks (Okta, Auth0, AzureAD).
- Vault / KMS access logs.
- Database audit log streamers.
- GitGuardian / TruffleHog secret-scan webhooks.

Event types:

- `digital.vasic.herald.compliance.audit.access` (privileged action).
- `digital.vasic.herald.compliance.policy.violation` (e.g. unencrypted bucket, S3 public ACL).
- `digital.vasic.herald.compliance.cert.expiring | expired`.
- `digital.vasic.herald.compliance.license.expiring | non_compliant`.
- `digital.vasic.herald.compliance.access.review.due` (quarterly access reviews).
- `digital.vasic.herald.compliance.secret.exposed`.

Routing:

- All events archived to immutable storage (`docs/herald/audit/` with WORM bit if filesystem supports).
- High-severity events routed to security + legal channels.
- Quarterly summary digest emailed to compliance officer.

Constitution composition: `cherald` events plug into the parent project's Constitution §11.4.10 (credentials never tracked) and §11.4.18 (audit-log discipline).

18.11 Future flavors

Identified candidates (NOT in V2 scope; documented to lock-in event-subtree namespaces):

- **`fherald`** — Finance Herald (billing events, invoice paid/failed, MRR alerts) — `digital.vasic.herald.finance.*`.

- **`mherald`** — Marketing Herald (campaign sent, A/B test winner) — `digital.vasic.herald.marketing.*`.
- **`gherald`** — Game/Server Herald (multiplayer match events, anti-cheat reports) — `digital.vasic.herald.game.*`.
- **`xherald`** — Experiment Herald (feature-flag experiment results) — `digital.vasic.herald.experiment.*`.
- **`hherald`** — Hardware Herald (IoT device telemetry alerts) — `digital.vasic.herald.hardware.*`.
- **`lherald`** — Legal Herald (contract renewals, NDA expirations) — `digital.vasic.herald.legal.*`.
- **`vherald`** — Vendor Herald (third-party service status, SLA breaches) — `digital.vasic.herald.vendor.*`.

---

§19. Diary

`docs/herald/diary/main.md` (+ `main.pdf` + `main.html`) is the **append-only conversation log** of every inbound and outbound message Herald processes.

19.1 Diary path resolution (per R-20)

Resolved relative to the **operator-specified working directory**:

- Standalone Herald: defaults to Herald's own repository root.
- Herald as submodule: defaults to the parent project's root (discovered via the same parent-walk as `find_constitution.sh`).
- Override: `--diary-root <path>` flag, or `[herald].diary_root` in `config.toml`.

19.2 Schema (Markdown)

```
## 2026-05-19T18:30:00Z · pherald · digital.vasic.herald.ci.failed

| Field | Value |
|---|---|
| Tenant | `00000000-…-0001` |
| Event ID | `01931a7c-…-5678` |
| Source | `github.com/vasic-digital/Herald/actions/runs/4231` |
| Channels | tgram (delivered), slack (delivered), email (queued)
        |

**Body:**

> Build pao u `main`: 3/5 testova nije prošlo. Pogledaj log:
> https://github.com/vasic-digital/Herald/actions/runs/4231

**Subscribers reached:** alice (tgram + slack), bob (email).
```

19.3 Sync strategy (per R-03)

- **Pandoc** (Markdown → HTML5) + **WeasyPrint** (HTML → PDF) via Pandoc's `--pdf-engine=weasyprint` flag.
- **Triggers**:
  - Under `<flavor>herald serve`: **fsnotify-watched debounced builds** (500 ms idle, 2 s ceiling). A single editor save fires 4–12 events; debouncing avoids redundant rebuilds.
  - Under one-shot `<flavor>herald send`: post-write hook in the diary writer.
- **Manifest** at `docs/herald/diary/.sync.json` records `{md_sha256, html_sha256, pdf_sha256, source_md_sha256_at_build, built_at}`.
- **Anti-bluff gate** (`CM-DIARY-SYNC` per Universal §11.4.61):
  1. Read current `main.md` SHA-256.
  2. Assert it equals `source_md_sha256_at_build` in the manifest.
  3. For HTML: re-run Pandoc to a temp file; byte-equality with on-disk HTML.
  4. For PDF: extract text (`pdftotext main.pdf -`) and compare to deterministic extraction of the HTML body (byte-equal PDF comparison fails due to embedded timestamps + non-deterministic font subsetting).

---

§20. Extensibility

Per research Topic 6 (operations): two-tier extensibility model.

20.1 Tier A — in-tree adapters (default for V2)

Every channel adapter lives under `commons_messaging/channels/<name>` and implements the `Channel` interface (§11). Out-of-tree authors fork or vendor.

20.2 Tier B — subprocess + manifest (deferred to V2.1)

Spec'd now, implementation deferred. Herald discovers external channel binaries through a manifest file (`heraldchannel.yaml`):

```yaml
name: my-custom-channel
exec: /usr/local/lib/herald/channels/my-channel
supports:
  - text
  - markdown
  - attachments
env:
  required:
    - MY_CHANNEL_TOKEN
protocol_version: 1
```

Communication: stdin/stdout NDJSON with versioned envelope. No in-process linkage — adapters can be written in any language, sandboxed with OS tooling. Mirrors Apprise / Mattermost / git credential-helper.

Explicitly rejected for V2:

- Go `plugin` stdlib (toolchain-version brittleness, no Windows, breaks `-trimpath`).
- HashiCorp `go-plugin` (RPC surface + per-plugin process mgmt — overhead vs. subprocess+JSON).
- Wazero/WASM (promising; WASI sockets still incomplete; network-bound adapter can't run usefully today). Marked as **V3 roadmap candidate**.

---

§21. Supply chain & release engineering

Per research Topic 5 (operations) + R-18:

21.1 Multi-binary versioning

`go.work` for local dev (git-ignored). Per-flavor `go.mod`. Lockstep release: one git tag → GoReleaser builds all flavors + tags `commons/vX.Y.Z`. Release-Please in `manifest` mode bumps all modules from Conventional Commits.

21.2 Reproducible builds

Mandatory flags: `CGO_ENABLED=0 GOFLAGS=-trimpath`. Pinned `-ldflags "-buildid= -s -w"`. Record `GOTOOLCHAIN`.

21.3 SBOMs

Every binary + every container image generates **CycloneDX JSON + SPDX JSON** via `syft`. Attached as release assets and as OCI referrers on the image.

21.4 Signing

Keyless `cosign` (Sigstore OIDC via GitHub Actions) for:

- Binaries: `cosign sign-blob`.
- OCI images: `cosign sign`.

21.5 SLSA provenance (target: Build L3)

GitHub `actions/attest-build-provenance` emits **in-toto** statements signed via Sigstore. Move the build into a **reusable workflow** shared across mirrors to reach **SLSA Build L3**.

21.6 Distribution channels

Channel	Tool	Path
Homebrew tap	GoReleaser	`vasic-digital/homebrew-herald`
Scoop bucket	GoReleaser	`vasic-digital/scoop-herald`

Channel	Tool	Path
`.deb` / `.rpm`	nFPM	`vasic-digital/herald-packages` apt+yum repos
Container images	GoReleaser → Docker	GHCR `ghcr.io/vasic-digital/<flavor>herald`
Source release	GitHub Releases	Multi-mirror per §103

Verification UX: `scripts/verify-release.sh` runs `cosign verify` + `cosign verify-attestation` against the published cert identity (`https://github.com/vasic-digital/Herald/.github/workflows/release.yml@refs/tags/*`).

---

§22. Constitution integration

Once Herald is fully implemented and verified, **promote candidate universal rules** into the root Constitution, `AGENTS.md`, and `CLAUDE.md` **via a HelixConstitution PR** (audited per Universal §11.4 + §11.4.17 — universal-vs-project classification), never by editing the parent `constitution` Submodule from inside Herald (per R-09; see `CONSTITUTION_INHERITANCE.md` §"Promoting Herald rules into the constitution"). Each Flavor presents its Constitution extensions through the same promotion process.

> **Note:** Herald's implementation MUST BE in direct connection with the `constitution` Submodule — discovery via `find_constitution.sh` parent-walk per §103 / §105 of Herald Constitution.

See `../../guides/HERALD_CONSTITUTION.md` and `../../guides/CONSTITUTION_INHERITANCE.md`.

22.1 How `constitution` rules are extended via `constitutable/`

A parent project may drop `Constitution.md` / `CLAUDE.md` / `AGENTS.md` (in `constitutable/`, `constitutable/<flavor>/`, `constitutable/<flavor>/<variant>/`, etc.) to layer extensions or overrides on top of the discovered `constitution/` Submodule.

Load priority (per `constitutable/` mechanism):

`constitution` Submodule → `constitutable/**` extensions/overrides for Constitution / `CLAUDE.md` / `AGENTS.md` → Project + Submodule definition files.

Each `constitutable/<path>` MUST contain at least one of: `Constitution.md`, `CLAUDE.md`, or `AGENTS.md`.

> **Note:** Tests in the `constitution` Submodule MUST be properly extended and updated as `constitutable/` content changes.

> **Note:** Herald is **primarily** consumed as a Submodule of another Project; in that case access to the `constitution` Submodule is through the root of that project (cloned under `project_root/constitution` or a configured alternative). For **standalone development** of Herald, the `constitution` is

> cloned **alongside** Herald (sibling-clone) — current development setup uses this layout. See `../../guides/CONSTITUTION_INHERITANCE.md` §"Standalone development" and R-10.

> **Note:** Carefully investigate the codebase of the `constitution` Submodule before any changes are applied. Comprehensive analysis precedes any extension or promotion.

---

§23. Specification documents (change rule)

We MUST keep the following rule / mandatory constraint in `Constitution.md` (parent), `AGENTS.md`, `CLAUDE.md`, and `HERALD_CONSTITUTION.md` §106:

> **IMPORTANT:** Whenever this document (`docs/specs/mvp/specification.V2.md`) or any file under `docs/specs/` (any depth) is modified, **comprehensive planning and implementation of all changes is MANDATORY**. This rule does NOT apply to creating or renaming files; for those, explicitly tell the worker (CLI agent) what to do with the new path. Treat every spec edit as a project-wide ripple, not a doc tweak.

Inheritance-gate invariant **I7a–c** enforces presence of this anchor in `CLAUDE.md`, `AGENTS.md`, and `HERALD_CONSTITUTION.md`.

---

§24. Documentation

`README.md` MUST be fully updated with all relevant project details. All user guides and manuals are properly linked from `README.md`, including (when present):

- `docs/flavors/<flavor>/` — per-flavor user manual.
- `docs/channels/<channel>/` — per-channel setup guide (credentials, webhooks, signing).
- `docs/operations/` — deployment + doctor + backups + upgrades.
- `docs/security/` — credential handling, signing keys, secret rotation.
- `docs/api/` — machine-readable API specifications (see §24.1).
- `docs/migration/` — operator guides for migrating from other notification stacks (Apprise, Gotify, Mattermost-bridge, etc.).

We MUST have **mandatory documentation up to the smallest details**: full user guides, manuals, diagrams, schemes in all major formats (Markdown source + PDF + HTML siblings per §11.4.61 + §11.4.65) and other relevant materials.

24.1 Machine-readable API specifications

Herald ships its own API contracts as machine-readable schemas so client tooling (SDK generators, mock servers, schema-validating proxies, API gateways) doesn't have to reverse-engineer them.

Spec	Location	Format	Generated by
HTTP ingress (`/v1/events`, `/v1/send`, `/v1/subscribers`, `/v1/deadletters`, `/v1/channels`)	`docs/api/openapi.v1.yaml`	OpenAPI 3.1	hand-authored from the canonical Go handler signatures in `commons_http/*`; CI gate `CM-OPENAPI-DRIFT` (planned) verifies handler⇄spec parity.
Webhook ingest (signed, per-source)	`docs/api/openapi.v1.yaml` (sub-tree under `/webhooks/`)	OpenAPI 3.1	same source as above.
Event taxonomy (`digital.vasic.herald.*` event types per §4.2)	`docs/api/asyncapi.v1.yaml`	AsyncAPI 2.6	machine-generated from `commons/events.go` event-type registry.
Channel adapter Go interface (§11.0)	`commons/types.go`	Go source	the source IS the spec; `pkg.go.dev` rendering is the human view.
Database schema	`commons_storage/migrations/*.sql`	PostgreSQL DDL	the migration files ARE the schema spec; `<flavor>herald schema dump` exports current state.

CLI helpers:

- `<flavor>herald openapi` — print the embedded OpenAPI spec (so operators don't need the repo).
- `<flavor>herald asyncapi` — same for AsyncAPI.
- `<flavor>herald schema dump [--format=sql|markdown]` — emit current DB schema.

Documentation cross-link rule (§11.4.59 + §11.4.61 composed): every change to a `commons_http/` handler MUST update `docs/api/openapi.v1.yaml`, MUST add an entry to `docs/changelogs/`, MUST regenerate `docs/api/openapi.v1.html` (rendered via Redoc or stoplight-elements at build time). Drift is a release blocker.

---

§25. Testing

Whole project and all derivatives MUST follow testing rules from the root Constitution (`Constitution.md`), `CLAUDE.md`, `AGENTS.md` in the `constitution` Submodule. Specifically:

- **No bluffing** — every PASS carries positive evidence (§11.4).
- **Paired mutation gates** — every new gate has a paired mutation proving it catches regressions (§1.1).
- **Captured evidence** for test logs (§11.4.2).
- **Test pyramid**: unit tests in each module, integration tests against ephemeral Postgres + Redis (testcontainers-go), end-to-end tests with real-channel sandboxes.
- **No fakes beyond unit tests** (Universal §11.4.27) — integration + end-to-end tests use real Postgres, real Redis, real channel-sandbox or test-bot endpoints.

CI runs the inheritance gate (`tests/test_constitution_inheritance.sh`) as a precondition to any other test.

---

§26. Operations

26.1 Deployment

Reference deployment topologies:

- **Single-host Docker Compose** — Herald flavor + Postgres + Redis on one host. Suitable for small teams.
- **Kubernetes Deployment** — Herald flavor as a Deployment, Postgres + Redis as separate StatefulSets (or external managed). HPA on `messaging.client.operation.duration` p95.
- **Serverless / Lambda** — `<flavor>herald send` invoked as a Lambda function (one-shot mode); `serve` mode NOT supported in Lambda due to long-running needs.

26.2 Backups

- Postgres: daily logical backup (`pg_dump`) + WAL archiving for PITR.
- Redis: AOF rewrite + RDB snapshots.
- Diary: standard git history is the backup (everything is in `docs/herald/diary/main.md`).

26.3 Upgrades

- Lockstep across flavors via §21.1 release model.
- Database migrations are **forward-compatible** for 2 minor versions (so a rolling restart works during a deploy).
- `<flavor>herald migrate` is idempotent and safe to run multiple times.

26.4 Operator runbooks

`docs/operations/runbooks/` contains one runbook per common operational scenario:

- "Postgres connection storm" → check `herald_queue_depth` + `pg_stat_activity`.
- "Telegram bot suspended" → rotate token, update `.env`, run `<flavor>herald doctor`.
- "Dead-letter spike" → query `dead_letters`, identify pattern, replay or purge.
- "DKIM verification failing" → DNS check via `<flavor>herald doctor email`.

26.5 Operator quickstart (5-minute Docker Compose)

Goal: a working `pherald` ingesting one webhook and fanning out to Telegram + Email in five minutes on a fresh laptop. This is the canonical "hello world" deployment.

```
# docker-compose.quickstart.yml — referenced from containers/
        quickstart/
version: "3.8"
services:
  postgres:
    image: postgres:16-alpine
    container_name: herald-postgres
    environment:
      POSTGRES_USER: herald
      POSTGRES_PASSWORD: ${HERALD_DB_PASSWORD}
      POSTGRES_DB: herald
    ports:
      - "24100:5432"
    volumes:
      - herald-pg:/var/lib/postgresql/data
    healthcheck:
      test: ["CMD-SHELL", "pg_isready -U herald"]
      interval: 5s
  redis:
    image: redis:7-alpine
    container_name: herald-redis
    command: ["redis-server", "--requirepass", "$
        {HERALD_REDIS_PASSWORD}"]
    ports:
      - "24200:6379"
    volumes:
      - herald-redis:/data
  otel-collector:
    image: otel/opentelemetry-collector-contrib:latest
    container_name: herald-otel
    command: ["--config=/etc/otel-config.yaml"]
    volumes:
      - ./otel-config.yaml:/etc/otel-config.yaml:ro
    ports:
```

```
      - "24417:4317"
  pherald:
    image: ghcr.io/vasic-digital/pherald:latest
    container_name: herald-pherald
    depends_on:
      postgres: { condition: service_healthy }
      redis:    { condition: service_started }
    environment:
      HERALD_POSTGRES_DSN: "postgres://herald:$
        {HERALD_DB_PASSWORD}@postgres:5432/herald?sslmode=disable"
      HERALD_REDIS_ADDR:   "redis:6379"
      HERALD_REDIS_USER:   "default"
      HERALD_REDIS_PASSWORD: "${HERALD_REDIS_PASSWORD}"
      OTEL_EXPORTER_OTLP_ENDPOINT: "http://otel-collector:4317"
      OTEL_RESOURCE_ATTRIBUTES:
        "deployment.environment=quickstart"
      TELEGRAM_BOT_TOKEN:  "${TELEGRAM_BOT_TOKEN}"
      TELEGRAM_CHAT_ID:    "${TELEGRAM_CHAT_ID}"
    ports:
      - "24091:24091"   # webhook ingress
      - "24090:24090"   # admin (/livez, /readyz, /metrics)
    command: ["serve"]
volumes:
  herald-pg:
  herald-redis:
```

Steps:

```
# 1. Clone Herald + containers submodule
git clone git@github.com:vasic-digital/Herald.git && cd Herald
git submodule update --init

# 2. Copy & fill the example .env
cp .env.example .env
$EDITOR .env   # set HERALD_DB_PASSWORD, HERALD_REDIS_PASSWORD,
        TELEGRAM_BOT_TOKEN, TELEGRAM_CHAT_ID

# 3. Boot
docker compose -f containers/quickstart/docker-
        compose.quickstart.yml up -d

# 4. Wait for ready
curl --retry 30 --retry-delay 2 --retry-connrefused http://
        localhost:24090/readyz

# 5. Send a test event
curl -X POST http://localhost:24091/v1/events \
  -H "Content-Type: application/cloudevents+json" \
  -d '{
    "specversion":"1.0",
    "id":"01931a7c-3f4e-7000-9abc-def012345678",
    "source":"https://example.com/quickstart",
    "type":"digital.vasic.herald.system.host.cpu_high",
    "subject":"tag:*",
```

```
    "data":{"host":"laptop","cpu_pct":97}
  }'

# 6. Verify
docker logs herald-pherald --tail=20
cat docs/herald/diary/main.md | tail -30
```

A successful run delivers a Telegram message to the configured chat within ~3 seconds, appends a diary entry, and emits OTel traces visible at `http://localhost:24417` (Collector logs).

26.6 Disaster recovery

Recovery objectives (V2 baseline; per-tenant overrides allowed):

Class	RPO target	RTO target	Mechanism
Postgres data	5 min	30 min	WAL archiving + PITR (`pgbackrest` recommended)
Redis state	5 min	5 min	AOF rewrite + RDB snapshot every 5 min; warm replica optional
Diary	0 (git)	minutes	`git push` fan-out to 4 mirrors per §103; restore via `git clone <any mirror>`
Credentials	0 (out-of-band)	depends on operator	Vault / 1Password / OS keychain; Herald NEVER stores plaintext credentials
Configuration	0 (git)	minutes	`config.toml` is git-committed (no secrets); `.env` is git-ignored, backed up out-of-band by operator
Workflow state (Temporal opt-in)	5 min	30 min	Temporal's own backup/restore; out of Herald scope

Cold-start recovery procedure:

1. Restore Postgres from latest WAL position.
2. Restore Redis from latest RDB (transient state is fine to lose; rate-limit buckets repopulate).
3. `git clone` Herald + `containers` submodule from any mirror.
4. Re-provision `.env` from out-of-band credential store.
5. `docker compose up -d`.
6. `<flavor>herald doctor` — confirm all green.
7. `<flavor>herald deadletter list` — replay any in-flight messages caught at the time of failure.

Tested scenarios (each MUST have an integration test under `tests/dr/`):

- Postgres primary loss → failover to replica.
- Redis loss → cold restart (token buckets reset, no data corruption).
- Single Herald replica crash → other replicas continue (multi-instance deployments).

- Whole-host loss → cold-start from backups.
- All four git mirrors momentarily unreachable → push deferred, queued locally, retried.

---

§27. Roadmap

27.1 V2 → V3 candidates

Candidate	Notes
WASM channel adapters (wazero)	Once WASI sockets stabilise — Topic 6 (operations)
LLM-driven message rendering	Auto-summarize long events to channel-appropriate brevity
Slack workflow builder steps	Beyond V2 advanced tier
WhatsApp Business custom-template approval workflow	Once Cloud API matures
Mini-Apps inside Telegram	Subscriber-side UI
Adaptive Card Designer integration for Teams	UX for non-developer template authors
First-class Matrix protocol channel	If demand materializes
Mattermost adapter	Open-source alternative to Slack
Rocket.Chat adapter	Self-hosted alternative

27.2 Deferred V1 Recommendations

V1 R-NN items that V2 did not yet implement (with intended landing):

R	Status in V2	Landing
R-01	✅ Applied (`24XXX` ports in §9.4)	—
R-02	✅ Applied (single binary, two modes §3.1)	—
R-03	✅ Specified (§19.3)	First implementation cycle
R-04	✅ Applied (§3.3)	—
R-05	✅ Specified (delivery evidence enum §11.13)	First adapter cycle
R-06	✅ Specified (§11.2 Max behind build tag)	When sanctions advisory drafted
R-07	✅ Applied (§7.1)	—
R-08	✅ Applied (§12 `ConversationRef`)	—
	✅ Applied	—

R	Status in V2	Landing
R-09 / R-10 / R-14 / R-15 / R-19 / R-20 / R-21 / R-22		
R-11 / R-12	✅ Specified (§9.5)	When first SDK / `containers` lands
R-13	Deferred — `constitutable/` loader + I8/ I9 gates	Next constitution PR
R-16	✅ Specified (§15)	First implementation cycle
R-17	✅ Specified (§8.2 algorithm)	First `commons_prefix` commit
R-18	✅ Specified (§21.1)	First release pipeline

27.3 Cost considerations

Order-of-magnitude indicative pricing as of 2026-Q2 (operators MUST re-verify at deployment time; tiers change frequently). Herald itself is open-source / no licence fee — these costs are external dependencies an operator pays for in production.

Infrastructure (per single-region deployment):

Component	Self-host minimum	Managed (illustrative)
Postgres 16 (2 vCPU / 4 GiB / 20 GiB)	~$15/mo (Hetzner CX21, DO Basic)	RDS db.t4g.small ~$35/ mo
Redis 7 (1 GiB)	~$10/mo (same node as Postgres for small tenants)	ElastiCache cache.t4g.micro ~$15/ mo
Herald binary host (1 vCPU / 1 GiB)	~$5/mo	ECS Fargate 0.25 vCPU ~$10/mo
OTel Collector	sidecar / shared	Grafana Cloud free tier or self-host
Single-tenant baseline	**~$30/mo**	**~$60–80/mo**

Transactional email provider (ESP) — pick one based on volume + deliverability needs:

Provider	Free tier	Paid tier entry	Bounce/ complaint webhook	Notes
Resend	3 000 emails/ mo, 100/ day	$20/mo for 50k	✓ (Event Webhook)	Best DX of the three; Idempotency-Key header support.
Postmark	none — paid only	$15/mo for 10k	✓ (Bounce / Spam / Open / Click streams)	Best deliverability reputation for transactional traffic;

Provider	Free tier	Paid tier entry	Bounce/ complaint webhook	Notes
				HTTP 406 for blocked recipients.
SendGrid	100 emails/ day free forever	$19.95/mo for 50k	✓ (Event Webhook)	Widest ecosystem; complex pricing tiers.
Self-host SMTP	$0	infra + IP-reputation labour	DSN parsing only	Only if operator has DNS / reverse-DNS / warm IPs already; otherwise deliverability tanks.

Messaging platform fees:

Channel	Cost model
Telegram Bot API	Free, no fee per message.
Slack	Free for public/private channel webhooks; paid plans only required for full Slack workspace, not for the integration.
Discord	Free webhooks; free bot.
Microsoft Teams	Free incoming webhooks; Bot Framework requires Azure Bot Service ~$0.50/1 k messages.
Lark / Feishu	Free for chatbots within an org.
WhatsApp Business Cloud API (Meta direct)	Per-conversation pricing, ~0.005–0.15 depending on country + category.
WhatsApp Business via Twilio	Twilio markup on top of Meta price.
Viber	Free for service messages within 30 days of user interaction; promotional pricing varies.
Max	Free Bot API at the time of writing (verify at deploy).
ntfy / Gotify	Self-hosted = $0; ntfy.sh free public instance.

Supply-chain tooling:

Tool	Cost
GitHub Actions (public repo)	Free unlimited minutes.
GitHub Actions (private repo)	2 000 free minutes/mo on Linux; $0.008/min after.
Sigstore / cosign	Free (keyless via OIDC).
syft (SBOM)	Free / OSS.
GoReleaser OSS	Free.
GoReleaser Pro	

Tool	Cost
	$19/mo if Herald needs the per-subproject `tag_prefix` feature (R-18 alternative — V2 default does not require Pro).

OpenTelemetry backend:

Backend	Free tier
Grafana Cloud	10 k series metrics, 50 GiB logs, 50 GB traces /mo
Honeycomb	20 M events/mo
Datadog	5 hosts free for 14 days
Self-host Prometheus + Tempo + Loki	$0 + operator time

Total order-of-magnitude TCO for a small team running `pherald` + `sherald` self-hosted on Hetzner with Resend free tier: **~$30–60/mo** of recurring infrastructure. Operator labour for upgrades, monitoring, and incident response is the larger real cost — design choices in §17 (observability) and §26 (operations) exist specifically to minimise that labour.

---

§28. Notes & open questions

- The list of integrated messengers in §11 is the V2 commitment; additional channels may be added in later iterations.
- Whether to ship a **first-party web UI** for subscriber preference management is an open question — current direction is "no UI in V2; expose REST API only; let third parties build UIs".
- Whether `aherald` should incorporate **machine-learning-based alert grouping** (similar to BigPanda, Moogsoft) is deferred to V3.
- Whether to support **end-to-end encryption** of messages (Signal Protocol via olm/megolm) is deferred — only Matrix bridges currently demand this.
- The **rate-limit cap** for AI-CLI-agent subscribers needs operator-level tuning per deployment to avoid runaway invocation; default suggested 60 messages/minute per agent token.

---

§29. Changelog (V1 → V2)

V1 → V2 changes (2026-05-19):

- **Renamed** `specification.md` → `specification.V1.md` (preserved as historical record).
- **Created** `specification.V2.md` (this document).
- **New sections** (no V1 counterpart): §2.2 What Herald is NOT, §2.3 Architecture diagram, §4 Event model & wire format (CloudEvents), §5 Architecture overview, §6 Channel addressing & routing (Apprise-style URLs + tags), §7 Subscriber model (identity, preferences, quiet hours, locale), §13 Templating,

§14 Localization, §15 Security model (three-layer), §16 Multi-tenancy & isolation (Postgres RLS + Redis ACL), §17 Observability & SLOs (OpenTelemetry), §20 Extensibility (Tier A + Tier B), §21 Supply chain & release engineering (SLSA L3), §26 Operations, §27 Roadmap.
- **Populated V1 TBDs**:
  - `System Herald` (was TBD) → fully specified §18.3.
  - `Project Herald's Constitution rules` → folded into §18.2 subscriber-command contract.
  - `Input commands` → expanded per-flavor in §18.
  - `Input attachments` → §15.3 content-level scanning + size limits.
  - `Others and misc` → §18.4–18.11 (7 new flavors + future-flavor namespace reservations).
- **New flavors** beyond V1's `pherald` + `sherald`: `bherald` (Build), `dherald` (Deploy), `aherald` (Alert), `scherald` (Schedule), `iherald` (Incident), `rherald` (Release), `cherald` (Compliance) — plus reserved namespaces for `fherald` / `mherald` / `gherald` / `xherald` / `hherald` / `lherald` / `vherald`.
- **Game-changing architecture adoptions** (from research):
  - **CloudEvents v1.0** as canonical wire format.
  - **Watermill** as routing core.
  - **River + Postgres** as default queue (transactional enqueue); NATS JetStream as opt-in.
  - **Apprise URL+tag** channel model.
  - **Knock-style preferences** matrix.
  - **OpenTelemetry** end-to-end + Prometheus semantic conventions for messaging.
  - **PostgreSQL RLS** + Redis ACL for multi-tenancy.
  - **SLSA L3** supply chain (cosign + syft SBOM + in-toto provenance).
  - **MJML** for email templates, compiled at author time.
  - **`nicksnyder/go-i18n`** with CLDR plurals.
- **All V1 text-level Recommendations** (R-01 / R-04 / R-09 / R-10 / R-15 / R-19 / R-20 / R-21 / R-22) carried forward and re-expressed in V2 context.
- **Per-channel feature matrix** (§11.13) — every channel now has documented V1-minimum, V2-advanced, out-of-scope tiers + delivery-evidence ceiling.
- **Email deep dive** (§11.9) — DKIM signing (RFC 6376) + RFC 8058 one-click unsubscribe + DSN bounce parsing + suppression list + `doctor email` DNS verification, addressing Gmail/Yahoo 2024 sender requirements.
- **Removed** the V1 Review section — its findings are folded into the V2 body or marked applied/deferred in §27.2. V1's full Review remains in `specification.V1.md` for traceability.

---

§30. V2 self-review log

> Added 2026-05-19 by a focused self-review pass on V2 r1. Each finding is tagged `V2-R-NN` to distinguish from V1's `R-NN` series. **All findings in this section have been applied in V2 r2** unless explicitly marked Deferred.

30.1 Gaps closed (applied this revision)

- **V2-R-01. Missing Go value types referenced by the `Channel` interface.** §11 previously declared `Channel` with `Capabilities`, `OutboundMessage`, `Receipt`, and `InboundHandler` as forward references without definitions.

Applied: new **§11.0** ("Channel adapter contract") defines all referenced types — `Capabilities`, `DeliveryEvidence` (enum), `OutboundMessage`, `Body`, `Attachment`, `Recipient`, `Action` / `ActionType`, `Priority`, `Receipt`, `InboundHandler`, `InboundEvent`. These live in `commons/types.go`; adapters are forbidden from inventing equivalents.

- **V2-R-02. Missing `webhook_sources` table schema.** §5.5 referenced the table but never defined it. Applied: full schema (signature_kind, signature_header, secret_encrypted, secret_rotated_at, ip_allowlist, replay_window_s) with RLS policy and `<flavor>herald webhook rotate` CLI.
- **V2-R-03. Missing `channel_addresses` table schema.** §6 referenced the table but never defined it. Applied: full schema with `address_url` (env-interpolated at load time so secrets stay out of the row), `tags` GIN index, `priority_floor`, `enabled` + health-check columns.
- **V2-R-04. Missing `thread_refs` table schema.** §12 prose-only definition. Applied: full schema with composite PK `(tenant_id, logical_thread_id, channel)`, `last_activity_at` for time-window GC.
- **V2-R-05. Missing `quarantined_messages` table schema.** §15.2 referenced but never defined. Applied: full schema with `triage_status` enum, partial index on pending rows, 30-day auto-expiry policy, CLI verbs.
- **V2-R-06. `subscribers.handle` had no uniqueness constraint.** Original schema allowed duplicate handles within a tenant — operationally surprising. Applied: `UNIQUE (tenant_id, handle)`. Also added `roles TEXT[]` and `metadata JSONB` columns for the operator-mapped privilege model and extensible per-subscriber data, plus an explicit composite index on `tenant_id`.
- **V2-R-07. Go toolchain version not pinned.** §9.1 said "written in Go" without naming a minimum. Without `slog` and the OTel `slog` bridge, observability won't compile. Applied: **Go ≥ 1.22** mandatory; `toolchain` directive across all `go.mod` files; bump path documented.
- **V2-R-08. License not named.** Multiple references to "the LICENSE file" without spelling out the terms. Applied: §9.1 now points to the parent project's `LICENSE` and requires top-level license comments in every `go.mod`; license compliance check is a `cherald` responsibility.
- **V2-R-09. SIGTERM / graceful-shutdown semantics undefined.** Both modes (`send`, `serve`) lacked a documented exit contract. Applied: §3.1 now specifies trap-SIGTERM, stop-ingress, drain with `HERALD_SHUTDOWN_GRACE` (default 30 s), flush OTel exporter, close Postgres + Redis, exit 0/1 distinction. Second SIGTERM forces exit.
- **V2-R-10. OpenTelemetry env vars not enumerated.** §17.1 said "OTLP/gRPC to a Collector" without naming the standard SDK env vars. Operators couldn't deploy without reading OTel spec. Applied: full table of `OTEL_*` env vars Herald honours, including resource attributes Herald sets by default and the messaging semantic-convention version pin (v1.30+).
- **V2-R-11. Data retention + privacy was unspecified.** No section on how long Herald holds onto subscriber data, dead letters, quarantined messages, or diary entries; no GDPR right-to-erasure / right-to-portability flow. Applied: new **§16.1** with per-class retention defaults (table-driven), `<flavor>herald subscriber forget` and `subscriber export` flows, diary-redaction opt-out, data-sovereignty note.
- **V2-R-12. Operator quickstart missing.** New operators couldn't get from clone to first delivery without reading the whole spec. Applied: **§26.5** with a complete Docker Compose YAML, 6-step bring-up procedure, and a verifiable end-to-end test (curl webhook → Telegram delivery + diary append + OTel trace).

- **V2-R-13. Disaster recovery posture unspecified.** Backups were mentioned but RPO/RTO targets, cold-start procedure, and tested scenarios were absent. Applied: **§26.6** with per-class RPO/RTO table, cold-start procedure, and named integration-test scenarios that MUST live under `tests/dr/`.
- **V2-R-14. Cost considerations missing.** Operators had no order-of-magnitude TCO guidance to choose between self-hosted SMTP vs Resend/Postmark, between Grafana Cloud vs self-host Prometheus, etc. Applied: **§27.3** with infrastructure / ESP / messaging-platform / supply-chain-tooling / observability-backend pricing tables (with `verify-at-deploy` caveat).

30.2 Deferred (out of scope for this self-review)

These findings were noted but require their own focused pass:

- **V2-R-15. ASCII architecture diagram alignment.** Current diagram in §2.3 has minor box-drawing misalignment at the └─ corners under proportional-font renderers. Deferred — fixing requires Mermaid or PlantUML adoption + a renderer pipeline; not blocker for V2.
- **V2-R-16. Heading-depth normalisation.** Some §18.X flavor subsections go 4 levels deep (heading → field → subfield → list). Considered but rejected — depth tracks meaningful structure; flattening loses navigation cues.
- **V2-R-17. "V1 minimum" vs "V1 (MVP)" wording inconsistency.** Cosmetic. Deferred to a docs-only polish PR.

30.3 Method

The pass was a single-author read-through immediately following V2 r1 authoring, focused on internal consistency (prose ⍰ formal definitions), operational completeness (can someone deploy this?), and compliance gaps (GDPR, license, version pinning). Findings rated High when a downstream reader would file a bug, Medium when a future implementer would have to invent a missing detail, Low for stylistic. Only High + Medium findings were applied.

30.4 Audit trail (r2)

- Pre-review commit: V2 r1 at `96b7cc6`.
- r2 commit: `9648545` (one logical commit covering V2-R-01..V2-R-14).
- Inheritance gate before and after: 12 PASS / 0 FAIL. Meta-test: ✓.
- All four Herald mirrors targeted on push.

30.5 V3 review log (r3, this revision)

A second self-review pass following r2. Targeted a *different cut* than r1→r2: where r1→r2 closed missing tables and added operational content, r2→r3 closes the second-layer Go types (referenced by §11.0 but not defined) and adds the implementer-grade operational detail that turns "we have a spec" into "we have a buildable spec".

30.5.1 Gaps closed (applied this revision)

- **V3-R-01. Remaining undefined Go types in §11.0.** `Subscriber`, `CloudEventEnvelope`, `TraceContext`, `Branding` (as Go struct, cross-ref §6.3), `ChannelID` (typed string constants), `SubscriberAlias`, `PreferenceSet`/`CategoryPref`/`WorkflowPref`/`QuietHours` (Go-decoded forms of the JSON in §7.2) — all referenced by `OutboundMessage` / `InboundEvent` but never defined. **Applied:** all defined in §11.0 with package + file home pins (`commons/types.go`, `commons/preferences.go`, etc.). Closes the "Channel interface compiles in isolation" gap.
- **V3-R-02. Database migration tooling unspecified.** §26.3 mentioned `<flavor>herald migrate` but never named the tool, file layout, or numbering scheme. **Applied:** new **§9.6** picks `golang-migrate/migrate` (embedded), specifies the `commons_storage/migrations/000001_..._up.sql` layout, the runtime contract (`migrate up/down/status/force/validate`), the role split (`herald_migrator` BYPASSRLS vs `herald_app`), and the forward-compatibility rule (two minor versions).
- **V3-R-03. Worker-pool sizing absent.** No guidance on how many concurrent workers Herald runs. **Applied:** new **§3.4** specifies three independently-sized pools (HTTP ingress, router/dispatch, River channel-delivery) with defaults keyed off `NumCPU`, env-var overrides, and sizing guidance by deployment tier (small / multi-tenant / high-burst).
- **V3-R-04. SIGHUP hot-reload semantics missing.** `<flavor>herald serve` long-running but no way to refresh config without restart. **Applied:** new **§3.4** specifies SIGHUP trap, the safe-to-change vs requires-restart partition (channels/router-workers/log-level/allowlists vs ports/DSN/RLS-policies), the diff-and-validate cycle, and the `digital.vasic.herald.system.config.reloaded` audit event.
- **V3-R-05. Ingress HTTP URL paths never enumerated.** Operators couldn't write reverse-proxy / API-gateway rules without reading the source. **Applied:** new **§5.7** tabulates every `/v1/*` and `/webhooks/*` and `/livez/readyz/startupz/metrics/admin/*` endpoint with method + auth mode, plus the rate-limit defaults and the `/v1/` versioning policy.
- **V3-R-06. Workable-item lifecycle missing.** §8 defined the prefix algorithm but never explained how an `HRD-NNN` actually moves from `Bug:` command → `Issues.md` row → `Fixed.md` resolution. **Applied:** new **§8.3** with full lifecycle ASCII flow, the `workable_items` schema (lightweight pointer table — canonical record stays in Markdown per Universal §6 human-edit-ability), per-tenant advisory-lock sequence allocation, and the reopen flow that composes with Universal §11.4.55 Reopens.md history.
- **V3-R-07. `null://` sandbox channel undocumented.** No first-class way to test routing without hitting real channels. **Applied:** new **§11.14** specifies the URL grammar (`null://?fail_rate=...&latency_ms=...&ceiling=...`), the in-memory ring buffer, the `/admin/null/*` inspector API, the per-environment gate (`CM-NULL-CHANNEL-DISABLED-IN-PROD`), and a recommended test-fixtures pattern for every `commons_messaging/channels/<name>/` package.
- **V3-R-08. Time / clock abstraction missing.** `time.Now()` called directly anywhere makes tests of quiet hours, batching, backoff, TTLs unreliable. **Applied:** new **§3.5** with the `commons/clock` interface (RealClock + FakeClock), the `Default` package-global variable swap pattern, and the `golangci-lint` rule `herald-no-direct-time-now` that fails compilation if anyone calls `time.Now()` outside `commons/clock`.
- **V3-R-09. Machine-readable API specs not committed.** Spec referenced `<flavor>herald openapi` without describing where the specs live. **Applied:**

new **§24.1** specifies `docs/api/openapi.v1.yaml` (OpenAPI 3.1, hand-authored from Go handler signatures, with `CM-OPENAPI-DRIFT` parity gate) and `docs/api/asyncapi.v1.yaml` (AsyncAPI 2.6, machine-generated from `commons/events.go`); also lists the CLI helpers (`openapi`, `asyncapi`, `schema dump`).

- **V3-R-10. Outbound idempotency unspecified.** §4.3 covered ingress idempotency but not the case where the channel send itself succeeds-but-loses-response and gets retried. **Applied:** new **§5.4.1** with the `(tenant_id, event_id, channel, channel_address_id)` outbound key, the `outbound_dedup` table (24h TTL — narrower than ingress 7d), and the rule that adapters supporting upstream idempotency (Slack/Stripe-style/Email Message-ID) MUST forward the key while those that don't (raw SMTP/Telegram/Discord) MUST consult `outbound_dedup` in the same River-job transaction.
- **V3-R-11. Per-channel SLO budgets missing.** §17.4 aggregate SLOs hid one bad channel behind good channels. **Applied:** new **§17.4.1** publishes per-channel success and p95-latency targets for each of the 12 channels with a multi-window / multi-burn-rate alert rule (Google SRE Workbook pattern: 2h/14× AND 6h/6× = page; either alone = warn).
- **V3-R-12. AI-agent subscribers conflated with humans.** Spec assumes "subscriber" without distinguishing the runaway-loop risk of agents. **Applied:** new **§7.5** introduces a `subscribers.kind` enum (`human`/`agent`/`service`), the `agent_tokens` table (argon2id-hashed bearer with per-token rate limit + expiry + revocation), the default throttles (60 req/min/token, 3-strike auto-cool-down at 30min), the audit-span attribute (`herald.subscriber.kind="agent"` + `herald.agent.token_id`), and the rule that quiet-hours are ignored for agents by default.

30.5.2 Deferred (out of scope for r3)

- **V3-R-13. Migration-from-existing-systems operator guide.** Mentioned briefly in §24 doc layout but no actual content for migrating from Apprise/Gotify/Mattermost-bridge/etc. Deferred — needs its own dedicated `docs/migration/` content cycle.
- **V3-R-14. Multi-region / global deployments.** What if one tenant spans regions? Out-of-scope; treated as schema-per-tenant + region-pinned operator concern; will resurface when first cross-region customer appears.

30.5.3 Method

Same as r2: single-author read-through immediately following r2 commit, focused on three categories — (a) prose↔formal-definition gaps in the type contract layer that §11.0 introduced, (b) operational completeness for an implementer who hasn't read the constitution, (c) correctness boundaries (outbound dedup composition, agent throttling) the architecture document needs to nail down before code lands. Findings rated as before; only High + Medium applied this round.

30.5.4 Audit trail (r3)

- Pre-review commit: V2 r2 at `9648545`.
- r3 commit: covered V3-R-01..V3-R-12 in one logical commit on top of r2.
- Inheritance gate before and after: 12 PASS / 0 FAIL. Meta-test: ✓.
- All four Herald mirrors targeted on push.

Statistical context: r1→r2 added ~33 KB to the Markdown source closing 14 findings. r2→r3 closed 12 findings — the curve is flattening, which is the expected pattern (the easier high-leverage gaps go first). A fourth pass would likely yield only stylistic findings; the next high-value pass should come *after* first-implementation cycle surfaces real-world spec gaps that desk-review alone can't find.