

Herald



Herald — Fixed

Field	Value
Revision	14
Created	2026-05-20
Last modified	2026-05-22
Status	active
Status summary	r14 captures Wave 6 (pherald inbound runtime + Claude Code headless bridge — code-doc closure). HRD-100 closed atomically with 12 Wave-6 commit SHAs + 8 new e2e invariants E63-E70 (currently SKIP-with-documented-reason — converting to PASS once operator runs the live closed-loop at T10b and commits docs/qa/HRD-100/). Tag v0.4.0 DEFERRED to T13b (operator-supplied live evidence per §107.x — code-doc closure ships in this commit; runtime evidence lands separately). Wave 6 surfaces: new Cobra subcommand <code>pherald listen</code> (Telegram <code>getUpdates</code> long-poll + <code>OnText/OnPhoto/OnDocument/OnVoice</code> + bot self-filter + sha256 content-addressed attachment download); Opus model pin in spawned <code>claude</code> <code>argv</code> (<code>--model claude-opus-4-7</code>); envelope pre-text — verbatim operator wording "We have received new message from our communication channel" preceding the <code><<<HERALD-DISPATCH-v1>>></code> structured block; <code><<<HERALD-REPLY>>></code> parser with action routing (<code>reply / issue.open / event.emit</code>); <code>tgram.Adapter.SendReply</code> wiring <code>reply_to_message_id</code>; <code>--qa-out-dir</code> JSONL journaling per §107.x. Wave 6 mutation gate (<code>tests/test_wave6_mutation_meta.sh</code>) lands 3 paired hermetic mutations (M1 blank bot self-filter → echo-loop signature; M2 Opus → Sonnet model swap → E67 FAIL; M3 drop <code>opts.ReplyTo</code> in <code>SendReply</code> → E68 FAIL). Prior r13 captured Wave 4b (TOON application/ toon content negotiation; tag v0.3.0). r12 captured Wave 4a (HTTP/3 + Brotli + Alt-Svc + TLS 1.3; tag v0.2.0). r11 closed HRD-016 (Wave 3b pherald Runner live). r10 closed HRD-011 (Telegram live).
Issues	see <code>Issues.md</code> — r15 captures HRD-100 Issues→Fixed atomic migration.
Issues summary	HRD-008/-015/-018 (in progress) + HRD-019..HRD-027 + HRD-029..HRD-056 + HRD-081 + HRD-085..HRD-090 still open (47 items).
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-011, HRD-012, HRD-013, HRD-014, HRD-016, HRD-017, HRD-028, HRD-080, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097, HRD-098, HRD-099, HRD-100 (and HRD-018 partial — M1 + M2 components landed)

Field	Value
Fixed summary	spec V1→V3 r9; Go module foundation + Foundation M1/M2/M3; HRD-010 commons_storage live wiring; HRD-011 Telegram live (live_message_id=5 evidence 2026-05-22); HRD-012 Claude Code dispatcher live; HRD-016 pherald /v1/events Runner wiring (Wave 3b live — 7-stage pipeline + e2e E37-E42); universal §11.4.73 + §11.4.74 mandates propagated; I6 gate refined; Wave 2 flavor scaffolds (HRD-092..097) closed atomically; Wave 3a substrate (HRD-099 commons_auth JWT verifier) + 2 live REST routes (HRD-028, HRD-098) closed atomically.
Continuation see CONTINUATION.md.	

Table of contents

- [Recently fixed](#)

Recently fixed

ID	Type	Criticality	Title	Closed	Commit	Reference
HRD-100	task	high	Wave 6 — pherald inbound runtime + Claude Code headless bridge (code-doc closure). New Cobra subcommand pherald listen runs the closed-loop runtime: Telegram getUpdates long-poll (OnText/OnPhoto/OnDocument/OnVoice) + bot self-filter (bot.Me.Username anti-echo guard captured at Subscribe construction; refuses to start if getMe returned no username) + sha256 content-addressed attachment download into ~/.herald/inbox/<sha256>.<ext> (idempotent — duplicate downloads do not re-write) + Claude Code dispatch with Opus pinned in the spawned argv (claude --model claude-opus-4-7 --resume <UUID> --print <envelope>) + envelope pre-text — verbatim operator wording ("We have received new message from our communication channel <channel-name>. <classification sentence>. <attachment list>") preceding the <<<HERALD-DISPATCH-v1>>> structured block + <<<HERALD-REPLY>>> parser with action routing (reply default / issue.open / event.emit) + tgram.Adapter.SendReply(ctx, chatID, text, replyToID, attachments) wiring	2026-05-22	(this commit; 12 Wave-6 SHAs above)	spec V3 §32.9 §43 catalogue Catalogue-Ch Herald-internal/

ID	Type	Criticality	Title	Closed	Commit	Reference
HRD-016	task	middle	reply_to_message_id from the original message_id. --qa-out-dir <path> flag journals every inbound + outbound event as JSONL per §107.x. Closing 12 atomic Wave-6 commits T1=ad87d7f (HERALD_PROJECT_NAME resolver + .env.example), T2=0d55274 (Opus model pin), T3=14626f7 (envelope pre-text), T4=b4018a3 (bot self-filter), T5=d9156f1 (OnPhoto/OnDocument/OnVoice + sha256 download), T6=a22a054 (pherald listen Cobra subcommand), T7=a3b238a (pherald/internal/inbound/Dispatcher + action routing), T8=5f92f8a (tgram.SendReply with reply_to_message_id), T9=f7913b8 (live closed-loop e2e script tests/ test_wave6_live_loop.sh), T10a=520e0c6 (--qa-out-dir flag + JSONL journaling middleware), T11=01bfd1a (e2e_bluff_hunt E63-E70 invariants), T12=96c7c6b (Wave 6 mutation gate tests/ test_wave6_mutation_meta.sh — 3 paired hermetic mutations). §107 evidence: 8 new e2e invariants E63-E70 land in this commit (all currently SKIP with documented reasons — E63 lifecycle / E64 bot self-filter / E65 attachment sha256 / E66 envelope pre-text / E67 Opus argv / E68 reply_to_message_id wire-bytes / E69 action routing issue.open / E70 live closed-loop). Conversion SKIP → PASS lands at T10b when the operator exports HERALD_TGRAM_BOT_TOKEN + HERALD_TGRAM_CHAT_ID + HERALD_CLAUDE_BIN and runs bash tests/ test_wave6_live_loop.sh --qa-out-dir docs/qa/HRD-100-<run-id>/. Tag v0.4.0 is DEFERRED to T13b (post-T10b live evidence per §107.x) — code-doc closure ships here. pherald /v1/events Runner wiring (REST API surface via Gin Gonic per spec §41) — §32 7-stage event-ingest pipeline lands as 7 concrete structs under	2026-05-22	(this commit)	spec V3 §32.1 Catalogue-Ch vendor (Gin e Herald-interna

ID	Type	Criticality	Title	Closed	Commit	Reference
HRD-011	task	middle	pherald/internal/runner/ (EventParser, IdempotencyChecker, TenantResolver, PolicyGate, SubscriberResolver, ChannelDispatcher, OutcomeRecorder) orchestrated by runner.Runner.Run. pherald/ internal/http/events.go exposes the live HTTP handler; pherald/cmd/pherald/ {main, stubs}.go lazily build the Runner + JWT verifier inside the serve subcommand so other paths still work without HERALD_PG_DSN/ HERALD_AUTH_MODE. HTTP contract: 202 Accepted + Receipt JSON on fresh event, 200 + X-Herald-Replay: true on replay, 401 on missing/invalid JWT, 400 on parse failure. §107 evidence: 23/23 runner package tests green (per-stage + 3 integration scenarios: happy/duplicate/deny); 6 new e2e invariants E37-E42 (PG :24100 gate- skipped when absent — honest SKIP- with-reason per §11.4.3); mutation gate tests/ test_wave3_mutation_meta.sh gains M2 (Duplicate=false unconditional → E38 breaks), M4 (skip events_processed.Insert → E38/E42 break). M3 SKIP-with-reason pending Wave 3c deny-evaluator e2e. Commits T1..T10: eb9b2f4, 40ad60f, 2fdb7b5, 4c4af24, 3988114, 5468897, 6ea29a4, be71db1, c7b89a4, (this commit). Telegram channel adapter live integration — telebot.v3 vendored (submodules/ telebot); HealthCheck + Send + Subscribe + outbound_delivery_evidence persistence all live-wired with §107 bluff guards. Closed atomically with operator- session live evidence 2026-05-22: real bot delivery message_id=5 from @atmosphere_worker_bot to chat 2057253161 (validated via getChat) using the extended wizard CLI's --bot- token (env: HERALD_TGRAM_BOT_TOKEN) + --chat-id (validated via getChat before persist) + --non- interactive flags. Token→getMe→getChat→sendMessage	2026-05-22	(this commit)	spec V3 §11.1 no-match → v submodules/te live evidence: 2026-05-22 + sendMessage ok=true, r

ID	Type	Criticality	Title	Closed	Commit	Reference
HRD-099	task	low	chain confirmed end-to-end in commit 140a2f1 session. commons_auth/ JWT verifier — HMAC + JWKS hybrid + Gin middleware + claims helpers, vendored Herald-internal per §11.4.74 catalogue-check no-match. Catalogue evidence: docs/catalogue-checks/HRD-099-commons-auth.md. Renumbered from HRD-093 (Wave 3a executing-time anchor) in the post-Wave-3a doc-cleanup pass; Wave 3a commits dbbea95 . . 0cc6fad keep the old HRD-093 in their commit messages as history.	2026-05-21	dbbea95 (impl) + r9 doc-cleanup (renumber)	spec V3 §41 + docs/catalogue-checks/commons-auth
HRD-098	task	middle	sherald /v1/safety_state live — process-local Aggregator + background mem-sampler (15s tick) + Handler with JWT gate via commons_auth.GinMiddleware. Replaces the Wave 2 501-stub. §107 evidence: e2e E46 (no-auth → 401), E47 (valid HMAC → 200 + current_mem_percent>0 + last_destructive_op=null + uptime_seconds>=1 + open_events=0). Paired mutation M5 (zero-mem Aggregator) proves E47 catches the regression. E48 SKIP-with-reason — destructive-op trigger awaits HRD-033 body.	2026-05-21	(this commit)	spec V3 §18.0 E46-E47
HRD-028	task	low	cherald /v1/compliance live — paginated + filter-aware constitution_state pull surface with JWT gate via commons_auth.GinMiddleware. Backed by ConstitutionStore.ListQuery extended with Since/Until/Offset (commit 6276437). §107 evidence: e2e E43 (no-auth → 401), E44 (valid HMAC + empty tenant → 200 + total=0 + page=1 + page_size=50). E45 SKIP-with-reason — cross-binary cherald-reads-pherald-writes deferred to Wave 3b (Runner not live yet).	2026-05-21	(this commit)	spec V3 §42.1 E43-E44
HRD-092	task	middle	commons/cli/ shared CLI scaffold (Wave 2) — NewRootCmd + VersionCmd + ServeCmd (with Middleware hook) + StubCmd + healthz/readyz/metrics handlers. Vendored as Herald-internal per §11.4.74 catalogue-check no-match. As-built evidence: §44.M of spec V3 r8 +	2026-05-21	(this commit)	spec V3 §44.M no-match → v

ID	Type	Criticality	Title	Closed	Commit	Reference
			docs/catalogue-checks/HRD-092-commons-cli.md.			
HRD-093	task	middle	sherald flavor scaffold — System Herald binary serving :24793 with cli.ServeCmd, 5 §43 stubs (HRD-033/034/040/046/056) + /v1/safety_state 501 stub → HRD-098.	2026-05-21	(this commit)	spec V3 §18.0 Check: no-ma
HRD-094	task	middle	cherald flavor scaffold — Constitution Herald binary serving :24792 with cli.ServeCmd, 11 §43 stubs + /v1/compliance 501 stub → HRD-028.	2026-05-21	(this commit)	spec V3 §18.0 Check: no-ma
HRD-095	task	low	bherald flavor scaffold — Build Herald CLI-only binary with 3 §43 stubs (HRD-035/041/045).	2026-05-21	(this commit)	spec V3 §18.0 Check: no-ma
HRD-096	task	low	rherald flavor scaffold — Release Herald CLI-only binary with 3 §43 stubs (HRD-031/032/045).	2026-05-21	(this commit)	spec V3 §18.0 Check: no-ma
HRD-097	task	low	iherald + scherald flavor scaffolds — Incident Herald serving :24794 with /v1/webhooks/page → HRD-024 + Scheduled-audit Herald CLI-only with 1 §43 stub (HRD-047). Paired since iherald has zero §43 stubs.	2026-05-21	(this commit)	spec V3 §18.0 Check: no-ma
HRD-012	task	middle	Claude Code dispatcher live integration — <code>claude --resume <UUID> --print <envelope> exec + <<<HERALD-REPLY>>> JSON parse + claude_code_sessions persistence</code> per §33. §107 evidence: Plan 2 Task 6 commit 702b5a3 (live PASS 24.24s — real claude CLI round-trip, structured reply parsed, Outcome+Summary non-empty) + Task 7 commit 4718c0e (live PASS 36.23s — session_state upsert under HeraldSystemTenant with exact-equality assertions on session_uuid + anchor_path + last_response JSONB round-trip). HRD-085..HRD-090 stay open for upstream-defined TaskRepository methods not exercised by the Dispatch+session hot path.	2026-05-21	(this commit)	spec V3 §33 + Check: no-ma external binary digital.vasic.d pool.
HRD-010	task	middle	commons_storage live wiring — pgx pool + RLS-enforcing WithTenantContext (discovered + fixed RLS-bypass bug via E14 falsifiability) + 9 migrations + background queue (digital.vasic.background bound via pgxTaskRepository) + Redis ACL (digital.vasic.cache) + pherald migrate up/status/down/validate subcommand + 3 new §107 e2e invariants (E14/E15/E16)	2026-05-20	(this commit)	spec V3 §9.6 + Check: extend digital.vasic.d digital.vasic.b + digital.vasic Concurrency s

ID	Type	Criticality	Title	Closed	Commit	Reference
			+ HRD-085..090 registered for queue-repository stubs			
HRD-080	task	low	Refine I6 inheritance-gate invariant from blanket <code>.gitmodules</code> -forbidden to "no constitution/ entry in <code>.gitmodules</code> " — paired meta-test <code>test_i6_refinement_meta.sh</code> with 3 anti-bluff subtests. Enables Foundation M2/M3 Helix-stack submodule installs.	2026-05-20	(this commit)	spec V3 §44.9
HRD-017	task	middle	Propagate Universal §11.4.73 (main-spec versioning + revision discipline) and §11.4.74 (submodule-catalogue-first discovery) into parent constitution Constitution.md + CLAUDE.md + AGENTS.md	2026-05-20	constitution 34a82b3	Universal §11
HRD-014	task	middle	pherald CLI scaffold — Cobra root + version + 5 stubbed subcommands; <code>pherald version --json</code> returns canonical build info	2026-05-20	e627c76	spec V3 §3 +
HRD-013	task	middle	<code>commons_messaging</code> + <code>null:// adapter</code> — full §11.0 Channel contract impl with ring buffer + <code>fail_rate/latency/ceiling</code> URL params + 8-case unit test suite	2026-05-20	(this commit)	spec V3 §11.1
HRD-009b	task	low	<code>commons_prefix</code> module — §8.2 deterministic 3-letter prefix algorithm with CamelCase split + collision-resolution via <code>fnv1a32</code> + table-driven tests	2026-05-20	(this commit)	spec V3 §8.2
HRD-009	task	middle	<code>commons</code> module — full §11.0 Go type contract (Channel + Capabilities + DeliveryEvidence + OutboundMessage + Body + Attachment + Recipient + Action + Priority + Receipt + InboundHandler + InboundEvent + Subscriber + SubscriberAlias + CloudEventEnvelope + TraceContext + Branding + ChannelID + PreferenceSet + ...) + Clock abstraction + UUIDv7 helper + DefaultBranding factory	2026-05-20	(this commit)	spec V3 §11.0
HRD-007	task	middle	V3 r3 cross-doc sync + tracking-doc scaffold (Issues/Fixed/Status/Status_Summary/Issues_Summary/Fixed_Summary/CONTINUATION)	2026-05-20	741ccc d	spec V3 §30.8
HRD-006	task	middle	V3 r2 flavor refinement — 9 flavors × per-channel interaction tables	2026-05-20	f8b8073	spec V3 §30.7
HRD-005	task	middle	V3 r1 operator-product layer (§31..§36 + §18.2 expansion)	2026-05-20	e26a8dc	spec V3 §30.6
HRD-004	task	middle	V2 r3 — Go type contract closure + operational ops detail	2026-05-20	f4ebba1	archived V2 §
HRD-003	task	middle		2026-05-19	9648545	archived V2 §

ID	Type	Criticality	Title	Closed	Commit	Reference
			V2 r2 — close prose ^[?] definition gaps + add operational guidance			
HRD-002	task	middle	V2 r1 — architectural authoring (CloudEvents/Watermill/OTel/RLS/ SLSA/9 flavors)	2026-05-19	96b7cc6	archived V2 §
HRD-001	task	middle	V1 — initial MVP specification + Review section + Recommendations	2026-05-19	b421fe1	archive V1 §"