

Herald — Issues

- Herald — Issues
 - Table of contents
 - Open
 - In progress
 - Blocked
 - Conventions

Herald — Issues

Field	Value
Revision	5
Created	2026-05-20
Last modified	2026-05-20
Status	active
Status summary	Spec V3 r6 adds §43 Constitution-derived flavor commands + workflows (27 entries). HRD-029..HRD-056 opened to track each command’s implementation. Combined with HRD-018..HRD-028 from r5, the constitution-flavor integration plan now spans 39 workable items rolled out in 4 implementation waves. r5: HRD-085..HRD-090 opened to track the 16 stub methods in <code>commons_infra.pgxTaskRepository</code> per §11.4.74 <code>catalogue-check</code> on the upstream <code>digital.vasic.background.TaskRepository</code> interface.
Issues	HRD-008, HRD-010, HRD-011, HRD-012, HRD-015, HRD-016, HRD-018..HRD-028, HRD-029..HRD-056, HRD-081, HRD-085..HRD-090
Issues summary	52 open / in-progress workable items across quickstart validation, live channel integrations, REST surface, the §42 binding rollout, the §43 command-catalogue implementation, the §44 containers-runtime workaround, and the §44 queue-repository extension surface (HRD-081

Field	Value
	was previously omitted from the header enumeration; r5 reincludes it).
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-013, HRD-014, HRD-017
Fixed summary	see <code>Fixed.md</code> .
Continuation	see <code>CONTINUATION.md</code> .

Table of contents

- [Open](#)
- [In progress](#)
- [Blocked](#)
- [Conventions](#)

Open

Per Universal §11.4.74 every new row carries a Catalogue-Check line in its References cell (one of `reuse|extend|no-match <org/repo>@<sha>`). For HRDs whose catalogue-check is still pending, the row records `no-match (2026-05-20)` — operators reviewing the implementation PR will re-verify.

ID	Type	Status	Criticality	Title
HRD-010	task	open	middle	commons_storage live wiring (golang-migrate driver, pgx pool, River queue, Redis ACL)
HRD-011	task	open	middle	Telegram channel adapter live integration (telebot SDK + getUpdates long-poll + webhook secret_token)
HRD-012	task	open	middle	Claude Code dispatcher live integration (<code>claude --resume + parse <<<HERALD-REPLY>>></code>)
HRD-015	task	open	low	Inheritance gate I8 invariants for Go scaffold (<code>go.work commons/types.go + null adapter test passes</code>)
HRD-016	task	open	middle	REST API surface via Gin Gonic per spec §41 — pherald/internal/http/ with /v1/* routes + JWT auth + OpenAPI tags
HRD-018	task	in_progress	high	commons_constitution Go package: Evaluator interface + 12 event-class emit helpers + constitution_state + constitution_bindings table migrations + bundle-hash captureer + mode-ladder runtime config
HRD-019	task	open	high	cherald constitution bindings — bulk implementation: ~30 .policy.violation rules + .gate.failed/.gate.recovered/.credential.leaf handlers; /v1/compliance pull surface

ID	Type	Status	Criticality	Title
HRD-020	task	open	high	sherald host-safety + repo-safety bindings (§9.1/.2/.3, §12.1/.2/.3/.6, §11.4.32, §11.4.36, §11.4.41, §11.4.71) — destructive-op detection hook, force-push interceptor, mem-budget watcher
HRD-021	task	open	middle	bherald CI/test bindings (§1, §11.4.2/.3/.4/.5/.7/.13/.14/.24/.27/.39/.43/.46/.48–.52/.6) — gate-result event emitters; integrates with the consuming project’s CI workflow
HRD-022	task	open	middle	rherald release bindings (§4 tag mirroring, §5 changelog, §11.4.38 installable-asset evidence, §11.4.40 full-suite retest)
HRD-023	task	open	middle	pherald project bindings (§2 commit+push, §3 submodule propagation, §11.4.11/.15/.21/.22/.34/.37/.42/.55/.66/.71/.74)
HRD-024	task	open	middle	iherald constitution-rule escalation bindings (§11.4.10/.10.A credential-leak page-out, §11.4.21 + §11.4.66 operator-blocked escalation)
HRD-025	task	open	low	scherald scheduled-audit bindings (§11.4.45 periodic Status.md sweep + daily/weekly/monthly compliance digest)
HRD-026	task	open	middle	Constitution-bundle hash captureer — computes SHA-256 of rendered Constitution.md at evaluation time; persists on every emitted event for replayability
HRD-027	task	open	middle	Mode-ladder runtime config (constitution_binding table + admin REST endpoints to flip allow/warn/enforce per binding per tenant without redeploy)
HRD-028	task	open	low	/v1/compliance pull surface — Gin handler returning constitution_state rows filtered by rule / subject / decision; paginated
HRD-029	task	open	middle	§2 pherald commit-push — single-entripoint locked commit + multi-mirror push
HRD-030	task	open	middle	§3 pherald submodule propagate — owned-submodule walk in propagation order
HRD-031	task	open	middle	§4 rherald tag mirror — assert tag exists on every owned submodule
HRD-032	task	open	low	§5 rherald changelog generate — Conventional Commits → docs/changelogs/<v>.md + multi-format export
HRD-033	task	open	high	§9.1 sherald destructive guard <op> — wrap rm git-reset/git-push-force with prerequisite checks
HRD-034	task	open	middle	§9.3 sherald backup snapshot <path> — hardlinked snapshot helper
HRD-035	task	open	middle	§11.4.2 bherald evidence capture <test_id> — captured-evidence recorder
HRD-036	task	open	high	§11.4.10 cherald creds scan — gitleaks/trufflehog integration, emits .credential.leak

ID	Type	Status	Criticality	Title
HRD-037	task	open	low	§11.4.12 cherald docs sync — regen Issues_Summary / Fixed_Summary / Status_Summary
HRD-038	task	open	low	§11.4.18 cherald script-docs check — assert sibling .md for every scripts/**/*.*sh
HRD-039	task	open	low	§11.4.19 / .23 cherald fixed align + cherald colorize — Issues/Fixed format + HTML colorizer
HRD-040	task	open	high	§11.4.26 sherald constitution pull — wrap fetch + rebase + validation gate, emits .bundle.updated
HRD-041	task	open	middle	§11.4.27 bherald test-tier verify — 8-tier matrix verification
HRD-042	task	open	low	§11.4.31 cherald submanifest verify — Submodule-Dependency-Manifest gate
HRD-043	task	open	high	§11.4.36 pherald install-upstreams — install_upstreams wrapper
HRD-044	task	open	middle	§11.4.37 pherald fetch-guard — pre-edit fetch + rebase enforcement
HRD-045	task	open	high	§11.4.40 rherald gate retest — pre-tag full-suite retest gate
HRD-046	task	open	high	§11.4.41 sherald force-push gate — merge-first + per-session-auth enforcement
HRD-047	task	open	middle	§11.4.45 / .56 scherald status digest — periodic Status.md sweep + Status_Summary regen
HRD-048	task	open	low	§11.4.53 cherald fixed-summary sync — standalone Fixed_Summary backfill
HRD-049	task	open	middle	§11.4.55 pherald reopen <HRD-MNN> — Issues→Fixed reversal + Reopens history
HRD-050	task	open	middle	§11.4.59 cherald readme sync — README doc-link regen + multi-format re-export
HRD-051	task	open	high	§11.4.60 cherald composite-gate — canonical implementation of CM-DOCS-COMPOSITE-SYNC
HRD-052	task	open	middle	§11.4.65 cherald export — bulk Markdown export wrapper (md/html/pdf/docx)
HRD-053	task	open	high	§11.4.71 pherald pre-push — fetch + investigate + integrate hook
HRD-054	task	open	middle	§11.4.73 cherald spec-version check — Revision vs-edits drift detection
HRD-055	task	open	middle	§11.4.74 cherald catalogue-check <pr> — scan PR for Catalogue-Check + survey runner over vasic-digital + HelixDevelopment
HRD-056	task	open	high	§12.6 sherald mem-budget watch — daemon-mode 60% threshold watcher emitting .host.safety_breach
HRD-081	task	open	low	Extend digital.vasic.containers/pkg/compose to detect podman-compose vs docker compose runtime and either emit runtime-appropriate flags (no --wait for podman-compose) or fall back to host-side healthcheck

ID	Type	Status	Criticality	Title
HRD-085	task	open	middle	polling. Composes with §11.4.76 — required so <code>compose.WithWait(true)</code> works across both backends. Also fix <code>Status()</code> parsing for podman-compose ps output (returns 0 services even when containers are visible to podman directly). Per §11.4.76 extend upstream submodule, never reimplement. Implement single-task admin operations on <code>commons_infra.pgxTaskRepository</code> — <code>GetByID</code>, <code>Update</code>, <code>Delete</code>. Required for <code>Requeue + MoveToDeadLetter</code> call chains and operator tooling. Currently all three return <code>ErrUnsupported</code> (HRD-085). Scope: read one <code>BackgroundTask</code> row by ID; full-row <code>Update</code> including JSONB columns; soft- or hard-<code>Delete</code> decision per §107.
HRD-086	task	open	middle	Implement worker-side running-task state mutations on <code>commons_infra.pgxTaskRepository</code> — <code>UpdateStatus</code>, <code>UpdateProgress</code>, <code>UpdateHeartbeat</code>, <code>SaveCheckpoint</code>. Required by River workers + the stuck-detector reaper. Currently all four return <code>ErrUnsupported</code> (HRD-086). Scope: status transitions guarded by valid-state-machine check; progress as <code>(float64, message)</code>; heartbeat as <code>updated_at = now()</code> writeback; checkpoint as opaque <code>[]byte</code> blob persisted alongside the task row.
HRD-087	task	open	low	Implement admin / stats / audit reads on <code>commons_infra.pgxTaskRepository</code> — <code>GetByStatus</code>, <code>GetPendingTasks</code>, <code>CountByStatus</code>, <code>GetTaskHistory</code>. Drives the <code>/v1/queue/*</code> introspection endpoints + <code>Peek</code> delegate. Currently all four return <code>ErrUnsupported</code> (HRD-087). Scope: status-filtered paginated reads; pending-task slice for <code>Peek</code>; status-bucketed counts; per-task execution-history rows from the <code>task_execution_history</code> table.
HRD-088	task	open	middle	Implement queue-recovery reads on <code>commons_infra.pgxTaskRepository</code> — <code>GetStaleTasks</code>, <code>GetByWorkerID</code>. Drives the stuck-task reaper + worker-crash recovery loop. Currently both return <code>ErrUnsupported</code> (HRD-088). Scope: stale-threshold filter against <code>updated_at</code>; per-worker assignment lookup for re-dispatch after a worker disappears.
HRD-089	task	open	low	Implement resource-monitor I/O on <code>commons_infra.pgxTaskRepository</code> — <code>SaveResourceSnapshot</code>, <code>GetResourceSnapshots</code>. Persists per-task CPU/memory/IO samples for capacity planning + post-mortem. Currently both return <code>ErrUnsupported</code> (HRD-089). Scope: append-only insert keyed by <code>(task_id, captured_at)</code>; per-task paginated read in reverse-chronological order. Schema

ID	Type	Status	Criticality	Title
HRD-090	task	open	middle	target: a task_resource_snapshots table not yet in the §9.6 migration set — adding it is part of this HRD. Implement dead-letter handling on commons_infra.pgxTaskRepository — MoveToDeadLetter. Required failure path when a task exhausts retries or fails a §107 invariant. Currently returns ErrUnsupported (HRD-090). Scope: atomically move the BackgroundTask row to a dead_letter_tasks table with the failure-reason string + original-row JSONB snapshot; emit a .queue.dead_letter event via commons_constitution per §42.1. Schema target: a dead_letter_tasks table not yet in the §9.6 migration set — adding it is part of this HRD.

In progress

ID	Type	Status	Criticality	Title	Opened	Last update	References
HRD-008	task	in_progress	middle	Operator-side quickstart compose validation (Postgres + Redis + OTel + pherald container)	2026-05-20	2026-05-20	spec V3 §26.5 — scaffold shipped, live end-to-end run pending operator; Catalogue-Check: no-match (2026-05-20) — bespoke to Herald

Blocked

(none)

Conventions

See [Fixed.md](#) for closed items + Universal §11.4.12/.15/.16/.19/.33/.55/.73/.74 composition rules.