

Herald



Herald — Issues

Field	Value
-------	-------

Revision	17
----------	----

Created	2026-05-20
---------	------------

Last modified	2026-05-27
---------------	------------

Status	active
--------	--------

Status summary	r17 (v1.0.0 Batch A) atomically migrates HRD-018 + HRD-026 + HRD-027 Issues→Fixed per §11.4.19. commons_constitution persistence layer completed: the Evaluator framework, 12 emit helpers, bundle-hash captureer, mode-ladder, and constitution_state/constitution_bindings migrations were already coded in r1 — this effort closed the remaining gaps: (1) constitution_audit write-through — the table existed in migration 000006 but the Runner never wrote a row (RunOutcome.Audited set true with nothing persisted = §107 PASS-bluff at the audit layer); now state.MemoryAudit + state.PostgresAudit back a new AuditStore interface and Runner.Run writes a durable RLS-scoped row for every CHANGED Warn/Enforce transition, capturing the emitted event ID for Enforce; (2) HRD-026 bundle-hash persisted on every emitted event AND audit row for replay (§42.1.3); (3) HRD-027 mode-ladder runtime config wired to 3 admin REST endpoints on cherald (GET/PUT /v1/compliance/modes[:rule_id], JWT-gated, flip allow/warn/enforce per tenant with no redeploy). TDD RED→GREEN, -race -count=3 deterministic; real-PG integration green at :24100. Evidence docs/qa/HRD-018-20260527T142556Z/ (real-PG emit→persist + audit round-trip with DB-level SELECT proof, admin-REST flip round-trip, §11.4.85 stress 512 emit→persist exactly-512-rows no-lost-writes + chaos 960 concurrent flips, all -race clean). Prior r16 atomically migrated the completed GAP-3 §11.4.85 stress+chaos suite (HRD-122..HRD-130, all Task→Completed) + the HRD-132 Runner idempotency-window fix (Bug→Fixed) Issues→Fixed per §11.4.19.** GAP-3 commits 02d272d→d2a60d3 (HRD-122 scaffold commons/stresschaos/, HRD-123 Gin /v1/events, HRD-124 /v1/compliance+/v1/safety_state, HRD-125 Runner, HRD-126 pherald listen inbound, HRD-127 claude_code dispatch, HRD-128 container/resource-exhaustion §12.6-safe, HRD-129 e2e E81-E88, HRD-130 paired §1.1 mutation gate); HRD-132 fix 354b883 (claim-before-dispatch at Runner Stage 2 — INSERT events_processed ... ON CONFLICT DO NOTHING is now the authoritative exactly-once dispatch gate; latent runner.go:132 CachedRcpt.WasReplay race closed; HRD-125 assertion upgraded to
----------------	--

Field	Value
	sends==1) + wave3-M4-retire 4f45f26. Full scripts/ e2e_bluff_hunt.sh reports 78 PASS / 0 FAIL; HRD-130 gate 6 PASS / 0 FAIL (5 load-bearing mutations); HRD-132 evidence docs/qa/HRD-125- stress-chaos-2026-05-27T131251-gap3/ (dispatch_exactly_once=1, shared_key_sends=1 want=1). HRD-131 (SQLite SSoT migration Phase 1) remains OPEN — Phases 2-6 follow- on. Prior r15 captured Wave 6 (pherald inbound runtime + Claude Code headless bridge — code-doc closure; tag v0.4.0 deferred to T13b post live evidence). HRD-100 atomic Issues→Fixed in r15.** New Cobra subcommand pherald listen runs the closed-loop runtime: Telegram getUpdates long-poll (OnText/OnPhoto/OnDocument/OnVoice) + bot self-filter (bot.Me.Username anti-echo guard, fails Subscribe if getMe returned no username) + sha256 content-addressed attachment download into ~/.herald/ inbox/<sha256>.<ext> + Claude Code dispatch with Opus pinned in argv (claude --model claude-opus-4-7 --resume <UUID> --print <envelope>) + envelope pre-text (verbatim operator wording "We have received new message from our communication channel") preceding the <<<HERALD-DISPATCH-v1>>> structured block + <<<HERALD-REPLY>>> parser with action routing (reply / issue.open / event.emit) + tgram.Adapter.SendReply wiring reply_to_message_id from the inbound message_id. T10a --qa-out-dir flag journals every inbound/ outbound event as JSONL per §107.x. 12 commits (T1=ad87d7f..T12=96c7c6b). 8 new e2e invariants E63-E70 added (currently SKIP with documented reasons — converting to PASS at T10b when operator runs the live closed-loop and commits docs/qa/HRD-100/). Wave 6 mutation gate tests/test_wave6_mutation_meta.sh lands 3 paired hermetic mutations. Tag v0.4.0 deferred to T13b (operator-supplied live evidence per §107.x). Prior r14 captured Wave 4b TOON application/toon content negotiation (tag v0.3.0). Prior r13 captured Wave 4a (HTTP/3 + Brotli + Alt-Svc + TLS 1.3). r12 closed HRD-016 (Wave 3b pherald Runner live). r11 closed HRD-011 (Telegram live, message_id=5).
Issues	HRD-008, HRD-015, HRD-019..HRD-025, HRD-029..HRD-056, HRD-081, HRD-085..HRD-090, HRD-131
Issues summary	37 open / in-progress workable items. r17 (v1.0.0 Batch A): HRD-018 (common constitution package — Evaluator+emit+migrations+bundle- hash+mode-ladder, completing the constitution_audit write-through that was the remaining §107 PASS-bluff: RunOutcome.Audited set true with nothing persisted), HRD-026 (bundle-hash now persisted on every emitted event AND audit row for replay), HRD-027 (mode-ladder runtime config + 3 admin REST endpoints GET/PUT /v1/compliance/modes[:rule_id]) closed atomically Task→done, migrated Issues→Fixed per §11.4.19. Evidence docs/ qa/HRD-018-20260527T142556Z/ (real-PG emit→persist + admin-REST flip round-trips + §11.4.85 stress 512 emit→persist no-lost-writes + chaos 960 concurrent flips). Prior r16: HRD-122..HRD-130 (GAP-3 §11.4.85 stress+chaos suite) closed atomically as Completed + HRD-132 (Runner idempotency-window bug) closed as Fixed — 11 rows migrated Issues→Fixed; HRD-131 (SQLite SSoT migration Phase 1) remains OPEN (Phases 2-6 follow-on). r15: HRD-100 closed atomically (Wave 6 pherald inbound runtime — code-doc closure; live evidence operator-pending → T10b). r14: substrate upgrade only (Wave 4b TOON; no HRDs migrated). r12: HRD-016 closed atomically (Wave 3b pherald Runner live + e2e E37-E42 PASS or honest SKIP-with-reason when PG :24100 absent). r11: HRD-011 (Telegram live) closed atomically with live message_id=5 evidence. r10

Field	Value
	doc-cleanup renumbered HRD-093 → HRD-099. r9: HRD-028 + HRD-098 closed (Wave 3a). Carry-over to Wave 3c: HRD-024 (iherald paging), HRD-033 (destructive-guard body), HRD-018..027 flavor-specific bindings, plus the rest of the §43 command catalogue.
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-011, HRD-012, HRD-013, HRD-014, HRD-016, HRD-017, HRD-018, HRD-026, HRD-027, HRD-028, HRD-080, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097, HRD-098, HRD-099, HRD-100, HRD-110, HRD-111, HRD-112, HRD-113, HRD-114, HRD-122, HRD-123, HRD-124, HRD-125, HRD-126, HRD-127, HRD-128, HRD-129, HRD-130, HRD-132
Fixed summary	see <code>Fixed.md</code> .
Continuation	see <code>CONTINUATION.md</code> .

Table of contents

- [Open](#)
- [In progress](#)
- [Blocked](#)
- [Conventions](#)

Open

Per Universal §11.4.74 every new row carries a `Catalogue-Check` line in its `References` cell (one of `reuse|extend|no-match <org/repo>@<sha>`). For HRDs whose catalogue-check is still pending, the row records `no-match (2026-05-20)` — operators reviewing the implementation PR will re-verify.

ID	Type	Status	Criticality	Title	Open
HRD-015	task	open	low	Inheritance gate I8 invariants for Go scaffold (go.work + commons/types.go + null adapter test passes)	2026-
HRD-019	task	in_progress	high	cherald constitution bindings — cherald/internal/bindings Pipeline registers the 32 cherald-owned §42.3 rules as concrete commons_constitution.Evaluator impls routed through 5 event classes (.policy.violation/.gate.failed/.gate.recovered/.over the Batch-A emit+persist+audit foundation; POST /v1/compliance/evaluate write surface drives detect→emit→persist→audit, visible on the existing GET /v1/compliance pull surface. Vertical-slice bespoke detectors landed (§11.4.29 naming, §11.4.10/10.A credentials, §11.4.44 doc-revision-header, §11.4.18 script-docs, §11.4.73 spec-drift, §11.4.74 catalogue-miss); remaining 25 rules use the shared marker-check mechanism (verdict decided upstream by the §43 catalogue command / sweep) with the full emit-routing framework in place — deepening each remaining bespoke detector is per-rule follow-up.	2026-
HRD-020	task	in_progress	high	sherald host-safety + repo-safety constitution bindings — sherald/internal/bindings Pipeline registers the 15	2026-

ID	Type	Status	Criticality	Title	Open
				sherald-owned §42.3 host/repo-safety rules (§2, §9.1/.2/.3, §11.4.24/.26/.32/.36/.41/.47/.71, §12.1/.2/.3/.6) as concrete commons_constitution.Evaluator impls routed through 6 SAFETY event classes (.host.safety.breach/.repo.safety.breach/.gate.re over the Batch-A emit+persist+audit foundation, mirroring the proven HRD-019 cherald Pipeline pattern. The 3 named DETECTION hooks landed as REAL pure classifiers — destructive-op detector (§9.1: rm/git-reset/clean without backup → .repo.safety.breach), force-push interceptor (§11.4.41/§9.2: force-push without merge-first OR session-auth → .repo.safety.breach), mem-budget watcher (§12.6: reported used_fraction > 60% → .host.safety.breach) — plus forbidden-host-op (§12.1) + prereq-marker detectors for the remaining rows. CRITICAL §12-safety: every detector DETECTS+REPORTS from a Subject string description; NONE performs the destructive op, force-pushes, suspends the host, or allocates memory (the mem-budget watcher reads a fabricated fraction — no real exhaustion). The §43 command bodies (HRD-033/046/056) supply the live op-interception feeding these detectors. bherald CI/test bindings — bherald/internal/bindings Pipeline registers the 22 bherald-owned §42.3 CI/test gate-result rules (§1, §1.1, §11.4.2/.3/.4/.5/.7/.9/.13/.14/.24/.27/.30/.39/.43/.46/.48–.52/.67) as concrete commons_constitution.Evaluator impls routed through 3 event classes (.gate.failed/.gate.recovered via the build/test gate-result class + .policy.violation + .repo.safety.breach for the shared §11.4.30 build-artifact row) over the Batch-A emit+persist+audit foundation, mirroring the proven HRD-019/020 Pipeline pattern. bherald is the BUILD/CI flavor; it emits CI/test gate-result constitution events that integrate with the consuming project's CI workflow. 3 bespoke pure detectors landed: gate-result classification (§1/ §11.4.50 — PASS/FAIL/flaky from a recorded gate outcome → .gate.failed/.gate.recovered), test-tier-verify (§11.4.27/§40.2 — the 8-tier test matrix; a missing tier FAILs), anti-bluff-PASS detection (§11.4.2/.5 — a gate that PASSes WITHOUT a captured-evidence artefact is a §11.4 PASS-bluff → FAIL). Remaining rows use the shared marker-check mechanism (verdict decided upstream by the §43 command/CI gate) with the full emit-routing framework in place.	
HRD-021	task	in_progress	middle	mirroring the proven HRD-019/020 Pipeline pattern. bherald is the BUILD/CI flavor; it emits CI/test gate-result constitution events that integrate with the consuming project's CI workflow. 3 bespoke pure detectors landed: gate-result classification (§1/ §11.4.50 — PASS/FAIL/flaky from a recorded gate outcome → .gate.failed/.gate.recovered), test-tier-verify (§11.4.27/§40.2 — the 8-tier test matrix; a missing tier FAILs), anti-bluff-PASS detection (§11.4.2/.5 — a gate that PASSes WITHOUT a captured-evidence artefact is a §11.4 PASS-bluff → FAIL). Remaining rows use the shared marker-check mechanism (verdict decided upstream by the §43 command/CI gate) with the full emit-routing framework in place.	2026-
HRD-022	task	open	middle	rherald release bindings (§4 tag mirroring, §5 changelog, §11.4.38 installable-asset evidence, §11.4.40 full-suite retest)	2026-
HRD-023	task	open	middle	pherald project bindings (§2 commit+push, §3 submodule propagation, §11.4.11/.15/.21/.22/.34/.37/.42/.55/.66/.71/.74)	2026-
HRD-024	task	open	middle	iherald constitution-rule escalation bindings (§11.4.10/.10.A credential-leak page-out, §11.4.21 + §11.4.66 operator-blocked escalation)	2026-

ID	Type	Status	Criticality	Title	Open
HRD-025	task	open	low	§11.4.45 sgerald scheduled-audit bindings (§11.4.45 periodic Status.md sweep + daily/weekly/monthly compliance digest)	2026-01-01
HRD-029	task	open	middle	§2 pherald commit-push — single-entripoint locked commit + multi-mirror push	2026-01-01
HRD-030	task	open	middle	§3 pherald submodule propagate — owned-submodule walk in propagation order	2026-01-01
HRD-031	task	open	middle	§4 rherald tag mirror — assert tag exists on every owned submodule	2026-01-01
HRD-032	task	open	low	§5 rherald changelog generate — Conventional Commits → docs/changelogs/<v>.md + multi-format export	2026-01-01
HRD-033	task	open	high	§9.1 sgerald destructive guard <op> — wrap rm/git-reset/git-push-force with prerequisite checks	2026-01-01
HRD-034	task	open	middle	§9.3 sgerald backup snapshot <path> — hardlinked snapshot helper	2026-01-01
HRD-035	task	open	middle	§11.4.2 bherald evidence capture <test_id> — captured-evidence recorder	2026-01-01
HRD-036	task	open	high	§11.4.10 cherald creds scan — gitleaks/trufflehog integration, emits .credential.leak	2026-01-01
HRD-037	task	open	low	§11.4.12 cherald docs sync — regen Issues_Summary / Fixed_Summary / Status_Summary	2026-01-01
HRD-038	task	open	low	§11.4.18 cherald script-docs check — assert sibling .md for every scripts/**/*.*sh	2026-01-01
HRD-039	task	open	low	§11.4.19 / .23 cherald fixed align + cherald colorize — Issues/Fixed format + HTML colorizer	2026-01-01
HRD-040	task	open	high	§11.4.26 sgerald constitution pull — wrap fetch + rebase + validation gate, emits .bundle.updated	2026-01-01
HRD-041	task	open	middle	§11.4.27 bherald test-tier verify — 8-tier matrix verification	2026-01-01
HRD-042	task	open	low	§11.4.31 cherald submanifest verify — Submodule-Dependency-Manifest gate	2026-01-01
HRD-043	task	open	high	§11.4.36 pherald install-upstreams — install_upstreams wrapper	2026-01-01
HRD-044	task	open	middle	§11.4.37 pherald fetch-guard — pre-edit fetch + rebase enforcement	2026-01-01
HRD-045	task	open	high	§11.4.40 rherald gate retest — pre-tag full-suite retest gate	2026-01-01
HRD-046	task	open	high	§11.4.41 sgerald force-push gate — merge-first + per-session-auth enforcement	2026-01-01
HRD-047	task	open	middle	§11.4.45 / .56 sgerald status digest — periodic Status.md sweep + Status_Summary regen	2026-01-01
HRD-048	task	open	low	§11.4.53 cherald fixed-summary sync — standalone Fixed_Summary backfill	2026-01-01
HRD-049	task	open	middle	§11.4.55 pherald reopen <HRD-NNN> — Issues→Fixed reversal + Reopens history	2026-01-01
HRD-050	task	open	middle	§11.4.59 cherald readme sync — README doc-link regen + multi-format re-export	2026-01-01

ID	Type	Status	Criticality	Title	Open
HRD-051	task	open	high	§11.4.60 cherald composite-gate — canonical implementation of CM-DOCS-COMPOSITE-SYNC	2026-
HRD-052	task	open	middle	§11.4.65 cherald export — bulk Markdown export wrapper (md/html/pdf/docx)	2026-
HRD-053	task	open	high	§11.4.71 pherald pre-push — fetch + investigate + integrate hook	2026-
HRD-054	task	open	middle	§11.4.73 cherald spec-version check — Revision-vs-edits drift detection	2026-
HRD-055	task	open	middle	§11.4.74 cherald catalogue-check <pr> — scan PR for Catalogue-Check + survey runner over vasic-digital + HelixDevelopment	2026-
HRD-056	task	open	high	§12.6 sherald mem-budget watch — daemon-mode 60% threshold watcher emitting .host.safety_breach Extend digital.vasic.containers/pkg/compose to detect podman-compose vs docker compose runtime and either emit runtime-appropriate flags (no --wait for podman-compose) or fall back to host-side healthcheck polling.	2026-
HRD-081	task	open	low	Composes with §11.4.76 — required so compose.WithWait(true) works across both backends. Also fix Status() parsing for podman-compose ps output (returns 0 services even when containers are visible to podman directly). Per §11.4.76: extend upstream submodule, never reimplement.	2026-
HRD-085	task	open	middle	Implement single-task admin operations on commons_infra.pgxTaskRepository — GetByID, Update, Delete. Required for Requeue + MoveToDeadLetter call chains and operator tooling. Currently all three return ErrUnsupported (HRD-085). Scope: read one BackgroundTask row by ID; full-row Update including JSONB columns; soft- or hard-Delete decision per §107.	2026-
HRD-086	task	open	middle	Implement worker-side running-task state mutations on commons_infra.pgxTaskRepository — UpdateStatus, UpdateProgress, UpdateHeartbeat, SaveCheckpoint. Required by River workers + the stuck-detector reaper. Currently all four return ErrUnsupported (HRD-086). Scope: status transitions guarded by valid-state-machine check; progress as (float64, message); heartbeat as updated_at = now() writeback; checkpoint as opaque []byte blob persisted alongside the task row.	2026-
HRD-087	task	open	low	Implement admin / stats / audit reads on commons_infra.pgxTaskRepository — GetByStatus, GetPendingTasks, CountByStatus, GetTaskHistory. Drives the /v1/queue/* introspection endpoints + Peek delegate. Currently all four return ErrUnsupported (HRD-087). Scope: status-filtered paginated reads; pending-task slice for Peek; status-bucketed counts; per-task execution-history rows from the task_execution_history table.	2026-

ID	Type	Status	Criticality	Title	Open
HRD-088	task	open	middle	Implement queue-recovery reads on <code>commons_infra.pgxTaskRepository</code> — <code>GetStaleTasks</code> , <code>GetByWorkerID</code> . Drives the stuck-task reaper + worker-crash recovery loop. Currently both return <code>ErrUnsupported</code> (HRD-088). Scope: stale-threshold filter against <code>updated_at</code> ; per-worker assignment lookup for re-dispatch after a worker disappears.	2026-
HRD-089	task	open	low	Implement resource-monitor I/O on <code>commons_infra.pgxTaskRepository</code> — <code>SaveResourceSnapshot</code> , <code>GetResourceSnapshots</code> . Persists per-task CPU/memory/IO samples for capacity-planning + post-mortem. Currently both return <code>ErrUnsupported</code> (HRD-089). Scope: append-only insert keyed by <code>(task_id, captured_at)</code> ; per-task paginated read in reverse-chronological order. Schema target: a <code>task_resource_snapshots</code> table not yet in the §9.6 migration set — adding it is part of this HRD.	2026-
HRD-090	task	open	middle	Implement dead-letter handling on <code>commons_infra.pgxTaskRepository</code> — <code>MoveToDeadLetter</code> . Required failure path when a task exhausts retries or fails a §107 invariant. Currently returns <code>ErrUnsupported</code> (HRD-090). Scope: atomically move the <code>BackgroundTask</code> row to a <code>dead_letter_tasks</code> table with the failure-reason string + original-row JSONB snapshot; emit a <code>.queue.dead_letter</code> event via <code>commons_constitution</code> per §42.1. Schema target: a <code>dead_letter_tasks</code> table not yet in the §9.6 migration set — adding it is part of this HRD.	2026-
HRD-131	task	open	middle	Migrate text HRD trackers to versioned SQLite single-source-of-truth (§11.4.93 / Herald §108.h, 6-phase) — DB committed as authoritative SSoT per operator mandate 2026-05-27. Phase 1 (this item): file the scope-locked tracking HRD. Phase 2: scaffold/adopt the migration Go binary that already lives in the constitution submodule (<code>constitution/scripts/workable-items/</code>) — Herald references it per §11.4.74 catalogue-first and never reimplements it. Phase 3: sync <code>md→db</code> (<code>load docs/Issues.md / docs/Fixed.md / *_Summary.md / docs/Status.md / docs/CONTINUATION.md</code> §3 into <code>docs/.workable_items.db</code>). Phase 4: sync <code>db→md</code> byte-identical (round-trip regeneration so MD↔DB drift is mechanically impossible). Phase 5: generator shims (the <code>*_Summary.md</code> variants + <code>Status/CONTINUATION</code> become derived from the DB). Phase 6: prohibit text-direct edits (release-gate guard that the DB is the only authoring surface). Operator divergence from the parent §11.4.93 gitignored-with-regeneration default: for Herald the DB IS the authoritative artefact — <code>docs/.workable_items.db</code> is version-controlled (committed), NOT regenerated-on-clone; only the transient WAL/SHM sidecars (<code>docs/.workable_items.db-wal / -shm</code>) stay	2026-

ID	Type	Status	Criticality	Title	Opened	Last update	References
				gitignored ("We should not git ignore our workable items database since it is our single source of truth regarding items we have to do on the project!"). Scope-lock: this HRD covers Phase 1 (this row) + Phase 2 adoption ONLY. Phases 3-6 (md→db sync, db→md byte-identical regeneration, generator shims, text-direct-edit prohibition) are follow-on work-items to be opened as Phase 2 completes, so the §106 spec-change / §107.x evidence invariants are never broken mid-migration.			

In progress

ID	Type	Status	Criticality	Title	Opened	Last update	References
HRD-008	task	in_progress	middle	Operator-side quickstart compose validation (Postgres + Redis + OTel + pherald container)	2026-05-20	2026-05-20	spec V3 §26.5 — scaffold shipped, live end-to-end run pending operator; Catalogue-Check: no-match (2026-05-20) — bespoke to Herald

Blocked

(none)

Conventions

See [Fixed.md](#) for closed items + Universal §11.4.12/.15/.16/.19/.33/.55/.73/.74 composition rules.