

Herald



Herald — Issues

Field	Value
Revision	45
Created	2026-05-20
Last modified	2026-05-30
Status	active
Status summary	r45: closed HRD-015 Obsolete (§11.4.90) — its "Go-scaffold I8 invariant" was superseded by design change (the I8 gate slot was repurposed for the §107 covenant I8a/b/c; the scaffold is verified by the broader test suite). Prior r44: migrated the now-complete HRD-146 (pherald listen dispatch hardening, a975d8b) + HRD-147 (governance dead-letter subscriber, 9ef4be9) Issues→Fixed — 15 open. Prior r43 (v1.0.0 closure-migration — §11.4.19 atomic Issues→Fixed of 51 code-verified HRDs). Re-audited each candidate against committed reality (grep/read the impl + run the test + confirm the e2e invariant + confirm the docs/qa/<run-id>/ dir) BEFORE migrating; nothing trusted on self-reported status alone. Migrated to Fixed.md: the 7 flavor constitution bindings HRD-019..025 (bindings tests 7/7 PASS -race; e2e E90-E96 present; per-HRD docs/qa/ dirs); the entire §43 command catalogue HRD-029..056 (30 commands, all wired into the Cobra root via registerGitOps/registerSysOps/etc., cmd-test suites PASS, e2e E97-E122 present, per-HRD docs/qa/ dirs); the Batch-D commons_infra.pgxTaskRepository ops HRD-085..089 (all 15 methods are real impls not ErrUnsupported, migration 000013_task_resource_snapshots present, e2e E123, docs/qa/HRD-085-089-*); Wave 7 HRD-116/118/119/120/121 (qaherald Slack client + e2e E124-E131 + paired §1.1 gate tests/test_wave7_mutation_meta.sh + multi-channel stress/chaos + operator guide — all hermetic tests PASS); and the ATMOSphere features HRD-148/149/151/152/153/154 (commons_workable+commons_watch modules build+test PASS, workflow bridge + inbound action registry + pherald watch daemon + quiet-hours resolver all wired, e2e E139 TestRunWatch_EndToEndOutbound PASS hermetic). Issues count 43→17→15 (HRD-146/147 also closed in r44). DELIBERATELY LEFT OPEN (evidence-gated, NOT migrated): HRD-115 (Slack channel adapter — user-visible external-service feature whose closure is operator-gated on LIVE docs/qa/HRD-115-LIVE-*/ round-trip evidence per §107.x; only hermetic httptest transcript exists, E127 LIVE-Slack is SKIP-with-reason — closing it would be a §107 PASS-bluff); HRD-117 (spec V3 doc-only — §106 spec-change discipline, not a code-closure); HRD-150/155/156/157/158 (ATMOSphere

Field	Value
	externally-gated: constitution-tool upstream, MTProto live creds, cross-repo push); HRD-131 (SQLite SSoT migration Phase 2 externally blocked); HRD-146/147/081/008/015 (not-started / upstream / operator-validation); HRD-143/144/145 (already Obsolete). Prior r42 (ATMOSphere[?]Herald integration DEPLOYED across all repos). Cross-repo push complete: (1) HRD-155 — HelixConstitution workable-items parser extended for ATMOSphere's ## §... [ATM-NNN] format, backward-compatible, byte-identical round-trip, pushed to 4 upstreams (995bd2f); (2) ATMOSphere constitution pointer bumped (ecdec56); (3) HRD-150/SSoT — docs/workable_items.db materialized on the ATMOSphere host (58 items, validate OK, lossless), committed version-controlled per §11.4.95 (d41dda5); (4) HRD-157 — Herald registered as a proper tools/herald submodule @ Herald main 80cb734 (replaced the broken orphan gitlink) (3368645); (5) HRD-158 — anti-bluff covenant leading clause added to HelixConstitution QWEN.md (cross-file consistency) + cascaded to ATMOSphere (8ec2b38/5462a38). ATMOSphere pushes landed on github (ATMOSphere1234321) + vasic-digital github-mirror; the vasic-digital gitlab mirror is a structural split-archive mirror (1497-commit divergence + Split-archive batch commit) — operator split-tooling territory, NOT force-reconciled. STILL EXTERNALLY GATED: HRD-156 LIVE Telegram round-trip (needs one-time qaherald mtproto login credential bootstrap), live pherald watch/listen daemon run on the host (ops/deployment), per-submodule QWEN.md leading-clause cascade (forensic-completeness across 25 repos), Fixed.md item-structuring (currently raw-preserved). Prior r41 (ATMOSphere[?]Herald integration Phase 2 CORE landed + pushed; remaining HRDs externally gated). LANDED + anti-bluff-tested + pushed:** HRD-148 commons_workable (SQLite store+CRUD+ATMOSphere parser+diff), HRD-149 commons_watch (fsnotify+WAL-poll), HRD-151 workflow change→CloudEvent→Runner bridge + diff formatter, HRD-152 inbound item.update/item.delete/investigation.start + ItemMutator + CONFIRM flow (wired into pherald listen --db), HRD-153 pherald watch end-to-end daemon (real-SQLite+fsnotify+diff+dispatch e2e), HRD-154 preference/quiet-hours routing (TZ-aware), e2e invariant E139, docs/guides/WORKABLE_ITEMS_INTEGRATION.md (+siblings), docs/qa/HRD-153-* evidence. EXTERNALLY GATED (need operator/remote/cross-repo): HRD-156 live Telegram round-trip (MTProto credential bootstrap), HRD-150/HRD-155 operationalize the constitution workable-items tool + SSoT materialization (HelixConstitution cross-repo), HRD-157 Phase 3 remote integration (register tools/herald + materialize docs/workable_items.db + live evidence on the ATMOSphere host), HRD-158 covenant QWEN.md propagation (push to HelixConstitution — high blast radius, operator confirmation required). Prior r40 (ATMOSphere[?]Herald integration Phase 2 kickoff — filed HRD-148..HRD-158, the work-stream HRDs from ~/Documents/ATMOSphere_Herald_Integration_Plan.md). HRD-148 (commons_workable SQLite SSoT foundation) + HRD-149 (commons_watch watcher) LANDED + -race green (in progress until the full watch→notify feature + e2e land). Count 32→43.** Prior r39 (§11.4.19 atomic migration: HRD-090 dead-letter handling Completed→Fixed.md — all four closure layers met: code + unit + real-PG integration + §11.4.85 stress/chaos + paired §1.1 mutation gate (4/0) + e2e E139; HRD-147 filed for the governance-plane subscriber follow-up). Issues count steady at 32 (–HRD-090 +HRD-147).** Prior r38 (HRD-146 filed — pherald listen dispatch hardening, from the 2026-05-29 "worker OOM" Phase-1 investigation that found the OOM premise did NOT match committed reality; the real latent risk is unbounded per-message dispatch growth — docs/research/oom-investigation-2026-05-29.md).** Prior r37 (HRD-090 dead-letter handling

Field**Value**

— code + unit + real-PG integration landed; stays in `_progress` pending §11.4.85 stress+chaos + paired §1.1 mutation gate + e2e invariant).** `MoveToDeadLetter` implemented (migration 000014_dead_letter_tasks, tx-atomic JSONB-snapshot move + terminal-mark, new 13th operational event class `ClassQueueDeadLetter/QueueEvent/DadLetter()` wired nil-tolerantly into `pgxTaskRepository`); 3 hermetic unit tests + `TestRepoMoveToDeadLetter_RoundTripAndEmit` real-PG integration (3 independent sinks: source terminal-state + dlq snapshot + real-bus event delivery) - race green; evidence docs/qa/HRD-090-20260529T052228Z/. NOT migrated to Fixed — closure bar (CONST-048 four-layer) not yet met. Prior r36 (§11.4.90 Obsolete graduation of 3 legacy NON-COMPLIANT live tests + Wave 8 Track B closure recorded against Fixed.md).** Three legacy live tests that fundamentally required manual operator action during execution graduate to Obsolete status per Universal §11.4.90 + Herald §108.e, with full **Obsolete-Details** lines (Since / Reason=superseded-by-later-mandate §11.4.98 / Superseding-item + triple-check evidence per §11.4.6 no-guessing): HRD-143 supersedes `TestSubscribe_LiveBotAPI` via HRD-140; HRD-144 supersedes `tests/test_wave6_live_loop.sh` via HRD-141; HRD-145 supersedes qaherald lifecycle --manual via HRD-142. Each Obsolete row cites a literal source-comment quote / file size / Cobra-flag line confirming the supersession is grounded in code that still exists, never a bare assertion. v0.6.0 tag (844f340) already covers HRD-139..142 in Fixed.md r17. Prior r35 (Tgram-completeness Wave C — HRD-137 §11.4.85 stress+chaos COMPLETE — SKIP→PASS conversion + atomic Issues→Fixed migration of all 6 tgram-completeness HRDs per §11.4.19).** Wave C closes the 6-HRD tgram-completeness wave (HRD-133..138). `TestTgram_Stress_MultiRecipientFanOut` already PASS (Wave-B-era multi-recipient fan-out stress). `TestTgram_Chaos_GetUpdatesPollerResilience` converted from `t.Skipf` SKIP-with-reason to real httpstest-driven fault injection via a one-line `subscribe.go` seam fix (threads `a.baseURL` into `telebot.Settings.URL` before `NewBot` — parallel to the `ensureBot` pattern at `tgram.go:60-67`; production path unchanged when `a.baseURL == ""`). 8-phase fault matrix (3× 500 + 2× 1.5s hangs honoring `ctx-cancel` + 1× mid-body Hijacker connection-close + 2× success), bot-username-aware self-filter bypass (success messages come from @someuser, not chaotestbot), assertion thresholds chosen deterministic-first: `recoveryFloor=3` (observed `recovery_event_count=6` every iteration), `goroSlack=16`, `settleWaitMs=2000`. Deterministic across -race -count=3 per §11.4.50 — all 3 iterations IDENTICAL: `recovery=6` `fault(500=12` `hang=8` `close=3` `ok=6)` `goroutines 3→4` (`leaked=1`) `duration=12.07s`. Full tgram suite **26/26 PASS, 0 SKIP** post-fix (was 24/24 with chaos SKIPped). Evidence docs/qa/HRD-137-20260528T150000Z/stress_chaos/ (anchor preserved verbatim, §2 SKIP→PASS section appended, `chaos_assertion.txt` rewritten with measured PASS-state values). §11.4.92 5-pass: P1 captured-evidence per-iteration table; P2 blast-radius — `subscribe.go` `baseURL` seam is read-only when unused (production unaffected); P3 cross-feature — the seam mirrors existing `ensureBot` pattern, no novel state; P4 deep-research — `telebot.v3` `LongPoller` retry behavior under fault (poller logs + continues, no internal retry); P5 anti-bluff — `handlerHits`, fault-counter atomics, `ctx-aware` subscribe return, no goroutine leak (`delta=1`) are all positive captured invariants from REAL Subscribe poller, not synthetic. **Atomic migration:** HRD-133, HRD-134, HRD-135, HRD-136, HRD-137 (this), HRD-138 ALL move Issues→Fixed in the same commit per §11.4.19 (Wave A/B previously parked them in `_progress` in Issues.md awaiting Wave C closure — now landed together). **Prior r34 (Tgram-completeness Wave B combined —**

Field

Value

HRD-133 token-redaction + HRD-134 429 retry_after) marks BOTH Open→in_progress; Wave B is now CLOSED (5 of 6 tgram-completeness tasks done). Both HRDs land in ONE commit because they share `commons_messaging/channels/tgram/send.go`'s error-and-retry paths atomically — splitting them would require partial-file commits with messy `git add -p` (precedent: C4+C5 / D-stragglers were the same shape). **HRD-133** ships `sanitizeTgramError` (new `errors.go`) wrapping 6 error-return sites in `Send + SendReply` so the Bot API token NEVER appears in any error / log message; `TestTgram_Send_ErrorDoesNotLeakToken` plants `123456:supersecret-must-not-leak-9999` + asserts absence (mirrors `TestSlack_Send_ErrorDoesNotLeakToken`). **HRD-134** ships `withRetry429` wrapping all 3 `telebot bot . Send` call sites; on 429 + `retry_after=N` sleeps N seconds (`ctx.Done()`-aware), retries up to 3 attempts, clamps per-retry to 60s; `retry_after` extracted via `errors.As(err, &telebot.FloodError{})`. `RetryAfter` (telebot's typed error — no body parse). Composition: the retry's log lines + final error are themselves sanitized so 429 logging never leaks the token. Injectable sleeper field on `Adapter` for hermetic tests. 7 new tests -race -count=1 (2 HRD-133 + 5 HRD-134) → tgram suite now 24/24 PASS. Parts 4+5 of 6 in the tgram-completeness wave. **Next: Wave C HRD-137** (multi-recipient fan-out stress + `getUpdates` resilience) on a now-stable `send.go`. **Prior r33 (Tgram-completeness Wave A SA-c — HRD-138 operator deep-dive guide) marked HRD-138 Open→in_progress and closed Wave A (3 of 6 tgram-completeness tasks).** `docs/guides/TELEGRAM.md` (810 lines, 11 §-sections, 58 subsections + 3 siblings `.html/.pdf/.docx`) is the per-module nano-detail operator guide called for by the operator memory feedback_nano_detail_docs. Sections: §1 architecture; §2 BotFather walkthrough; §3 env table + 3 chat_id discovery methods; §4 pre-deploy smoke-test commands; §5 attachment size limits + content-addressed inbox; §6 chat-type matrix (private/group/supergroup/channel id formats + bot permissions); §7 reply threading + attachment-fan-out rationale; §8 self-filter + echo-loop hazard (Wave 6 T12 M1); §9 12-entry troubleshooting cookbook (401/400/429/413/403/echo-loop/long-poll/409/privacy/webhook/zero-byte/wrong-inbox); §10 6-subsection pre-deploy audit (tick-boxes); §11 references (spec V3 + 13 HRDs + source paths). Cross-linked from the pre-existing `docs/guides/messengers/TELEGRAM.md` (HRD-011 setup, preserved untouched). Part 3 of 6 in the tgram-completeness wave — Wave A complete (HRD-135 + HRD-136 + HRD-138). **Next: Wave B HRD-133 + HRD-134** (combined subagent — both touch `send.go`: token-redaction symmetry + 429 `retry_after` honored), then **Wave C HRD-137** (multi-recipient stress+chaos). **Prior r32 (Tgram-completeness Wave A SA-b — HRD-136 webhook validator skeleton) marked HRD-136 Open→in_progress.** New `commons_messaging/channels/tgram/webhook.go` lands the Bot API webhook `secret_token` validation layer for the future V1.x webhook-path operator (spec V3 §11.1 alternative to `getUpdates`). `WebhookHandler` validates the X-Telegram-Bot-API-Secret-Token header via `crypto/subtle.ConstantTimeCompare` (timing-attack-safe), refuses empty secret at construction (`NewWebhookHandler("", ...)` errors — §107 footgun guard), returns 401 with EMPTY body on header mismatch/missing (no token-existence-oracle leakage to probes), 400 on malformed JSON, 405 on wrong method, 500 (no body) on `InboundHandler` error. Decoded `tele.Update` is forwarded as the SAME `InboundEvent` shape `OnText/OnEdited` produce — unified downstream contract. **Skeleton-only:** wiring into pherald `listen --webhook + setWebhook(secret_token=...)` registration + TLS-bound public listener deferred to V1.x; the cryptographic layer is here + tested so the future flip is one-flag. 7/7 hermetic `httptest` tests -race: `ValidSecret_Dispatches`, `InvalidSecret_Returns401_NoTokenLeak`, `MissingSecret_Returns401`,

Field

Value

GET_Returns405, MalformedJSON_Returns400, EmptySecretAtConstruction_ErrorsLoud, ConstantTimeCompare. Part 2 of 6 in the tgram-completeness wave. **Prior r31 (Tgram-completeness Wave A SA-a — HRD-135 lifecycle handlers) marked HRD-135 Open→in_progress.** commons_messaging/channels/tgram/subscribe.go gains 3 new event handlers per the operator's tgram-completeness mandate (Section 2 of the 2026-05-28 live-gap analysis): **OnEdited** rebuilds the same InboundEvent shape **OnText** does + `Raw["edited"]=true`; **OnMyChatMember** detects bot kicked/left/restricted status transitions (with Alice-left and promotion-to-Admin false-positive guards) + emits a grep-able `log.Printf` carrying `ErrBotKicked` text + the `chat_id`; **15 service-message endpoints** (UsersJoined/UserLeft/NewGroupTitle/etc.) registered to a single `serviceHandler` that emits nothing to `InboundHandler` but logs `tgram: ignored service message kind=... chat_id=...`. Sentinel var `ErrBotKicked` package-level so callers can `errors.Is`. 17/17 PASS - race -count=1 (3 new in `subscribe_lifecycle_test.go` + 14 existing, zero regression). Part 1 of 6 in the tgram-completeness wave. **Prior r30 (v0.6.0 Wave 7 T12 — operator guide; Wave 7 CODE-COMPLETE) marked HRD-121 Open→in_progress.** docs/guides/MESSENGER_CHANNELS.md ships as the operator-facing entry point for the multi-channel messenger framework — 610 lines, 11 sections covering architecture (commons.Channel outbound vs commons_messaging/channels.Channel inbound; ASCII fan-in diagram), HERALD_CHANNELS selector (fail-loud on unknown), Telegram + Slack live-setup walkthroughs (BotFather + api.slack.com/apps including Socket Mode app-token), §107 token-redaction security note for xoxb-/xapp- (citing `TestSlack_Send_ErrorDoesNotLeakToken`), per-channel inbox isolation, self-filter contract, URL schemes, "add a new channel" implementer checklist + "what you do NOT touch" companion (the framework's hot paths come for free), 10-entry troubleshooting cookbook, 6-checklist pre-deploy audit, full HRD/spec cross-references. Generated 3 siblings (.html/.pdf/.docx) via `REGEN_ALL=1 scripts/export_docs.sh`. **Wave 7 (T1-T12) is now code-complete:** HRD-110..114 (framework, already Fixed pre-session) + HRD-115 (slack adapter Socket Mode, 54d4316) + HRD-116 (qaherald slack MessengerClient + builder, 6811114) + HRD-117 (spec V3 r12→r13, 7f1b043) + HRD-118 (e2e E124-E131, 17ecd0b) + HRD-119 (paired §1.1 mutation gate 4/0, 6737040) + HRD-120 (multi-channel §11.4.85 stress+chaos 12/12, 86dfa1e) + HRD-121 (this row). Wave 7 HRDs **stay in_progress** pending operator-live Slack evidence (mirrors Wave 6's v0.4.0 deferred-to-T13b pattern); v0.6.0 tag is operator-gated on live docs/qa/HRD-115-LIVE-*/workspace evidence per §107.x. **Prior r29 (v0.6.0 Wave 7 T11 — multi-channel §11.4.85 stress+chaos) marked HRD-120 Open→in_progress.** Extended pherald/cmd/pherald/listen_stress_chaos_test.go (HRD-126's single-channel scaffold) with two W7-specific multi-channel tests: `TestListen_MultiChannel_StressBurst` (2 channels × 200 concurrent events → 400 unique IDs all dispatched exactly once + **per-channel attribution** via `perChannelCountingReplier` keyed on `rcpt.Channel` proves the `channelRouter` doesn't cross-wire; ~9-19k events/s under -race) + `TestListen_MultiChannel_ChaosOneChannelDies_OtherKeepsGoing` (the fan-in concurrency proof — tgram errors immediately, slack ticks 50 events at 2ms; assertion conjunction ≥5 slack dispatches landed BEFORE tgram fail-loud teardown AND the tgram error is tagged `channel="tgram-stub"` + `subscribe` → only true under a CONCURRENT goroutine orchestration, not a strictly-serial one). **runListen contract:** fail-loud-tears-down-siblings (pherald/cmd/pherald/listen.go:387-398); per-channel supervised restart is a deferred Wave 8 design and the doc-comment warns against silent change. 12/12 PASS over -race -count=3 (3 iterations × 2 new + 2 sibling HRD-126 tests); race-detector clean.

Field	Value
	Evidence anchors <code>multichannel_no_drop_under_burst=1</code> (stress) + <code>multichannel_concurrency_proven=1</code> (chaos) at <code>docs/qa/HRD-120-20260528T110000Z/</code>. Prior r28 (v0.6.0 Wave 7 T10 — paired §1.1 mutation gate) marked HRD-119 Open→in_progress. <code>tests/test_wave7_mutation_meta.sh</code> ships 3 paired hermetic mutations against the Wave 7 multi-channel framework — M1 blank <code>IsSelfEcho</code> (echo-loop hazard), M2 drop slack channels.<code>Register</code> in <code>init()</code> (registry-resolution broken), M3 drop slack thread <code>ts</code> append (reply threading degrades) — each mutated build observed FAIL on the matching e2e detector + restored byte-for-byte + post-restore PASS. New <code>TestSlackRegisteredViaInit</code> detector added to <code>slack_test.go</code> (it asserts <code>channels.Names()</code> contains "slack" — the only test that would FAIL under M2 specifically; without it M2 would silently "no tests to run" PASS-bluff). Gate run = 4 PASS / 0 FAIL (3 mutations + 1 quiescence assertion, no MUTATED W7 - residue in 3 production target files post-restore). Reuses Wave 6 canonical lockfile + trap + <code>assert_restored</code> + pre-flight guard verbatim. FOREGROUND-ONLY (§107.y / <code>feedback_no_concurrent_mutation_gates</code> operator mandate). Prior r27 (v0.6.0 Wave 7 T9 — e2e multi-channel invariants) marked HRD-118 Open→in_progress. <code>scripts/e2e_bluff_hunt.sh</code> gains E124-E131 (8 invariants anchored to live test names already shipped in HRD-110..117): E124 channels registry (resolve + unknown-errors), E125 tgram self-filter post-Wave-7 generalization (<code>TestSubscribeBotSelfFilter</code>), E126 slack adapter (<code>TestSlackSatisfiesChannel</code> + <code>auth.test</code> + <code>chat.postMessage</code> + registry wiring + <code>sc_anchor</code> to T6 docs/qa), E127 LIVE Slack triple-guarded (<code>HERALD_SLACK_BOT_TOKEN</code> + <code>HERALD_SLACK_CHANNEL_ID</code> + <code>grep TestSlack_Live_Send</code> — the third guard prevents the §107 "no tests to run = exit 0 = PASS-bluff" gotcha when env is set but no live-test exists), E128 per-channel inbox isolation + content-addressed idempotency, E129 generalized <code>IsSelfEcho</code> (<code>Username</code> + <code>UserID</code> + empty-self echo-loop hazard), E130 multi-channel pherald listen wiring (<code>TestListenWiresHandlerAndExitsOnCancel</code>), E131 qaherald messenger.<code>Build</code> dispatch (tgram + slack + unknown-errors-loud + <code>sc_anchor</code> to T7 docs/qa). Prior r26 (v0.6.0 Wave 7 T8 — spec V3 r12→r13) marked HRD-117 Open→in_progress. Spec edits document the already-shipped Wave 7 framework + Slack: §11.0 gains the inbound-runtime extension note (<code>commons_messaging/channels.Channel</code> embeds <code>commons.Channel</code> + <code>SendReplyGeneric</code> + <code>BotSelfIdentity</code> + <code>DownloadAttachment</code> + <code>init()</code>-registered registry + generalized <code>IsSelfEcho</code> via <code>SelfIdentity{Kind: IdentityUsername</code>
Issues	HRD-008, HRD-015, HRD-081, HRD-115, HRD-117, HRD-131, HRD-143, HRD-144, HRD-145, HRD-146, HRD-147, HRD-150, HRD-155, HRD-156, HRD-157, HRD-158
Issues summary	17 open / in-progress / Obsolete-pending workable items (was 43; r43 §11.4.19-migrated 51 code-verified HRDs — the 7 flavor bindings HRD-019..025, the §43 catalogue HRD-029..056, the Batch-D pgx repo HRD-085..089, Wave 7 HRD-116/118/119/120/121, ATMOSphere features HRD-148/149/151/152/153/154 — to <code>Fixed.md</code> after build+test+e2e+qa re-verification). The 17 remaining: HRD-115 (Slack adapter — operator-gated on LIVE round-trip evidence), HRD-117 (spec doc-only), HRD-131/150/155/156/157/158 (ATMOSphere/SSoT externally gated), HRD-146/147/081/008/015 (not-started/upstream/operator), HRD-143/144/145 (Obsolete). r35 (Tgram-completeness wave COMPLETE) atomically migrated HRD-133/134/135/136/137/138 Issues→Fixed per §11.4.19 — see <code>Fixed.md</code>. r34..r17 (v1.0.0 Batch A): HRD-018 (<code>commons_constitution</code> package — <code>Evaluator+emit+migrations+bundle-hash+mode-ladder</code>, completing the <code>constitution_audit</code> write-through that was the remaining §107 PASS-bluff: <code>RunOutcome.Audited</code> set true with nothing persisted), HRD-026 (bundle-hash now

Field	Value
	persisted on every emitted event AND audit row for replay), HRD-027 (mode-ladder runtime config + 3 admin REST endpoints GET/PUT /v1/compliance/modes[:rule_id]) closed atomically Task→done, migrated Issues→Fixed per §11.4.19. Evidence docs/qa/HRD-018-20260527T142556Z/ (real-PG emit→persist + admin-REST flip round-trips + §11.4.85 stress 512 emit→persist no-lost-writes + chaos 960 concurrent flips). Prior r16: HRD-122..HRD-130 (GAP-3 §11.4.85 stress+chaos suite) closed atomically as Completed + HRD-132 (Runner idempotency-window bug) closed as Fixed — 11 rows migrated Issues→Fixed; HRD-131 (SQLite SSoT migration Phase 1) remains OPEN (Phases 2-6 follow-on). r15: HRD-100 closed atomically (Wave 6 pherald inbound runtime — code-doc closure; live evidence operator-pending → T10b). r14: substrate upgrade only (Wave 4b TOON; no HRDs migrated). r12: HRD-016 closed atomically (Wave 3b pherald Runner live + e2e E37-E42 PASS or honest SKIP-with-reason when PG :24100 absent). r11: HRD-011 (Telegram live) closed atomically with live message_id=5 evidence. r10 doc-cleanup renumbered HRD-093 → HRD-099. r9: HRD-028 + HRD-098 closed (Wave 3a). Carry-over to Wave 3c: HRD-024 (iherald paging), HRD-033 (destructive-guard body), HRD-018..027 flavor-specific bindings, plus the rest of the §43 command catalogue. HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-011, HRD-012, HRD-013, HRD-014, HRD-016, HRD-017, HRD-018, HRD-019..HRD-025, HRD-026, HRD-027, HRD-028, HRD-029..HRD-056, HRD-080, HRD-085..HRD-089, HRD-090, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097, HRD-098, HRD-099, HRD-100, HRD-110, HRD-111, HRD-112, HRD-113, HRD-114, HRD-116, HRD-118, HRD-119, HRD-120, HRD-121, HRD-122, HRD-123, HRD-124, HRD-125, HRD-126, HRD-127, HRD-128, HRD-129, HRD-130, HRD-132, HRD-133, HRD-134, HRD-135, HRD-136, HRD-137, HRD-138, HRD-139, HRD-140, HRD-141, HRD-142, HRD-148, HRD-149, HRD-151, HRD-152, HRD-153, HRD-154
Fixed	
Fixed summary	see Fixed.md.
Continuation see CONTINUATION.md.	

Table of contents

- [Open](#)
- [In progress](#)
- [Blocked](#)
- [Conventions](#)

Open

Per Universal §11.4.74 every new row carries a Catalogue-Check line in its References cell (one of reuse|extend|no-match <org/repo>@<sha>). For HRDs whose catalogue-check is still pending, the row records no-match (2026-05-20) — operators reviewing the implementation PR will re-verify.

ID	Type	Status	Criticality	Title	Open
HRD-143	task	Obsolete	low	TestSubscribe_LiveBotAPI legacy live test — superseded by §11.4.98 + HRD-140. Obsolete-Details: Since 2026-05-28; Reason=superseded-by-later-mandate;	2026-0

ID	Type	Status	Criticality	Title	Open
				Superseding-item=Universal §11.4.98 (full-automation anti-bluff mandate) + Herald §108.m + HRD-140 (TestMTPProto_Subscribe_AutonomousRoundTrip, Fixed.md row, commit 367d58b); Triple-check evidence: (a) git-grep verified the test still exists at commons_messaging/channels/tgram/subscribe_integration_test.go:30 with the literal source comment "requires the operator to hand-send a message to the configured chat within the 60s window" (direct §11.4.98 violation — runtime human action required during test execution), (b) git-log shows 367d58b (HRD-140) introduced the MTPProto-driven autonomous replacement, (c) runtime path: the new HRD-140 test PASSED LIVE in 1.30s end-to-end with zero human action per docs/qa/HRD-LIVE-MTPROTO-20260528T125321Z/E135_subscribe/transcript.txt. Action: file is retained as a documentation artefact (commented t.Skipf(§11.4.98 supersession) body) — operators MUST use HRD-140's MTPProto path. tests/test_wave6_live_loop.sh legacy live closed-loop script — superseded by §11.4.98 + HRD-141. Obsolete-Details: Since 2026-05-28; Reason=superseded-by-later-mandate; Superseding-item=Universal §11.4.98 + Herald §108.m + HRD-141 (TestMTPProto_Wave6_AutonomousClosedLoop, Fixed.md row, commits 7e50ed0+d7d6524+0797e85); Triple-check evidence: (a) ls tests/test_wave6_live_loop.sh confirms file exists (6782 bytes), (b) git-log shows 7e50ed0 (HRD-141) introduced the 2026-05-28 MTPProto-driven autonomous closed-loop replacement with journal-based §11.4.98 autonomy assertion, (c) runtime path: HRD-141 PASSED LIVE in 48.58s with full bidirectional tgram.message in+cc.dispatch+cc.reply journal trace per docs/qa/HRD-LIVE-MTPROTO-20260528T125321Z/E136_wave6_closed_loop/transcript*.txt. Action: shell script retained as historical reference; new e2e flow goes through HRD-141. qaherald lifecycle --manual interactive mode — superseded by §11.4.98 + HRD-142. Obsolete-Details: Since 2026-05-28; Reason=superseded-by-later-mandate; Superseding-item=Universal §11.4.98 + Herald §108.m + HRD-142 (TestMTPProto_Wave65_LifecycleAutonomous, Fixed.md row, commit 1f2e75d); Triple-check evidence: (a) 2026-05-28 grep -nE '"--manual"' qaherald/cmd/qaherald/lifecycle.go:174 confirms cmd.Flags().BoolVar(&f.Manual, "manual", false, ...) is wired in the Cobra subcommand, (b) git-log shows 1f2e75d (HRD-142) introduced the 3-scenario MTPProto-driven autonomous replacement (Help/Status/	
HRD-144	task	Obsolete	low		
HRD-145	task	Obsolete	low		

ID	Type	Status	Criticality	Title	Open
HRD-015	task	Obsolete	low	Continue fast-paths, journal-based assertions), (c) runtime path: HRD-142 PASSED LIVE in 26.04s with 3/3 subtests PASS per docs/qa/HRD-LIVE-MTPROTO-20260528T125321Z/E137_wave65_lifecycle/transcript*.txt. Action: --manual flag retained for ad-hoc operator debugging but explicitly NOT a §11.4.98-compliant test path — CI MUST use the MTProto build-tag path from HRD-142. Inheritance gate I8 invariants for Go scaffold (go.work + commons/types.go + null adapter test passes) — superseded by design change. Obsolete-Details: Since 2026-05-30; Reason=superseded-by-design-change; Superseding-item=the inheritance-gate I8 slot was repurposed for the §107 end-user-usability covenant (I8a/I8b/I8c in tests/test_constitution_inheritance.sh:133-137), and the Go-scaffold verification HRD-015 requested is now covered by the broader anti-bluff test suite rather than a dedicated gate invariant; Triple-check evidence: (a) <code>grep -nE 'I8[abc]' tests/test_constitution_inheritance.sh</code> shows the three I8a/b/c checks assert the §107 covenant anchors in CLAUDE.md/AGENTS.md/HERALD_CONSTITUTION.md — NOT the Go-scaffold (the I8 number was reassigned), (b) the null adapter is a full tested adapter (commons_messaging/channels/null/ per CLAUDE.md) and go.work + commons/types.go exist and build green — the 2026-05-30 green-baseline reported 18/18 Go modules ok + inheritance gate 15 PASS / 0 FAIL, (c) runtime: HRD-015's intent (verify the Go scaffold passes) is continuously satisfied by <code>go test ./... + scripts/e2e_bluff_hunt.sh</code>, so a separate I8 scaffold invariant is redundant. Action: closed Obsolete; no code change. Extend digital.vasic.containers/pkg/compose to detect podman-compose vs docker compose runtime and either emit runtime-appropriate flags (no --wait for podman-compose) or fall back to host-side healthcheck polling. Composes with §11.4.76 — required so <code>compose.WithWait(true)</code> works across both backends. Also fix <code>Status()</code> parsing for podman-compose ps output (returns 0 services even when containers are visible to podman directly). Per §11.4.76: extend upstream submodule, never reimplement.	2026-0
HRD-081	task	open	low	Wave 7 T6 — Slack channel adapter (Socket Mode): commons_messaging/channels/slack/ implements channels.Channel — New/NewWithBaseURL/NewFromURL parsing <code>slack://<bot-token>@<workspace>/<channel-id>[?app_token=...]</code>, Send (chat.postMessage), SendReply(thread_ts) + SendReplyGeneric (interface delegate w/ files.uploadV2 attachment fan-out), Subscribe (Socket Mode), BotSelfIdentity (auth.test →	2026-0
HRD-115	task	in_progress	high		2026-0

ID	Type	Status	Criticality	Title	Open
HRD-117	task	in_progress	low	IdentityUserID, cached), DownloadAttachment (files.info → content-addressed inbox/slack/<sha>.<ext> via channels.WriteContentAddressed), HealthCheck. Vendored submodules/slack-go @ v0.16.0 (commit 209ec09) + commons_messaging/go.mod replace per Herald §11.4.74. 22 hermetic httptest tests (33 incl. subtests) - race green; inheritance gate 15/0 post-.gitmodules-edit; TestSlackSatisfiesChannel confirms interface satisfaction. Wave 7 T8 — spec V3 r12→r13: §11.0 channels.Channel inbound-runtime extension note + §32.2 Telegram/Slack marked LIVE + §43 multi-channel pherald listen row. Documents the Wave 7 framework + Slack adapter (T6) + qaherald Slack client (T7) shipped reality — spec catches up to shipped code (no new product code in T8). Migrate text HRD trackers to versioned SQLite single-source-of-truth (§11.4.93 / Herald §108.h, 6-phase) — DB committed as authoritative SSoT per operator mandate 2026-05-27. Phase 1 (this item): file the scope-locked tracking HRD. Phase 2: scaffold/adopt the migration Go binary that already lives in the constitution submodule (constitution/scripts/workable-items/) — Herald references it per §11.4.74 catalogue-first and never reimplements it. Phase 3: sync md→db (load docs/Issues.md / docs/Fixed.md / *_Summary.md / docs/Status.md / docs/CONTINUATION.md §3 into docs/.workable_items.db). Phase 4: sync db→md byte-identical (round-trip regeneration so MD[?]DB drift is mechanically impossible). Phase 5: generator shims (the *_Summary.md variants + Status/CONTINUATION become derived from the DB). Phase 6: prohibit text-direct edits (release-gate guard that the DB is the only authoring surface). Operator divergence from the parent §11.4.93 gitignored-with-regeneration default: for Herald the DB IS the authoritative artefact — docs/.workable_items.db is version-controlled (committed), NOT regenerated-on-clone; only the transient WAL/SHM sidecars (docs/.workable_items.db-wal / -shm) stay gitignored ("We should not git ignore our workable items database since it is our single source of truth regarding items we have to do on the project!"). Scope-lock: this HRD covers Phase 1 (this row) + Phase 2 adoption ONLY. Phases 3-6 (md→db sync, db→md byte-identical regeneration, generator shims, text-direct-edit prohibition) are follow-on work-items to be opened as Phase 2 completes, so the §106 spec-change / §107.x evidence invariants are never broken mid-migration. 2026-05-29 re-assessment: Phase 2 remains EXTERNALLY BLOCKED — constitution/scripts/workable-items/ is still a non-functional scaffold (0/7 subcommands implemented, go build succeeds but every command exits	2026-0
HRD-131	task	open	middle	gitignored-with-regeneration default: for Herald the DB IS the authoritative artefact — docs/.workable_items.db is version-controlled (committed), NOT regenerated-on-clone; only the transient WAL/SHM sidecars (docs/.workable_items.db-wal / -shm) stay gitignored ("We should not git ignore our workable items database since it is our single source of truth regarding items we have to do on the project!"). Scope-lock: this HRD covers Phase 1 (this row) + Phase 2 adoption ONLY. Phases 3-6 (md→db sync, db→md byte-identical regeneration, generator shims, text-direct-edit prohibition) are follow-on work-items to be opened as Phase 2 completes, so the §106 spec-change / §107.x evidence invariants are never broken mid-migration. 2026-05-29 re-assessment: Phase 2 remains EXTERNALLY BLOCKED — constitution/scripts/workable-items/ is still a non-functional scaffold (0/7 subcommands implemented, go build succeeds but every command exits	2026-0

ID	Type	Status	Criticality	Title	Opened	Last update	References
				2 "not yet implemented"; full assessment docs/research/workable-items-phase2-assessment-2026-05-27.md). Herald cannot proceed beyond Phase 1 without reimplementing the binary, which §11.4.74 forbids. The docs/.workable_items.db → canonical docs/workable_items.db path reconciliation is DEFERRED BY DESIGN per CLAUDE.md §11.4.95 ("reconcile to the canonical path when the DB is implemented") — reconciling now would churn 4 governance docs (inheritance-gate risk) for a file that does not yet exist and could create a new dot/no-dot split.			
HRD-150	task	open	high	ATMOSphere integration WS-1 — bidirectional MD↔SQLite regenerator + drift resolution (reference constitution/scripts/workable-items/ per §11.4.74, supply the ATMOSphere-format parser the tool lacks).	2026-0		
HRD-155	task	open	high	ATMOSphere integration WS-1 — operationalize the workable-items SQLite tool + reconcile HRD-131 (implement the tool's add/close/report + ATMOSphere-format parser upstream in the constitution repo per §11.4.74; external blocker for SSoT materialization).	2026-0		
HRD-156	task	open	high	ATMOSphere integration WS-5 — anti-bluff full-automation test suite (T-A real-SQLite→real-Telegram via MTProto; T-B inbound→real-row-mutation; T-C exact-diff byte-assert; T-D/ T-E §11.4.85 stress/chaos; T-F paired §1.1 mutation gate; wrap as Challenges for HelixQA; all docs/qa/<run-id>).	2026-0		
HRD-157	task	open	high	ATMOSphere integration Phase 3 — register Herald as a proper tools/herald submodule (replace the broken orphan gitlink, operator-chosen 2026-05-29), materialize docs/workable_items.db, wire host-side runner (pherald watch+pherald listen, mirroring tools/oom-protect), seed Subscribers, run live T-A..T-F evidence.	2026-0		
HRD-158	task	open	middle	ATMOSphere integration WS-5 — anti-bluff covenant verbatim-phrase propagation: add the operator phrase to root constitution/QWEN.md (HelixConstitution) → cascade to ATMOSphere root QWEN.md + all 25 submodules' QWEN.md (6 helixqa confirmed-missing; audit the other ~18) + Herald README.	2026-0		

In progress

ID	Type	Status	Criticality	Title	Opened	Last update	References
HRD-008	task	in_progress	middle	Operator-side quickstart compose validation (Postgres +	2026-05-20	2026-05-20	spec V3 §26.5 — scaffold shipped, live end-to-end run pending operator; Catalogue-Check:

ID	Type	Status	Criticality	Title	Opened	Last update	References
				Redis + OTel + pherald container)			no-match (2026-05-20) — bespoke to Herald

Blocked

(none)

Conventions

See [Fixed.md](#) for closed items + Universal §11.4.12/.15/.16/.19/.33/.55/.73/.74 composition rules.