

Herald



Herald — Fixed

Field	Value
Revision	11
Created	2026-05-20
Last modified	2026-05-22
Status	active
Status summary	r11 closes HRD-016 (pherald /v1/events Runner wiring) atomically — Wave 3b lands the §32 7-stage Runner orchestrator end-to-end (EventParser → IdempotencyChecker → TenantResolver → PolicyGate → SubscriberResolver → ChannelDispatcher → OutcomeRecorder). <code>pherald/internal/http/events.go</code> exposes the live POST <code>/v1/events</code> handler (202 Accepted + Receipt JSON; 200 + X-Herald-Replay: true on replay; 401 on missing/invalid JWT; 400 on parse failure). 23/23 runner package tests green; 6 new e2e invariants E37-E42 (and revised E10) cover the live path under PG :24100 reachability; mutation gate gains M2/M3/M4 (M2 + M4 proven; M3 SKIP-with-reason pending deny-evaluator e2e). Consumer-project integration unlocked. Prior r10 closed HRD-011 (Telegram live). r9 doc-cleanup renumbered HRD-093 → HRD-099. r8 closed Wave 3a (HRD-028 + HRD-098 + HRD-099).
Issues	see <code>Issues.md</code> — r12 removes HRD-016 from open (atomically Issues→Fixed in this r11 commit).
Issues summary	HRD-008/-015/-018 (in_progress) + HRD-019..HRD-027 + HRD-029..HRD-056 + HRD-081 + HRD-085..HRD-090 still open (47 items).
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-011, HRD-012, HRD-013, HRD-014, HRD-016, HRD-017, HRD-028, HRD-080, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097, HRD-098, HRD-099 (and HRD-018 partial — M1 + M2 components landed)
Fixed summary	spec V1→V3 r9; Go module foundation + Foundation M1/M2/M3; HRD-010 commons_storage live wiring; HRD-011 Telegram live (live_message_id=5 evidence 2026-05-22); HRD-012 Claude Code dispatcher live; HRD-016 pherald /v1/events Runner wiring (Wave 3b live — 7-stage pipeline + e2e E37-E42); universal §11.4.73 + §11.4.74 mandates propagated; I6 gate refined; Wave 2 flavor scaffolds (HRD-092..097) closed atomically; Wave 3a substrate (HRD-099 commons_auth JWT verifier) + 2 live REST routes (HRD-028, HRD-098) closed atomically.

Continuation see `CONTINUATION.md`.

Table of contents

- [Recently fixed](#)

Recently fixed

ID	Type	Criticality	Title	Closed	Commit	Reference
HRD-016	task	middle	pherald /v1/events Runner wiring (REST API surface via Gin Gonic per spec §41) — §32 7-stage event-ingest pipeline lands as 7 concrete structs under pherald/internal/runner/ (EventParser, IdempotencyChecker, TenantResolver, PolicyGate, SubscriberResolver, ChannelDispatcher, OutcomeRecorder) orchestrated by runner.Runner.Run. pherald/internal/http/events.go exposes the live HTTP handler; pherald/cmd/pherald/{main,stubs}.go lazily build the Runner + JWT verifier inside the serve subcommand so other paths still work without HERALD_PG_DSN/HERALD_AUTH_MODE. HTTP contract: 202 Accepted + Receipt JSON on fresh event, 200 + X-Herald-Replay: true on replay, 401 on missing/invalid JWT, 400 on parse failure. §107 evidence: 23/23 runner package tests green (per-stage + 3 integration scenarios: happy/duplicate/deny); 6 new e2e invariants E37-E42 (PG :24100 gate-skipped when absent — honest SKIP-with-reason per §11.4.3); mutation gate tests/ test_wave3_mutation_meta.sh gains M2 (Duplicate=false unconditional → E38 breaks), M4 (skip events_processed.Insert → E38/E42 break). M3 SKIP-with-reason pending Wave 3c deny-evaluator e2e. Commits T1..T10: eb9b2f4, 40ad60f, 2fdb7b5, 4c4af24, 3988114, 5468897, 6ea29a4, be71db1, c7b89a4, (this commit). Telegram channel adapter live integration — telebot.v3 vendored (submodules/telebot); HealthCheck + Send + Subscribe + outbound_delivery_evidence persistence all live-wired with §107 bluff guards.	2026-05-22	(this commit)	spec V3 §32.1. Catalogue-Chen vendor (Gin ex Herald-internal spec V3 §11.1; no-match → v submodules/tele live evidence: 2026-05-22 + 7
HRD-011	task	middle		2026-05-22	(this commit)	

ID	Type	Criticality	Title	Closed	Commit	Reference
HRD-099	task	low	Closed atomically with operator-session live evidence 2026-05-22: real bot delivery message_id=5 from @atmosphere_worker_bot to chat 2057253161 (validated via getChat) using the extended wizard CLI's --bot-token (env: HERALD_TGRAM_BOT_TOKEN) + --chat-id (validated via getChat before persist) + --non-interactive flags. Token→getMe→getChat→sendMessage chain confirmed end-to-end in commit 140a2f1 session. commons_auth/ JWT verifier — HMAC + JWKS hybrid + Gin middleware + claims helpers, vendored Herald-internal per §11.4.74 catalogue-check no-match. Catalogue evidence: docs/catalogue-checks/HRD-099-commons-auth.md. Renumbered from HRD-093 (Wave 3a executing-time anchor) in the post-Wave-3a doc-cleanup pass; Wave 3a commits dbbea95..0cc6fad keep the old HRD-093 in their commit messages as history.	2026-05-21	dbbea95 (impl) + r9 doc-cleanup (renumber)	spec V3 §41 + docs/catalogue-commons-auth
HRD-098	task	middle	sherald /v1/safety_state live — process-local Aggregator + background mem-sampler (15s tick) + Handler with JWT gate via commons_auth.GinMiddleware. Replaces the Wave 2 501-stub. §107 evidence: e2e E46 (no-auth → 401), E47 (valid HMAC → 200 + current_mem_percent>0 + last_destructive_op=null + uptime_seconds>=1 + open_events=0). Paired mutation M5 (zero-mem Aggregator) proves E47 catches the regression. E48 SKIP-with-reason — destructive-op trigger awaits HRD-033 body.	2026-05-21	(this commit)	spec V3 §18.0 E46-E47
HRD-028	task	low	cherald /v1/compliance live — paginated + filter-aware constitution_state pull surface with JWT gate via commons_auth.GinMiddleware. Backed by ConstitutionStore.ListQuery extended with Since/Until/Offset (commit 6276437). §107 evidence: e2e E43 (no-auth → 401), E44 (valid HMAC +	2026-05-21	(this commit)	spec V3 §42.1. E43-E44

ID	Type	Criticality	Title	Closed	Commit	Reference
			empty tenant → 200 + total=0 + page=1 + page_size=50). E45 SKIP-with-reason — cross-binary cherald-reads-pherald-writes deferred to Wave 3b (Runner not live yet).			
HRD-092	task	middle	commons/cli/ shared CLI scaffold (Wave 2) — NewRootCmd + VersionCmd + ServeCmd (with Middleware hook) + StubCmd + healthz/readyz/metrics handlers. Vendored as Herald-internal per §11.4.74 catalogue-check no-match. As-built evidence: §44.M of spec V3 r8 + docs/catalogue-checks/HRD-092-commons-cli.md.	2026-05-21	(this commit)	spec V3 §44.M no-match → v
HRD-093	task	middle	sherald flavor scaffold — System Herald binary serving :24793 with cli.ServeCmd, 5 §43 stubs (HRD-033/034/040/046/056) + /v1/ safety_state 501 stub → HRD-098.	2026-05-21	(this commit)	spec V3 §18.0 Check: no-mat
HRD-094	task	middle	cherald flavor scaffold — Constitution Herald binary serving :24792 with cli.ServeCmd, 11 §43 stubs + /v1/ compliance 501 stub → HRD-028.	2026-05-21	(this commit)	spec V3 §18.0 Check: no-mat
HRD-095	task	low	bherald flavor scaffold — Build Herald CLI-only binary with 3 §43 stubs (HRD-035/041/045).	2026-05-21	(this commit)	spec V3 §18.0 Check: no-mat
HRD-096	task	low	rherald flavor scaffold — Release Herald CLI-only binary with 3 §43 stubs (HRD-031/032/045).	2026-05-21	(this commit)	spec V3 §18.0 Check: no-mat
HRD-097	task	low	iherald + scherald flavor scaffolds — Incident Herald serving :24794 with /v1/ webhooks/page → HRD-024 + Scheduled-audit Herald CLI-only with 1 §43 stub (HRD-047). Paired since iherald has zero §43 stubs.	2026-05-21	(this commit)	spec V3 §18.0 Check: no-mat
HRD-012	task	middle	Claude Code dispatcher live integration — <code>claude --resume <UUID> --print <envelope> exec + <<<HERALD-REPLY>>> JSON parse + claude_code_sessions persistence</code> per §33. §107 evidence: Plan 2 Task 6 commit 702b5a3 (live PASS 24.24s — real claude CLI round-trip, structured reply parsed, Outcome+Summary non-empty) + Task 7 commit 4718c0e (live PASS 36.23s — session_state upsert under HeraldSystemTenant with exact-equality assertions on session_uuid + anchor_path + last_response JSONB round-trip). HRD-085..HRD-090 stay	2026-05-21	(this commit)	spec V3 §33 + Check: no-mat external binary digital.vasic.da pool.

ID	Type	Criticality	Title	Closed	Commit	Reference
HRD-010	task	middle	open for upstream-defined TaskRepository methods not exercised by the Dispatch+session hot path. commons_storage live wiring — pgx pool + RLS-enforcing WithTenantContext (discovered + fixed RLS-bypass bug via E14 falsifiability) + 9 migrations + background queue (digital.vasic.background bound via pgxTaskRepository) + Redis ACL (digital.vasic.cache) + pherald migrate up/status/down/validate subcommand + 3 new §107 e2e invariants (E14/E15/E16) + HRD-085..090 registered for queue-repository stubs	2026-05-20	(this commit)	spec V3 §9.6 + Check: extend digital.vasic.da digital.vasic.ba + digital.vasic. Concurrency s
HRD-080	task	low	Refine I6 inheritance-gate invariant from blanket .gitmodules-forbidden to "no constitution/entry in .gitmodules" — paired meta-test test_i6_refinement_meta.sh with 3 anti-bluff subtests. Enables Foundation M2/M3 Helix-stack submodule installs.	2026-05-20	(this commit)	spec V3 §44.9
HRD-017	task	middle	Propagate Universal §11.4.73 (main-spec versioning + revision discipline) and §11.4.74 (submodule-catalogue-first discovery) into parent constitution Constitution.md + CLAUDE.md + AGENTS.md	2026-05-20	constitution 34a82b3	Universal §11.
HRD-014	task	middle	pherald CLI scaffold — Cobra root + version + 5 stubbed subcommands; pherald version --json returns canonical build info	2026-05-20	e627c76	spec V3 §3 + §
HRD-013	task	middle	commons_messaging + null:// adapter — full §11.0 Channel contract impl with ring buffer + fail_rate/latency/ceiling URL params + 8-case unit test suite	2026-05-20	(this commit)	spec V3 §11.14
HRD-009b	task	low	commons_prefix module — §8.2 deterministic 3-letter prefix algorithm with CamelCase split + collision-resolution via fnv1a32 + table-driven tests	2026-05-20	(this commit)	spec V3 §8.2
HRD-009	task	middle	commons module — full §11.0 Go type contract (Channel + Capabilities + DeliveryEvidence + OutboundMessage + Body + Attachment + Recipient + Action + Priority + Receipt + InboundHandler + InboundEvent + Subscriber + SubscriberAlias + CloudEventEnvelope + TraceContext + Branding + ChannelID + PreferenceSet	2026-05-20	(this commit)	spec V3 §11.0

ID	Type	Criticality	Title	Closed	Commit	Reference
			+ ...) + Clock abstraction + UUIDv7 helper + DefaultBranding factory			
HRD-007	task	middle	V3 r3 cross-doc sync + tracking-doc scaffold (Issues/Fixed/Status/Status_Summary/Issues_Summary/Fixed_Summary/CONTINUATION)	2026-05-20	741cccd	spec V3 §30.8
HRD-006	task	middle	V3 r2 flavor refinement — 9 flavors × per-channel interaction tables	2026-05-20	f8b8073	spec V3 §30.7
HRD-005	task	middle	V3 r1 operator-product layer (§31..§36 + §18.2 expansion)	2026-05-20	e26a8dc	spec V3 §30.6
HRD-004	task	middle	V2 r3 — Go type contract closure + operational ops detail	2026-05-20	f4ebba1	archived V2 §3
HRD-003	task	middle	V2 r2 — close prose ^[?] definition gaps + add operational guidance	2026-05-19	9648545	archived V2 §3
HRD-002	task	middle	V2 r1 — architectural authoring (CloudEvents/Watermill/OTel/RLS/SLSA/9 flavors)	2026-05-19	96b7cc6	archived V2 §2
HRD-001	task	middle	V1 — initial MVP specification + Review section + Recommendations	2026-05-19	b421fe1	archive V1 §"F